



MAS Certified Green® Certificate of Compliance Low-Emitting Materials

Awarded to:

DAYTON SUPERIOR CORP. OF MIAMISBURG, OH

1125 BYERS ROAD; ZIP CODE: 45342

Category:
Cert. Scheme:

Construction Materials - Concrete Finishing Products
VOC Emissions

Accredited
Standards &
Test Methods:

California Dept. of Public Health Standard Method v1.2 classroom & private office

*Conforms
With:

LEED v4.1 ID+C, BD+C
CHPS 2019 Core Criteria 3.0 EQ C6.1.1
Criteria of MAS Certified Green® Program
TVOC Emissions at 14-days

low-emitting materials
adhesives & sealants
low-emitting materials
0.5 mg/m³ or less

Compliant
Products:

Clear Resin Cure J11W

Test Date:

November 20, 2020 Report No.:2000639 Certificate No.:MAS2000639-01-6

valid: November 2020 to November 2021



Testing Cert. # 2925.01
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017
3rd Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

*outside of A2LA accreditation scope

3945 Lakefield Ct. · Suwanee, Ga. · 770-866-3206 · <http://www.mascertifiedgreen.com/>