Printing date 04/25/2023

Reviewed on 04/25/2023

## **1** Identification

- · Product identifier
- · Trade name: <u>ProAnchor Elite Part A</u>
- Article number: 100862A
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

*Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.* 

· Information department: Environmental, Health, and Safety department.

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2		H315	Causes skin irritation.
Eye Dam. 1		H318	Causes serious eye damage.
Skin Sens. 1		H317	May cause an allergic skin reaction.
Repr. 1B		H360	May damage fertility or the unborn child.
Aquatic Chroni	ic 2	H411	Toxic to aquatic life with long lasting effects.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 1)

≥50-<80%

Trade name: ProAnchor Elite - Part A

· Classi	fication	sys	tem:	
			_	-

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \mathbf{0} \\ \mathbf{$ 

HMIS-ratings (scale 0 - 4)

HEALTH 3 Health = 3 FIRE 0 Fire = 0 PHYSICAL HAZARD 0 Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:

25085-99-8 Diglycidyl ether of bisphenol A homopolymer

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First-aid measures

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing:* Seek medical treatment.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 2)

Trade name: ProAnchor Elite - Part A

• Advice for firefighters • Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

#### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage: cool and dry

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 4)

<sup>–</sup> ÚS

Printing date 04/25/2023

*Reviewed on 04/25/2023* 

(Contd. of page 3)

US

#### Trade name: ProAnchor Elite - Part A

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.* 

Physical and chemical proper	
Information on basic physical and	chemical properties
General Information	
Appearance:	17.
Form:	Viscous
Color:	White Characteristic
Odor:	Characteristic Not determined
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 4)

Trade name: ProAnchor Elite - Part A

· Solvent content:

Solids content:

• Other information

100.0 % No further relevant information available.

# **10 Stability and reactivity**

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 25085-99-8 Diglycidyl ether of bisphenol A homopolymer

*Oral LD50 5,000 mg/kg (rat)* 

Dermal LD50 20,000 mg/kg (rabbit)

#### Primary irritant effect:

• on the skin: May cause skin irritation.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Harmful* 

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: ProAnchor Elite - Part A

• Additional ecological information:

- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

UN-Number	
DOT, ADR, ADN	Not Regulated
IMDG, IATA	UN3077
UN proper shipping name	
DOT, ADR, ADN	Not Regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII
Impo	N.O.S. (Diglycidyl ether of bisphenol A homopolymer), MARIN
	POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII
	N.O.S. (Diglycidyl ether of bisphenol A homopolymer)
Transport hazard class(es)	
DOT, ADR, ADN	
Class	Not Regulated
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, ÅDR	Not Regulated
IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)

<sup>·</sup> Recommendation:

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: ProAnchor Elite - Part A

		(Contd. of page 6)
• Transport in bulk according to Annex II of MARPOL73/2 and the IBC Code	78 Not applicable.	
· Transport/Additional information:		
• ADR • U.S. Domestic Ground Shipments: • U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.	
• Emergency Response Guide (ERG) Number:	Not determine	
· IMDG · Limited quantities (LQ)	5L	
· UN "Model Regulation":	Not Regulated	

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

25085-99-8 Diglycidyl ether of bisphenol A homopolymer

30499-70-8 1,3-propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 2-(chloromethyl)oxirane

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

ACTIVE

<sup>-</sup> US

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: ProAnchor Elite - Part A

(Contd. of page 7)

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



- · Signal word Danger
- · Hazard statements Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects.
- · Precautionary statements

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

- · Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/25/2023 / 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

<sup>·</sup> Abbreviations and acronyms:

(Contd. of page 8)

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part A

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Printing date 04/25/2023

Reviewed on 04/25/2023

## **1** Identification

- · Product identifier
- · Trade name: ProAnchor Elite Part B
- · Article number: 100862B
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

*Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.* 

· Information department: Environmental, Health, and Safety department.

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4	H302 Harmful if swallowed.
Skin Corr. 1B	H314 Causes severe skin burns and eye damage.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Carc. 1A	H350 May cause cancer.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT RE 1	H372 Causes damage to organs through prolonged or repeated exposure.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

#### · Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Quartz (SiO2)
1,3-Cyclohexanedimethanamine
2-piperazin-1-ylethylamine titanium dioxide
Hazard statements
Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
May cause cancer.
Suspected of damaging fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.
Harmful to aquatic life with long lasting effects.
Precautionary statements

#### If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 3\\ Fire = 0\\ Reactivity = 0 \end{array}$ 

· HMIS-ratings (scale 0 - 4)

110115 1 400185 (50		
HEALTH	*3	Health = *3
	_	Fire = 0
PHYSICAL HAZARD	0	<i>Reactivity</i> $= 0$

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
14808-60-7	Quartz (SiO2)	≥40-≤70%
2579-20-6	1,3-Cyclohexanedimethanamine	≥10-≤20%
140-31-8	2-piperazin-1-ylethylamine	≥5-≤15%
13463-67-7	titanium dioxide	≥0.1-<3%
Additional	<b>information:</b> For the wording of the listed hazard physics refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

#### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

*Immediately wash with water and soap and rinse thoroughly.* 

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.* 

(Contd. on page 3)

- US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

• After swallowing:

Immediately call a doctor. Drink copious amounts of water and provide fresh air. Immediately call a doctor. Seek medical treatment.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.* 

• Environmental precautions: Do not allow product to reach sewage system or any water course.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 04/25/2023

Trade name: ProAnchor Elite - Part B

Reviewed on 04/25/2023

(Contd. of page 3)

	08-60-7 Quartz (SiO2)
PEL	Long-term value: 0.05* mg/m <sup>3</sup> *resp. dust; 30mg/m3/%SiO2+2
REL	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m³ *as respirable fraction
Imme Wash Avoie	o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. d contact with the eyes and skin. a <b>thing equipment:</b>

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Eye protection: Wear appropriate eye protection to prevent eye contact.* 

Information on basic physical and a General Information	chemical properties	
Appearance: Form:	Viscous	
Color:	Gray	
Odor:	Amine-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

		(Contd. of page 4)
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.12637 g/cm <sup>3</sup> (9.39956 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No decomposition if stored and applied as directed.

- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid Keep away from heat and sources of ignition.*
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

140-31-8 2-piperazin-1-ylethylamine

*Oral LD50 2,140 mg/kg (rat)* 

Dermal LD50 880 mg/kg (rabbit)

### Primary irritant effect:

• on the skin: May cause skin irritation.

• on the eye: Strong caustic effect.

• Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Corrosive* 

Corrosive

Irritant

(Contd. on page 6)

1

2B

K

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

(Contd. of page 5) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **<u>12 Ecological information</u>**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to Federal, State, and Local regulations.* 

# **14 Transport information**

- · UN-Number
- DOT, ADR, IMDG, IATA

UN2735

(Contd. on page 7)

US -

Printing date 04/25/2023

Reviewed on 04/25/2023

	(Contd. of pa
UN proper shipping name DOT	Amines, liquid, corrosive, n.o.s. (N-Aminoethylpiperazine, Cyclohexanedimethanamine)
ADR	2735 AMINES, LIQUID, CORROSIVE, N.O.S. AMINOETHYLPIPERAZINE, 1,3-Cyclohexanedimethanamin
IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. ( AMINOETHYLPIPERAZINE, 1,3-Cyclohexanedimethanamin
Transport hazard class(es)	
DOT	
echaosite 8 Class	8 Corrosive substances
Label ADR	8
Class Label	8 Corrosive substances 8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards: Special marking (ADR):	Symbol (fish and tree)
Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B
Segregation groups	Alkalis
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MA and the IBC Code	ARPOL 73/78 Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

(Contd. of page 7
Same as listed for Standard Shipments above.
Same as listed for Standard Shipments above.
Not determine
5L
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N- A M I N O E T H Y L P I P E R A Z I N E , 1, 3 - CYCLOHEXANEDIMETHANAMINE), 8, III

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

#### • Section 355 (extremely hazardous substances):

None of the ingredient is listed.

#### · Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below. None of the ingredients is listed.

TORE of the ingreatents is listed.

• TSCA (Toxi	c Substances Control Act):	
14808-60-7	Quartz (SiO2)	ACTIVE
2579-20-6	1,3-Cyclohexanedimethanamine	ACTIVE
140-31-8	2-piperazin-1-ylethylamine	ACTIVE
13463-67-7	titanium dioxide	ACTIVE
· Hazardous Air Pollutants		

None of the ingredients is listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

	(Contd. of page 8)
• TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO2)	A2
13463-67-7 titanium dioxide	A4
· MAK (German Maximum Workplace Concentration)	
14808-60-7 Quartz (SiO2)	1
13463-67-7 titanium dioxide	<i>3A</i>
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	

13463-67-7 titanium dioxide

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: Quartz (SiO2)* 

Ĩ,3-Cyclohexanedimethanamine 2-piperazin-1-ylethylamine

titanium dioxide

· Hazard statements

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

- · Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/25/2023 / 1

US

Printing date 04/25/2023

Reviewed on 04/25/2023

#### Trade name: ProAnchor Elite - Part B

(Contd. of	t page 9)
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Car	riage oj
Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1A: Carcinogenicity – Category 1A	
Repr. 2: Reproductive toxicity – Category 2	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
	ī