Tel.: (866) 329-8724

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023 Reviewed on 04/21/2023

1 Identification

- · Product identifier
- · Trade name: TOP-CAST® CS 400 Cure and Seal
- · Article number: 101032
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

(Contd. of page 2)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties		
· Information on basic physical and · General Information · Appearance:	chemical properties	
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100°C (212°F)	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.012 g/cm³ (8.44514 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	

(Contd. on page 4)

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

		(Contd. of page
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	82.5 %	
Solids content:	15.0 %	
Other information	No further relevant information available.	
Volatile Organic Compounds:	Contains less than 100 g/L.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

3
2B
R
-

(Contd. on page 5)

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

(Contd. of page 4)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	Not Doculated
DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name	N. D. J. J.
DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Not Regulated
Packing group	
DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.

(Contd. on page 6)

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

(Contd. of page 5) · U.S. Domestic Ground Non-Bulk (119 gal or less per Same as listed for Standard Shipments above. container) Shipments: · Emergency Response Guide (ERG) Number: Not determine · UN "Model Regulation": Not Regulated

	y information	
Safety, neat Sara	th and environmental regulations/legislation specific for the substance or mixture	
Section 355	(extremely hazardous substances):	
7664-41-7	ammonia, anhydrous	
This produc Superfund A	(Specific toxic chemical listings): t may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title mendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed	d below
	ammonia, anhydrous	<0.1
1336-21-6 d		<0
107-21-1		<0
123-91-1	l,4-dioxane	<0
TSCA (Toxi	ic Substances Control Act):	
770-35-4	4 1-Phenoxypropan-2-ol	ACTI
51730-94-0	Dipropylene glycol phenyl ether	ACTI
41556-26-2	Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester	ACTI
104810-48-2	$poly(oxy-1,2-ethanediyl), \alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-\omega-hydroxy-$	
7664-41-2	ammonia, anhydrous	ACTI
104810-47-	$[poly(oxy-1,2-ethanediyl), \alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-\omega-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-$	ACTI
64742-52-3	Distillates (petroleum), hydrotreated heavy naphthenic	ACTI
1336-21-0	5 ammonia	ACTI
7631-86-9	silicon dioxide, chemically prepared	ACTI
82919-37-	Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester	ACTI
107-21-	l ethanediol	ACTI
123-91-	l 1,4-dioxane	ACTI
7732-18-3	water, distilled, conductivity or of similar purity	ACTI

· Hazardou	s Air Pollutants
107-21-1	ethanediol
123-91-1	1,4-dioxane

- Proposition 65
- · Chemicals known to the State of California (Prop. 65) to cause cancer: 123-91-1 1,4-dioxane
- · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 04/21/2023 Reviewed on 04/21/2023

Trade name: TOP-CAST® CS 400 Cure and Seal

		(Contd. of page
Chemicals known to cause developmental toxicity: 107-21-1 ethanediol Cancerogenity categories EPA (Environmental Protection Agency) 123-91-1 1,4-dioxane TLV (Threshold Limit Value established by ACGIH) 107-21-1 ethanediol A 123-91-1 1,4-dioxane A MAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	Chemicals known to cause reproductive toxicity for males:	
107-21-1 ethanediol Cancerogenity categories EPA (Environmental Protection Agency) 123-91-1 1,4-dioxane TLV (Threshold Limit Value established by ACGIH) 107-21-1 ethanediol 123-91-1 1,4-dioxane AAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	None of the ingredients is listed.	
Cancerogenity categories EPA (Environmental Protection Agency) 123-91-1 1,4-dioxane TLV (Threshold Limit Value established by ACGIH) 107-21-1 ethanediol	Chemicals known to cause developmental toxicity:	
EPA (Environmental Protection Agency) 123-91-1	107-21-1 ethanediol	
123-91-1 1,4-dioxane	Cancerogenity categories	
TLV (Threshold Limit Value established by ACGIH) 107-21-1 ethanediol A 123-91-1 1,4-dioxane MAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	EPA (Environmental Protection Agency)	
107-21-1 ethanediol 123-91-1 1,4-dioxane MAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	123-91-1 1,4-dioxane	
123-91-1 1,4-dioxane MAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	TLV (Threshold Limit Value established by ACGIH)	
MAK (German Maximum Workplace Concentration) 123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	107-21-1 ethanediol	A
123-91-1 1,4-dioxane NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	123-91-1 1,4-dioxane	A
NIOSH-Ca (National Institute for Occupational Safety and Health) 123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	MAK (German Maximum Workplace Concentration)	
123-91-1 1,4-dioxane GHS label elements Void Hazard pictograms Void Signal word Void	123-91-1	
GHS label elements Void Hazard pictograms Void Signal word Void	NIOSH-Ca (National Institute for Occupational Safety and Health)	
Hazard pictograms Void Signal word Void	123-91-1 1,4-dioxane	
Signal word Void		
Hazard statements Void		
	Hazard statements Void	
National regulations:		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 04/21/2023 / 42
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

- US