Tel.: (866) 329-8724

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/20/2021 Reviewed on 09/20/2021

### 1 Identification

- · Product identifier
- · Trade name: D395 Taperlock 4465-B Cutting Fluid Prediluted 10%
- · Article number: 101023
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

### 2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 1)

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- $\cdot$  *Specific end use(s) No further relevant information available.*

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 3)

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 2)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

| Information on basic physical and | chemical properties                           |  |
|-----------------------------------|---|--|
| General Information               |   |  |
| Appearance:                       |   |  |
| Form:                             | Liquid  |  |
| Color:                            | Milky White                                   |  |
| Odor:                             | Petroleum-like                                |  |
| Odor threshold:                   | Not determined.                               |  |
| pH-value at 20 °C (68 °F):        | 8.7   |  |
| Change in condition               |   |  |
| Melting point/Melting range:      | Undetermined.                                 |  |
| Boiling point/Boiling range:      | 100-285 °C (212-545 °F)                       |  |
| Flash point:                      | Not applicable.                               |  |
| Flammability (solid, gaseous):    | Not applicable.                               |  |
| Decomposition temperature:        | Not determined.                               |  |
| Auto igniting:                    | Product is not selfigniting.                  |  |
| Danger of explosion:              | Product does not present an explosion hazard. |  |
| Explosion limits:                 |   |  |
| Lower:                            | Not determined.                               |  |
| Upper:                            | Not determined.                               |  |
| Vapor pressure:                   | Not determined.                               |  |
| Density at 20 °C (68 °F):         | 0.9912 g/cm³ (8.27156 lbs/gal)                |  |
| Relative density                  | Not determined.                               |  |
| Vapor density                     | Not determined.                               |  |
| Evaporation rate                  | Not determined.                               |  |

(Contd. on page 4)

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 3)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Solvent content:

Organic solvents: 0.1-0.5 %

• *Other information* No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 5)

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 4)

- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number  |  |
|--|--|
| DOT, ADR, ADN, IMDG, IATA  | Not Regulated                                |
| UN proper shipping name<br>DOT, ADR, ADN, IMDG, IATA   | Not Regulated                                |
| Transport hazard class(es)   |  |
| DOT, ADR, ADN, IMDG, IATA  |  |
| Class  | Not Regulated                                |
| Packing group<br>DOT, ADR, IMDG, IATA  | Not Regulated                                |
| Environmental hazards:   | Not applicable.                              |
| Transport in bulk according to Annex II of MARPOL73,   | /78  |
| and the IBC Code   | Not applicable.                              |
| Transport/Additional information:  |  |
| ADR<br>U.S. Domestic Ground Shipments:<br>U.S. Domestic Ground Non-Bulk (119 gal or less per | Same as listed for Standard Shipments above. |
| container) Shipments:  | Same as listed for Standard Shipments above. |
| Emergency Response Guide (ERG) Number:   | Not determine                                |
| UN ''Model Regulation'':   | Not Regulated                                |

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 5)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

#### · TSCA (Toxic Substances Control Act):

| 68608-26-4 | Sulfonic acids, petroleum, sodium salts | ACTIVE        |
|------------|---|---------------|
| 57-55-6    | Propylene glycol                        | ACTIVE        |
| 68551-12-2 | alcohols, C12-16, ethoxylated           | <i>ACTIVE</i> |

#### · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

(Contd. on page 7)

Printing date 09/20/2021 Reviewed on 09/20/2021

Trade name: D395 Taperlock 4465-B Cutting Fluid - Prediluted 10%

(Contd. of page 6)

- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 09/20/2021 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

US