Printing date 03/05/2019

Reviewed on 03/05/2019

1 Identification

- · Product identifier
- · Trade name: Top Cast® Green 150 VOC
- · Article number: 145526
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

 Hazard-determining components of labeling: 5-chloro-2-methyl-2H-isothiazol-3-one
Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

Printing date 03/05/2019

Reviewed on 03/05/2019

(Contd. of page 1)

Trade name: Top Cast® Green 150 VOC

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
77-92-9 citric acid	<i>≥</i> 0.1- <i>≤</i> 8%	
56-81-5 glycerol	<i>≥</i> 0.1- <i>≤</i> 5%	
57-50-1 sucrose, pure	<i>≥</i> 0.1- <i>≤</i> 5%	
26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one	≤ 0.1%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product. In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 *Fire-fighting measures*

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

(Contd. on page 3)

US

Printing date 03/05/2019

Reviewed on 03/05/2019

Trade name: Top Cast® Green 150 VOC

(Contd. of page 2)

6 Accidenta	l release measures	
Wear protect Environmen Do not allow Inform respe Methods and Absorb with Ensure adeq Reference to See Section See Section See Section	ecautions, protective equipment and emergency procedures tive equipment. Keep unprotected persons away. tal precautions: y product to reach sewage system or any water course. ective authorities in case of seepage into water course or sewage system. d material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). uate ventilation. o other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information. ction Criteria for Chemicals	
• PAC-1:		
56-81-5	glycerol	45 mg/m ³
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0.6 mg/m ³
· PAC-2:		
56-81-5	glycerol	180 mg/m ³
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	6.6 mg/m ³
· PAC-3:		
56-81-5	glycerol	1,100 mg/m ³
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	40 mg/m³

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

Printing date 03/05/2019

Reviewed on 03/05/2019

Trade name: Top Cast® Green 150 VOC

(Contd. of page 3)

56-8	
	1-5 glycerol
PEL	Long-term value: 15* 5** mg/m ³
	mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
57-5	0-1 sucrose, pure
PEL	Long-term value: 15* 5** mg/m ³
	*total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³
	*total dust **respirable fraction
TLV	Long-term value: 10 mg/m ³
Addi	tional information: The lists that were valid during the creation were used as basis.
Gen Keep	onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Green	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	4	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	>100 °C (>212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	400 °C (752 °F)	

Printing date 03/05/2019

Reviewed on 03/05/2019

Trade name: Top Cast® Green 150 VOC

	(Contd. of pag
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.1 g/cm ³ (9.1795 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	5.0 %
Water:	78.0 %
Solids content:	0.0 %
Other information	No further relevant information available.
Volatile Organic Compounds:	Contains less than 50 g/L.

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: No irritating effect known.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 6)

[–] US

Printing date 03/05/2019

Reviewed on 03/05/2019

Trade name: Top Cast® Green 150 VOC

(Contd. of page 5)

· Carcinogenic categories

 \cdot IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ĂĎR, ÎMDG, IATA	Not Regulated	

Printing date 03/05/2019

Reviewed on 03/05/2019

Trade name: Top Cast® Green 150 VOC

	(Contd. of page 6)	
· Environmental hazards:	Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:		
· ADR · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per	Same as listed for Standard Shipments above.	
container) Shipments:	Same as listed for Standard Shipments above.	
· Emergency Response Guide (ERG) Number:	Not determine	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

57-50-1 sucrose, pure

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

A4

[–] US

Printing date 03/05/2019

Reviewed on 03/05/2019

(Contd. of page 7)

US

Trade name: Top Cast® Green 150 VOC

· Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labeling:* 5-chloro-2-methyl-2H-isothiazol-3-one

• Hazard statements Man aguage an allegation shin negation

May cause an allergic skin reaction.

- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray
- Wear protective gloves.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 03/05/2019/3
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation – Category 1