

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

## 1 Identification

- **Product identifier**

- **Trade name:** Rapid Resin Repair - Part A

- **Article number:** 309087A

- **Application of the substance / the mixture**

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Dayton® Superior  
4226 Kansas Avenue  
Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

- **Information department:** Environmental, Health, and Safety department.

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

diphenylmethanediisocyanate, isomers and homologues

4,4'-methylenediphenyl diisocyanate

- **Hazard statements**

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part A**

(Contd. of page 1)

[In case of inadequate ventilation] wear respiratory protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

|                 |   |                |
|-----------------|---|----------------|
| HEALTH          | 2 | Health = *2    |
| FIRE            | 1 | Fire = 1       |
| PHYSICAL HAZARD | 0 | Reactivity = 0 |

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

|            |  |           |
|------------|--|-----------|
| 9016-87-9  | diphenylmethanediisocyanate, isomeres and homologues | ≥25- ≤50% |
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate                  | ≥25- ≤50% |
| 26447-40-5 | methylenediphenyl diisocyanate                       | 5%        |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms receive medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Immediately call a doctor.

Seek medical treatment.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

**Trade name: Rapid Resin Repair - Part A**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.  
Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** cool and dry
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part A**

(Contd. of page 3)

At this time, the other constituents have no known exposure limits.

**101-68-8 4,4'-methylenediphenyl diisocyanate**

|     |   |
|-----|---|
| PEL | Ceiling limit value: 0.2 mg/m <sup>3</sup> , 0.02 ppm   |
| REL | Long-term value: 0.05 mg/m <sup>3</sup> , 0.005 ppm<br>Ceiling limit value: 0.2* mg/m <sup>3</sup> , 0.02* ppm<br>*10-min |
| TLV | Long-term value: 0.051 mg/m <sup>3</sup> , 0.005 ppm  |

· **Additional information:** The lists that were valid during the creation were used as basis.· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Suitable respiratory protective device recommended.· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:** Wear appropriate eye protection to prevent eye contact.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:****Form:** Liquid**Color:** Dark brown· **Odor:** Slight· **Odor threshold:** Not determined.· **pH-value:** Not determined.· **Change in condition****Melting point/Melting range:** Undetermined.**Boiling point/Boiling range:** 200 °C (392 °F)· **Flash point:** 198 °C (388.4 °F)· **Flammability (solid, gaseous):** Not applicable.· **Ignition temperature:** 400 °C (752 °F)· **Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:****Lower:** 0.4 Vol %

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part A**

(Contd. of page 4)

|   |   |
|---|---|
| <b>Upper:</b>                                     | 0.0 Vol %                                   |
| · <b>Vapor pressure:</b>                          | Not determined.                             |
| · <b>Density at 20 °C (68 °F):</b>                | 1.12038 g/cm <sup>3</sup> (9.34957 lbs/gal) |
| · <b>Relative density</b>                         | Not determined.                             |
| · <b>Vapor density</b>                            | Not determined.                             |
| · <b>Evaporation rate</b>                         | Not determined.                             |
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix.           |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                             |
| · <b>Viscosity:</b>                               |   |
| <b>Dynamic:</b>                                   | Not determined.                             |
| <b>Kinematic:</b>                                 | Not determined.                             |
| · <b>Solvent content:</b>                         |   |
| <b>Solids content:</b>                            | 100.0 %                                     |
| · <b>Other information</b>                        | No further relevant information available.  |

## 10 Stability and reactivity

- **Reactivity** No decomposition if stored and applied as directed.
- **Chemical stability** No decomposition if stored and applied as directed
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Keep away from heat and sources of ignition.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**101-68-8 4,4'-methylenediphenyl diisocyanate**

|      |      |                     |
|------|------|---------------------|
| Oral | LD50 | 2,200 mg/kg (mouse) |
|------|------|---------------------|

- **Primary irritant effect:**
- **on the skin:** May cause skin irritation.
- **on the eye:**  
Strong irritant with the danger of severe eye injury.  
Irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part A**

(Contd. of page 5)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

|           |  |   |
|-----------|--|---|
| 9016-87-9 | diphenylmethanediisocyanate, isomeres and homologues | 3 |
| 101-68-8  | 4,4'-methylenediphenyl diisocyanate                  | 3 |

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

- **UN proper shipping name**

- **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

- **Transport hazard class(es)**

- **DOT, ADR, ADN, IMDG, IATA**

- **Class**

Not Regulated

- **Packing group**

- **DOT, ADR, IMDG, IATA**

Not Regulated

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: Rapid Resin Repair - Part A

(Contd. of page 6)

|   |  |
|---|--|
| · <b>Environmental hazards:</b>   |  |
| · <b>Marine pollutant:</b>  | No   |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>  | Not applicable.                              |
| · <b>Transport/Additional information:</b>  |  |
| · <b>ADR</b>  |  |
| · <b>U.S. Domestic Ground Shipments:</b>  | Same as listed for Standard Shipments above. |
| · <b>U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:</b> | Same as listed for Standard Shipments above. |
| · <b>Emergency Response Guide (ERG) Number:</b>                                   | Not determine                                |
| · <b>UN "Model Regulation":</b>   | Not Regulated                                |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

### · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

### · Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

|           |  |           |
|-----------|--|-----------|
| 9016-87-9 | diphenylmethanediisocyanate, isomeres and homologues | ≥25- ≤50% |
| 101-68-8  | 4,4'-methylenediphenyl diisocyanate                  | ≥25- ≤50% |

### · TSCA (Toxic Substances Control Act):

|            |  |        |
|------------|--|--------|
| 9016-87-9  | diphenylmethanediisocyanate, isomeres and homologues | ACTIVE |
| 101-68-8   | 4,4'-methylenediphenyl diisocyanate                  | ACTIVE |
| 26447-40-5 | methylenediphenyl diisocyanate                       | ACTIVE |

### · Hazardous Air Pollutants

|          |                                     |
|----------|-------------------------------------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate |
|----------|-------------------------------------|

### · Proposition 65

#### · Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

|            |                         |
|------------|-------------------------|
| 26761-40-0 | di-"isodecyl" phthalate |
|------------|-------------------------|

### · Cancerogenity categories

#### · EPA (Environmental Protection Agency)

|           |  |        |
|-----------|--|--------|
| 9016-87-9 | diphenylmethanediisocyanate, isomeres and homologues | CBD    |
| 101-68-8  | 4,4'-methylenediphenyl diisocyanate                  | D, CBD |

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part A**

(Contd. of page 7)

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **MAK (German Maximum Workplace Concentration)**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

4

101-68-8 4,4'-methylenediphenyl diisocyanate

4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

diphenylmethanediisocyanate, isomeres and homologues  
4,4'-methylenediphenyl diisocyanate

· **Hazard statements**

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.

[In case of inadequate ventilation] wear respiratory protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health & Safety Department

· **Contact:** Environmental, Health & Safety Manager

· **Date of preparation / last revision** 07/29/2021 / 50

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/29/2021

Reviewed on 07/29/2021

**Trade name: Rapid Resin Repair - Part A**

(Contd. of page 8)

*IATA: International Air Transport Association*  
*ACGIH: American Conference of Governmental Industrial Hygienists*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*Resp. Sens. 1: Respiratory sensitisation – Category 1*  
*Skin Sens. 1: Skin sensitisation – Category 1*  
*Carc. 2: Carcinogenicity – Category 2*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

## 1 Identification

- **Product identifier**
- **Trade name:** Rapid Resin Repair - Part B
- **Article number:** 309087B
- **Application of the substance / the mixture**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Dayton® Superior  
4226 Kansas Avenue  
Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

- **Information department:** Environmental, Health, and Safety department.

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Flam. Liq. 4 H227 Combustible liquid.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**  
Combustible liquid.
- **Precautionary statements**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
If swallowed: Immediately call a poison center/doctor.  
Do NOT induce vomiting.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

|                 |   |                |
|-----------------|---|----------------|
| HEALTH          | 0 | Health = 0     |
| FIRE            | 2 | Fire = 2       |
| PHYSICAL HAZARD | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part B**

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|            |   |           |
|------------|---|-----------|
| 64742-96-7 | Solvent naphta (petroleum) heavy aliph.     | ≥10- ≤25% |
| 64742-47-8 | Distillates (petroleum), hydrotreated light | ≥10- ≤25% |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
No special measures required.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part B**

(Contd. of page 2)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:** Wear appropriate eye protection to prevent eye contact.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Liquid
- **Color:** Amber
- **Odor:** Slight
- **Odor threshold:** Not determined.
- **pH-value at 20 °C (68 °F):** 7
- **Change in condition**
- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** 200 °C (392 °F)

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: Rapid Resin Repair - Part B

(Contd. of page 3)

|   |  |
|---|--|
| · <b>Flash point:</b>                             | 61 °C (141.8 °F)                           |
| · <b>Flammability (solid, gaseous):</b>           | Not determined.                            |
| · <b>Ignition temperature:</b>                    | 250 °C (482 °F)                            |
| · <b>Decomposition temperature:</b>               | Not determined.                            |
| · <b>Auto igniting:</b>                           | Product is not selfigniting.               |
| · <b>Danger of explosion:</b>                     | Not determined.                            |
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | 0.5 Vol %                                  |
| <b>Upper:</b>                                     | 6.5 Vol %                                  |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 2 hPa (1.5 mm Hg)                          |
| · <b>Density at 20 °C (68 °F):</b>                | 1.2 g/cm <sup>3</sup> (10.014 lbs/gal)     |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapor density</b>                            | Not applicable.                            |
| · <b>Evaporation rate</b>                         | Not applicable.                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Insoluble.                                 |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not applicable.                            |
| <b>Kinematic:</b>                                 | Not applicable.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Solids content:</b>                            | 100.0 %                                    |
| · <b>Other information</b>                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Keep away from heat and sources of ignition.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect known.
- **on the eye:** No irritating effect known.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part B**

(Contd. of page 4)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.

## 14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA**

Not Regulated

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: Rapid Resin Repair - Part B

(Contd. of page 5)

|   |   |
|---|---|
| · <b>Transport hazard class(es)</b>   |   |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>  |   |
| · <b>Class</b>  | Not Regulated   |
| · <b>Packing group</b>  |   |
| · <b>DOT, ADR, IMDG, IATA</b>   | Not Regulated   |
| · <b>Environmental hazards:</b>   |   |
| · <b>Marine pollutant:</b>  | Yes   |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>  | Not applicable.   |
| · <b>Transport/Additional information:</b>  |   |
| · <b>DOT</b>  |   |
| · <b>Remarks:</b>   | Add "Marine Pollutant" to end of proper shipping name if shipping in a bulk container (>119 gallons). |
| · <b>ADR</b>  |   |
| · <b>U.S. Domestic Ground Shipments:</b>  | Same as listed for Standard Shipments above.  |
| · <b>U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:</b> | DOT: Not regulated (Reclassified as per 49CFR 173.150).   |
| · <b>Emergency Response Guide (ERG) Number:</b>                                   | Not determine   |
| · <b>UN "Model Regulation":</b>   | Not Regulated   |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

|            |   |        |
|------------|---|--------|
| 64742-96-7 | Solvent naphta (petroleum) heavy aliph.     | ACTIVE |
| 64742-47-8 | Distillates (petroleum), hydrotreated light | ACTIVE |

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to the State of California (Prop. 65) to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part B**

(Contd. of page 6)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** Void

· **Signal word** Warning

· **Hazard statements**

Combustible liquid.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health & Safety Department

· **Contact:** Environmental, Health & Safety Manager

· **Date of preparation / last revision** 07/29/2021 / 49

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 8)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 07/29/2021

Reviewed on 07/29/2021

**Trade name: Rapid Resin Repair - Part B**

*REL: Recommended Exposure Limit*  
*Flam. Liq. 4: Flammable liquids – Category 4*

(Contd. of page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

## 1 Identification

- **Product identifier**

- **Trade name:** Rapid Resin Repair - Part C

- **Article number:** 309087C

- **CAS Number:**

14808-60-7

- **EC number:**

238-878-4

- **Application of the substance / the mixture**

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

- **Information department:** Environmental, Health, and Safety department.

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Eye Irrit. 2A H319 Causes serious eye irritation.

Carc. 1A H350 May cause cancer.

- **Label elements**

- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Quartz (SiO<sub>2</sub>)

- **Hazard statements**

Causes serious eye irritation.

May cause cancer.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part C**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

|                 |   |                |
|-----------------|---|----------------|
| HEALTH          | 1 | Health = 1     |
| FIRE            | 0 | Fire = 0       |
| PHYSICAL HAZARD | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
14808-60-7 Quartz (SiO<sub>2</sub>)
- **Identification number(s)** Not applicable
- **EC number:** 238-878-4

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
No special measures required.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

**Trade name: Rapid Resin Repair - Part C**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

#### 14808-60-7 Quartz (SiO<sub>2</sub>)

|     |  |
|-----|--|
| PEL | Long-term value: 0.05* mg/m <sup>3</sup><br>*resp. dust; 30mg/m <sup>3</sup> /%SiO <sub>2</sub> +2 |
| REL | Long-term value: 0.05* mg/m <sup>3</sup><br>*respirable dust; See Pocket Guide App. A              |
| TLV | Long-term value: 0.025* mg/m <sup>3</sup><br>*as respirable fraction                               |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part C**

(Contd. of page 3)

· **Eye protection:** Wear appropriate eye protection to prevent eye contact.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

**Form:** Solid  
**Color:** Different according to coloring

· **Odor:** Characteristic· **Odor threshold:** Not determined.· **pH-value:** Not applicable.· **Change in condition****Melting point/Melting range:** 1,713 °C (3,115.4 °F)**Boiling point/Boiling range:** 2,230 °C (4,046 °F)· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Product is not flammable.· **Decomposition temperature:** Not determined.· **Auto igniting:** Not determined.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:****Lower:** Not determined.**Upper:** Not determined.· **Vapor pressure at 1732 °C (3,149.6 °F):** 13.5 hPa (10.1 mm Hg)· **Density at 20 °C (68 °F):** 2.65 g/cm<sup>3</sup> (22.11425 lbs/gal)· **Bulk density:** 1,400 kg/m<sup>3</sup>· **Relative density:** Not determined.· **Vapor density:** Not applicable.· **Evaporation rate:** Not applicable.· **Solubility in / Miscibility with****Water:** Insoluble.· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:****Dynamic:** Not applicable.**Kinematic:** Not applicable.**Solids content:** 100.0 %· **Other information:** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity:** No further relevant information available.· **Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions:** No dangerous reactions known.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part C**

(Contd. of page 4)

- **Conditions to avoid** Keep away from heat and sources of ignition.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May cause skin irritation.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

I

- **NTP (National Toxicology Program)**

K

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Not hazardous for water.
- Water hazard class 1 (Assessment by list): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.
- It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: Rapid Resin Repair - Part C

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.

## 14 Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul>  | <p>Not Regulated</p>  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> </ul>  | <p>Not Regulated</p>  |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT, ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul>   | <p>Not Regulated</p>  |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>   | <p>Not Regulated</p>  |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>   | <p>No</p>   |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>  | <p>Not applicable.</p>  |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>  |   |
| <ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>U.S. Domestic Ground Shipments:</b></li> <li>· <b>U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:</b></li> <li>· <b>Emergency Response Guide (ERG) Number:</b></li> <li>· <b>UN "Model Regulation":</b></li> </ul> |   |
|   | <p>Same as listed for Standard Shipments above.</p> <p>Same as listed for Standard Shipments above.</p> <p>Not determine</p> <p>Not Regulated</p> |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Sara**
- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>Section 355 (extremely hazardous substances):</b></li> </ul>   | <p>Substance is not listed.</p>  |
| <ul style="list-style-type: none"> <li>· <b>Section 313 (Specific toxic chemical listings):</b></li> </ul> | <p>This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.</p> |
|  | <p>Substance is not listed.</p>  |
| <ul style="list-style-type: none"> <li>· <b>TSCA (Toxic Substances Control Act):</b></li> </ul>            | <p>ACTIVE</p>  |
| <ul style="list-style-type: none"> <li>· <b>Hazardous Air Pollutants</b></li> </ul>                        | <p>Substance is not listed.</p>  |
| <ul style="list-style-type: none"> <li>· <b>Proposition 65</b></li> </ul>                                  | <p>Substance is listed.</p>  |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

Trade name: **Rapid Resin Repair - Part C**

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenity categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

A2

· **MAK (German Maximum Workplace Concentration)**

1

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is listed.

· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Quartz (SiO<sub>2</sub>)

· **Hazard statements**

Causes serious eye irritation.

May cause cancer.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health & Safety Department

· **Contact:** Environmental, Health & Safety Manager

· **Date of preparation / last revision** 07/29/2021 / 39

(Contd. on page 8)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/29/2021

Reviewed on 07/29/2021

**Trade name: Rapid Resin Repair - Part C**

(Contd. of page 7)

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity – Category 1A

US