Printing date 03/23/2016

Reviewed on 03/23/2016

1 Identification

- · Product identifier
- · Trade name: EconolevelTM
- · Article number: 83-308189
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Quartz (SiO2)

Cement, portland, chemicals

• Hazard statements Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

· Precautionary statements

Do not breathe dusts or mists.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Printing date 03/23/2016

Trade name: EconolevelTM

Reviewed on 03/23/2016

(Contd. of page 1)

· Classification system:

• NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0PHYSICAL HAZARD0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:			
14808-60-7	Quartz (SiO2)	50-75%	
1317-65-3	Limestone	≤ 2.5%	
65997-15-1	Cement, portland, chemicals	≤ 2.5%	
· Additional i	Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 03/23/2016

Trade name: EconolevelTM

Reviewed on 03/23/2016

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. No special measures required.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

14808-60-7 Quartz (SiO2) PEL see Quartz listing REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025* mg/m³ *as respirable fraction 65997-15-1 Cement, portland, chemicals PEL Long-term value: 50 mppcf or 15* 5** mg/m³
REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025* mg/m³ *as respirable fraction 65997-15-1 Cement, portland, chemicals
 respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025 mg/m³ *as respirable fraction 65997-15-1 Cement, portland, chemicals
*as respirable fraction 65997-15-1 Cement, portland, chemicals
PEL Long-term value: 50 mppcf or 15* 5** mg/m ³
*total dust **respirable fraction
REL Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV Long-term value: 1* mg/m ³ E; *as respirable fraction
• Additional information: The lists that were valid during the creation were used as basis.
• Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Breathing equipment: Suitable respiratory protective device recommended.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot **Eye protection:** Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

• Information on basic physical and • General Information	chemical properties	
· Appearance:		
Form:	Solid	
Color:	Grey	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range:	Undetermined.	
		(Contd. on page 5)

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

	(Contd. of page 4)
Boiling point/Boiling range:	>999 °C (>1830 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	370.0 °C (698 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	2.8 g/cm ³ (23.366 lbs/gal) Not determined. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Soluble.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
 Solvent content: Organic solvents: 	0.0 %
Solids content: • Other information	100.0 % No further relevant information available.
· Volatile Organic Compounds:	Not determined

10 Stability and reactivity

• Reactivity No decomposition if stored and applied as directed.

 \cdot Chemical stability No decomposition if stored and applied as directed

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• *Conditions to avoid Keep away from heat and sources of ignition.*

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· Primary irritant effect:

• on the skin: May cause skin irritation.

(Contd. on page 6)

US

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

 on the eye: Strong irritant with the danger of severe eye injury. Irritating effect. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 13983-17-0 Wollastonite 3 13463-67-7 itianium dioxide 2B 1309-37-1 diiron trioxide 3 108-05-4 vinyl acetate 2B NTP (National Toxicology Program) I4808-60-7 Quartz (SiO2) K OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed. 		(Contd.	of page 5)
Irritating effect. • Sensitization: Sensitization possible through skin contact. • Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • Carcinogenic categories • IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 1 13983-17-0 Wollastonite 3 13463-67-7 titanium dioxide 1309-37-1 diiron trioxide 3 3 108-05-4 vinyl acetate • NTP (National Toxicology Program) K • OSHA-Ca (Occupational Safety & Health Administration) K		nt with the danger of severe eve iniury.	
• Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • Carcinogenic categories • IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 13983-17-0 Wollastonite 13983-17-0 Wollastonite 1309-37-1 diiron trioxide 1808-60-7 Quartz (SiO2) 1808-60-7 diiron trioxide 2B 3 1808-60-7 Quartz (SiO2) • NTP (National Toxicology Program) 2B • OSHA-Ca (Occupational Safety & Health Administration) K	-		
The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • Carcinogenic categories • IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 13983-17-0 Wollastonite 1309-37-1 diiron trioxide 108-05-4 vinyl acetate • NTP (National Toxicology Program) 2B 14808-60-7 Quartz (SiO2) • OSHA-Ca (Occupational Safety & Health Administration)			
Irritant Irritant • Carcinogenic categories • IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 13983-17-0 Wollastonite 13983-17-0 Wollastonite 13983-17-1 diiron trioxide 1309-37-1 diiron trioxide 108-05-4 vinyl acetate • NTP (National Toxicology Program) I 14808-60-7 Quartz (SiO2) K • OSHA-Ca (Occupational Safety & Health Administration)			
• Carcinogenic categories • IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 13983-17-0 Wollastonite 13983-17-0 Wollastonite 13463-67-7 titanium dioxide 1309-37-1 diiron trioxide 108-05-4 vinyl acetate • NTP (National Toxicology Program) ZB 14808-60-7 Quartz (SiO2) 6 K	-	shows the following dangers according to internally approved calculation methods for preparations:	
· IARC (International Agency for Research on Cancer) 1 14808-60-7 Quartz (SiO2) 1 13983-17-0 Wollastonite 3 13463-67-7 titanium dioxide 2B 1309-37-1 diiron trioxide 3 108-05-4 vinyl acetate 2B · NTP (National Toxicology Program) 2B 14808-60-7 Quartz (SiO2) K · OSHA-Ca (Occupational Safety & Health Administration) K	Irritant		
14808-60-7 Quartz (SiO2) 1 13983-17-0 Wollastonite 3 13463-67-7 titanium dioxide 2B 1309-37-1 diiron trioxide 3 108-05-4 vinyl acetate 2B • NTP (National Toxicology Program) 2B 14808-60-7 Quartz (SiO2) K • OSHA-Ca (Occupational Safety & Health Administration) K	0	5	
13983-17-0Wollastonite313463-67-7titanium dioxide2B1309-37-1diiron trioxide3108-05-4vinyl acetate2B• NTP (National Toxicology Program)2B14808-60-7Quartz (SiO2)K• OSHA-Ca (Occupational Safety & Health Administration)K	· IARC (Inter	national Agency for Research on Cancer)	
13463-67-7titanium dioxide2B1309-37-1diiron trioxide3108-05-4vinyl acetate2B· NTP (National Toxicology Program)2B14808-60-7Quartz (SiO2)K· OSHA-Ca (Occupational Safety & Health Administration)K	14808-60-7	Quartz (SiO2)	1
1309-37-1diiron trioxide3108-05-4vinyl acetate2B• NTP (National Toxicology Program)14808-60-7Quartz (SiO2)• OSHA-Ca (Occupational Safety & Health Administration)K	13983-17-0	Wollastonite	3
108-05-4 vinyl acetate 2B · NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) · OSHA-Ca (Occupational Safety & Health Administration) K	13463-67-7	titanium dioxide	2B
• NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) • OSHA-Ca (Occupational Safety & Health Administration) K	1309-37-1	diiron trioxide	3
14808-60-7 Quartz (SiO2) K • OSHA-Ca (Occupational Safety & Health Administration) K	108-05-4	vinyl acetate	2B
• OSHA-Ca (Occupational Safety & Health Administration)	· NTP (Nation	nal Toxicology Program)	
	14808-60-7	Quartz (SiO2)	K
None of the ingredients is listed.	· OSHA-Ca (Occupational Safety & Health Administration)	
	None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

(Contd. of page 6)

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73. and the IBC Code	/78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
UN ''Model Regulation'':	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Sara · Section 355	(extremely hazardous substances):	
108-05-4 vi	inyl acetate	
This produc	(Specific toxic chemical listings): ct may contain 1 or more toxic chemicals subject to the reporting requi mendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 33	
1344-28-1	aluminium oxide	<i>≤</i> 1%
554-13-2	lithium carbonate	<u>≤</u> 1%
108-05-4	vinyl acetate	<u>≤</u> 0.01%
· TSCA (Tox	ic Substances Control Act):	
14808-60-7	Quartz (SiO2)	
65997-16-2	Cement, alumina, chemicals	
1317-65-3	Limestone	
65997-15-1	Cement, portland, chemicals	
13983-17-0	Wollastonite	
471-34-1	calcium carbonate	
1344-28-1	aluminium oxide	
7778-18-9	calcium sulphate, natural	
		(Contd. on page 8

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

		(Contd. of page 7)
	lithium carbonate	
	Ethylhydroxyethyl cellulose	
	sodium carbonate	
	Silicic acid, calcium salt	
13463-67-7	titanium dioxide	
	diiron trioxide	
1305-62-0	calcium dihydroxide	
· Proposition	65	
· Chemicals k	nown to the State of California (Prop. 65) to cause cancer:	
	Quartz (SiO2)	
13463-67-7	titanium dioxide	
	nown to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	
554-13-2 lii	hium carbonate	
· Cancerogen	ity categories	
· EPA (Envir	onmental Protection Agency)	
None of the	ingredients is listed.	
• TLV (Thres	hold Limit Value established by ACGIH)	
14808-60-7	Quartz (SiO2)	A2
1344-28-1	aluminium oxide	A4
1344-95-2	Silicic acid, calcium salt	A4
13463-67-7	titanium dioxide	A4
1309-37-1	diiron trioxide	A4
108-05-4	vinyl acetate	A3
· MAK (Gern	an Maximum Workplace Concentration)	· · · · ·
14808-60-7	Quartz (SiO2)	1
1344-28-1	aluminium oxide	2
13463-67-7	titanium dioxide	3A
108-05-4	vinyl acetate	3A
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	Quartz (SiO2)	
13463-67-7	titanium dioxide	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Printing date 03/23/2016

Reviewed on 03/23/2016

Trade name: EconolevelTM

(Contd. of page 8)

US

	(Conta. of page 8)
• Hazard-determining components of labeling:	
Quartz (SiO2)	
Cement, portland, chemicals	
· Hazard statements	
Causes severe skin burns and eye damage.	
• •	
May cause an allergic skin reaction.	
May cause cancer.	
· Precautionary statements	
Do not breathe dusts or mists.	
If on skin (or hair): Take off immediately all conta	
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.	
Store locked up.	
Dispose of contents/container in accordance with	local/regional/national/international regulations.
	0
· National regulations:	
· Water hazard class: Water hazard class 1 (Self-as	sessment): slightly hazardous for water.
• Chemical safety assessment: A Chemical Safety A	
product features and shall not establish a legally v	t knowledge. However, this shall not constitute a guarantee for any specific valid contractual relationship. dge. However, this shall not constitute a guarantee for any specific product
features and shall not establish a legally valid con	
· Department issuing SDS: Environmental, Health	& Safety Department
· Contact: Environmental, Health & Safety Manage	er
• Date of preparation / last revision 03/23/2016 / 48	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises	s dangereuses par Route (European Agreement concerning the International Carriage of
Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hy	
EINECS: European Inventory of Existing Commercial Chemic ELINCS: European List of Notified Chemical Substances	<i>cai Subsiances</i>
CAS: Chemical Abstracts Service (division of the American Cl	hemical Society)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A