Printing date 04/20/2023

Reviewed on 04/20/2023

1 Identification

- · Product identifier
- · Trade name: <u>RecreteTM 5 Minute</u>
- · Article number: 67300
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Cement, portland, chemicals
- Quartz (SiO2)

• Hazard statements

Causes severe skin burns and eye damage. May cause an allergic skin reaction.

May cause cancer.

• Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

•	Class	ific	ation	sys	tem:	

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} Health = 1\\ Fire = 0\\ Reactivity = 0 \end{array}$



HEALTH1Health = 1FIRE0Fire = 0PHYSICAL HAZARDReactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
14808-60-7	Quartz (SiO2)	≥10-<45%
65997-15-1	Cement, portland, chemicals	≥5-<18%
26499-65-0	Calcium sulfate	<3.5%
7778-18-9	calcium sulphate, natural	<1.3%
13463-67-7	titanium dioxide	≥0.1-<0.5%
4.1.1:4:	aform ations. For the wording of the listed har and physics upfor to gottion 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor. Seek medical treatment.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

(Contd. of page 2)

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- *Suitable extinguishing agents:* Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. No special measures required.
- *Methods and material for containment and cleaning up:* Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

	(Contd. or	page 3)
	trol parameters	
	nponents with limit values that require monitoring at the workplace:	
	08-60-7 Quartz (SiO2)	
	L Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2	
	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV	⁷ Long-term value: 0.025* mg/m ³ *as respirable fraction	
6599	97-15-1 Cement, portland, chemicals	
PEL	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV	 Long-term value: 1* mg/m³ E; *as respirable fraction 	
2649	99-65-0 Calcium sulfate	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
7778	8-18-9 calcium sulphate, natural	
	L Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV	⁷ Long-term value: 10* mg/m ³ *as inhalable fraction	
1346	63-67-7 titanium dioxide	
PEL	Long-term value: 15* mg/m ³ *total dust	
REL	See Pocket Guide App. A	
TLV	⁷ Long-term value: 10 mg/m ³	
• Expo • Perso • Gene Keep Imme Wash Store Avoid Avoid • Brea In ca	litional information: The lists that were valid during the creation were used as basis. sonal protective equipment: the protective and hygienic measures: p away from foodstuffs, beverages and feed. the diately remove all soiled and contaminated clothing. Such hands before breaks and at the end of work. The protective clothing separately. id contact with the eyes. id contact with the eyes. id contact with the eyes and skin. athing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory filter device that is independent of circulating air.	iratory
<i>P</i>	(Contd. or	page 5)

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: Recrete[™] 5 *Minute*

· Protection of hands:

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection:* Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

• Information on basic physical and o • General Information	chemical properties
· Appearance:	
Form:	Solid
Color:	According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>999 °C (>1,830.2 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.73374 g/cm ³ (22.81306 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
	(Contd. on page 6)
	US

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

	(Contd. of page 5
Kinematic:	Not applicable.
• Solvent content: Organic solvents:	0.0 %
Solids content: • Other information	99.9 % No further relevant information available.

10 Stability and reactivity

- *Reactivity* No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid Keep away from heat and sources of ignition.*
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

· Carcinogenic categories				
· IARC (Inter	rnational Agency for Research on Cancer)			
	Quartz (SiO2)	1		
	titanium dioxide	2B		
	silicon dioxide, chemically prepared	3		
1309-37-1	diiron trioxide	3		
50-00-0	formaldehyde	1		
· NTP (Nation	nal Toxicology Program)			
	Quartz (SiO2)	K		
50-00-0	formaldehyde	K		
	(Co	ontd. on page 7)		

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

· OSHA-Ca (Occupational Safety & Health Administration)

50-00-0 formaldehyde

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	Not Regulated	
UN proper shipping name		
ADR	Not Regulated	
Transport hazard class(es)		
DOT, IMDG, IATA		
Class	N/A	
Label	N/A	
ADR		
Class	N/A	
Packing group		
DOT, ADR, IMDG, IATA	III	

(Contd. of page 6)

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

	(Contd. of page 7)
· Environmental hazards: · Marine pollutant:	No
• Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/7 8 Not applicable.
• Transport/Additional information:	
· ADR · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per	Same as listed for Standard Shipments above.
container) Shipments:	Same as listed for Standard Shipments above.
• Emergency Response Guide (ERG) Number:	Not determine
· UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):

50-00-0 formaldehyde

Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

1344-28-1 alum	inium oxide	<0.4%
554-13-2 lithii	ım carbonate	<0.1%
50-00-0 form	aldehyde	<0.1%
· TSCA (Toxic Sı	bstances Control Act):	
14808-60-7 Qu	artz (SiO2)	ACTIVE
1317-65-3 Lin	estone	ACTIVE
65997-15-1 Cer	nent, portland, chemicals	ACTIVE
65997-16-2 Cei	nent, alumina, chemicals	ACTIVE
7778-18-9 cal	cium sulphate, natural	ACTIVE
13463-67-7 tita	nium dioxide	ACTIVE
1344-28-1 alu	minium oxide	ACTIVE
7631-86-9 sili	con dioxide, chemically prepared	ACTIVE
554-13-2 lith	ium carbonate	ACTIVE
144-55-8 sod	ium hydrogencarbonate	ACTIVE
1309-37-1 diir	on trioxide	ACTIVE
21645-51-2 alu	minium hydroxide	ACTIVE
1310-73-2 sod	ium hydroxide	ACTIVE
50-00-0 for	naldehyde	ACTIVE
· Hazardous Air	Pollutants	
50-00-0 formal	lehyde	
		(Contd. on page

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: Recrete[™] 5 *Minute*

Proposition 65	(Contd. of page
Chemicals known to the State of California (Prop. 65) to cause cancer:	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
50-00-0 formaldehyde	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
554-13-2 lithium carbonate	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
50-00-0 formaldehyde	В
TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO2)	A
13463-67-7 titanium dioxide	A
1344-28-1 aluminium oxide	A
1309-37-1 diiron trioxide	A
50-00-0 formaldehyde	A
MAK (German Maximum Workplace Concentration)	
14808-60-7 Quartz (SiO2)	1
13463-67-7 titanium dioxide	3.
1344-28-1 aluminium oxide	2
50-00-0 formaldehyde	4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
50-00-0 formaldehyde	

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Cement, portland, chemicals Quartz (SiO2)
- *Hazard statements* Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer.

Printing date 04/20/2023

Reviewed on 04/20/2023

Trade name: RecreteTM 5 Minute

(Contd. of page 9)

• **Precautionary statements** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label).

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/20/2023 / 27
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Corr. 1C: Skin corrosion/irritation Category 1C
- *Eye Dam. 1: Serious eye damage/eye irritation Category 1*
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 1A: Carcinogenicity Category 1A