Printing date 04/20/2023 Reviewed on 04/20/2023

1 Identification

- · Product identifier
- · Trade name: Thin Resurfacer
- · Article number: 67483
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton® Superior

4226 Kansas Avenue

Tel.: (866) 329-8724 Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident

involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1A H350 May cause cancer.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Cement, portland, chemicals

Quartz (SiO2)

· Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

· Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
14808-60-7 Quartz (SiO2)	≥10-<60%
65997-15-1 Cement, portland, chemicals	≥20-<30%
13397-24-5 Gypsum (Calcium sulfate)	<1.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

US

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

No special measures required.

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

PEL Long-term value: 0.05* mg/m³

*resp. dust; 30mg/m3/%SiO2+2

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³ *as respirable fraction

65997-15-1 Cement, portland, chemicals

PEL Long-term value: 50 mppcf or 15* 5** mg/m³

*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³

*total dust **respirable fraction TLV Long-term value: 1* mg/m³

E; *as respirable fraction 13397-24-5 Gypsum (Calcium sulfate)

REL Long-term value: 10* 5** mg/m³

*Total dust; **Respirable fraction

TLV Long-term value: 10* mg/m³
*as inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance:	G 1.1	
Form:	Solid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>999 °C (>1,830.2 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.71745 g/cm³ (22.67712 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wat	' er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: May cause skin irritation.
- on the eve:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

· Carcinogenic categories

7631-86-9 silicon dioxide, chemically prepared • NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) • OSHA-Ca (Occupational Safety & Health Administration)	Curcinogen	a cuczones	
13983-17-0 Wollastonite 3 1309-37-1 diiron trioxide 3 13463-67-7 titanium dioxide 2B 7631-86-9 silicon dioxide, chemically prepared 3 • NTP (National Toxicology Program) 3 14808-60-7 Quartz (SiO2) K • OSHA-Ca (Occupational Safety & Health Administration)	· IARC (Inter	rnational Agency for Research on Cancer)	
1309-37-1 diiron trioxide 3 13463-67-7 titanium dioxide 2B 7631-86-9 silicon dioxide, chemically prepared 3 • NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) K • OSHA-Ca (Occupational Safety & Health Administration)	14808-60-7	Quartz (SiO2)	1
13463-67-7 titanium dioxide 7631-86-9 silicon dioxide, chemically prepared NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) NSHA-Ca (Occupational Safety & Health Administration)	13983-17-0	Wollastonite	3
7631-86-9 silicon dioxide, chemically prepared • NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) • OSHA-Ca (Occupational Safety & Health Administration)	1309-37-1	diiron trioxide	3
· NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) · OSHA-Ca (Occupational Safety & Health Administration)	13463-67-7	titanium dioxide	2B
14808-60-7 Quartz (SiO2) **OSHA-Ca (Occupational Safety & Health Administration)	7631-86-9	silicon dioxide, chemically prepared	3
OSHA-Ca (Occupational Safety & Health Administration)	· NTP (Natio	nal Toxicology Program)	
	14808-60-7	Quartz (SiO2)	K
	· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/7 8 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per	Same as listed for Standard Shipments above.
container) Shipments: Emergency Response Guide (ERG) Number:	Same as listed for Standard Shipments above. Not determine
UN "Model Regulation":	Not Regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

(Contd. on page 8)

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

124460		(Contd. of pa
	aluminium oxide	<0.3
	lithium carbonate	<0
,	xic Substances Control Act):	
	7 Quartz (SiO2)	ACTI
	1 Cement, portland, chemicals	ACTI
	2 Slags, ferrous metal, blast furnace	ACTI
	2 Cement, alumina, chemicals	ACTI
	1 aluminium oxide	ACTI
	2 lithium carbonate	ACTI
	I sodium gluconate	ACTI
	9 Silicic acid, aluminum sodium salt	ACTI
	1 diiron trioxide	ACTI
	7 titanium dioxide	ACTI
	1 calcium carbonate	ACTI
	4 Ethylhydroxyethyl cellulose	ACTI
	8 sodium carbonate	ACTI
	9 silicon dioxide, chemically prepared	ACTI
	9 calcium sulphate, natural	ACTI
Hazardous	S AIT PAIIIITANTS	
N T C.1		
	e ingredients is listed.	
Proposition	e ingredients is listed. on 65	
Proposition Chemicals	e ingredients is listed. on 65 s known to the State of California (Prop. 65) to cause cancer:	
Proposition Chemicals 14808-60-2	e ingredients is listed. n 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2)	
Proposition Chemicals 14808-60-7 13463-67-7	e ingredients is listed. on 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals	e ingredients is listed. n 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females:	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the	e ingredients is listed. n 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed.	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males:	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals	e ingredients is listed. n 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed.	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males:	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals Chemicals	e ingredients is listed. n 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed.	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals None of the Chemicals 554-13-2	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals None of the Chemicals 554-13-2	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 Canceroge EPA (Envi	e ingredients is listed. on 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency)	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 I Canceroge EPA (Envi	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency) e ingredients is listed.	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 Canceroge EPA (Envi	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency) e ingredients is listed. eshold Limit Value established by ACGIH)	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 Canceroge EPA (Envi None of the TLV (Three	e ingredients is listed. no 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency) e ingredients is listed. eshold Limit Value established by ACGIH) 7 Quartz (SiO2)	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 I Canceroge EPA (Envi None of the TLV (Thre 14808-60-2 1344-28-2	e ingredients is listed. m 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency) e ingredients is listed. eshold Limit Value established by ACGIH) 7 Quartz (SiO2) 1 aluminium oxide	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 Canceroge EPA (Envi None of the 14808-60-2 1344-28-2 1309-37-2	e ingredients is listed. in 65 s known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide s known to cause reproductive toxicity for females: e ingredients is listed. s known to cause reproductive toxicity for males: e ingredients is listed. s known to cause developmental toxicity: lithium carbonate enity categories ironmental Protection Agency) e ingredients is listed. eshold Limit Value established by ACGIH) 7 Quartz (SiO2) 11 aluminium oxide 11 diiron trioxide	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 I Canceroge EPA (Envi None of the 14808-60-2 1344-28-2 1309-37-2 13463-67-2	te ingredients is listed. In 65 S known to the State of California (Prop. 65) to cause cancer: 7 Quartz (SiO2) 7 titanium dioxide S known to cause reproductive toxicity for females: 1 ingredients is listed. S known to cause reproductive toxicity for males: 1 ingredients is listed. S known to cause developmental toxicity: Ilithium carbonate S informental Protection Agency) 1 ingredients is listed. S known to cause developmental toxicity: Ilithium carbonate S informental Protection Agency) 1 aluminium oxide 1 diiron trioxide 1 diiron trioxide 1 titanium dioxide	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 Canceroge EPA (Envi None of the 14808-60-2 1344-28-2 1309-37-2 13463-67-2 MAK (Ger	te ingredients is listed. In 65 Is known to the State of California (Prop. 65) to cause cancer: I Quartz (SiO2) I titanium dioxide I known to cause reproductive toxicity for females: I ingredients is listed. I known to cause reproductive toxicity for males: I ingredients is listed. I known to cause developmental toxicity: Ilithium carbonate I ingredients is listed. I cause developmental toxicity: I cause developm	
Proposition Chemicals 14808-60-7 13463-67-7 Chemicals None of the Chemicals None of the Chemicals 554-13-2 I Canceroge EPA (Envi None of the 14808-60-7 13463-67-7 MAK (Ger 14808-60-7	te ingredients is listed. To 65 To known to the State of California (Prop. 65) to cause cancer: To Quartz (SiO2) To titanium dioxide To known to cause reproductive toxicity for females: To ingredients is listed. To known to cause reproductive toxicity for males: To ingredients is listed. To known to cause developmental toxicity: To ilithium carbonate To ingredients is listed. To ingre	
Proposition Chemicals 14808-60-2 13463-67-2 Chemicals None of the Chemicals None of the Chemicals 554-13-2 I Canceroge EPA (Envi None of the 14808-60-2 13463-67-2 MAK (Ger 14808-60-2 1344-28-2 1344-28-2	te ingredients is listed. In 65 Is known to the State of California (Prop. 65) to cause cancer: I Quartz (SiO2) I titanium dioxide I known to cause reproductive toxicity for females: I ingredients is listed. I known to cause reproductive toxicity for males: I ingredients is listed. I known to cause developmental toxicity: Ilithium carbonate I ingredients is listed. I cause developmental toxicity: I cause developm	

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS05

5 GHS07

insus (insu/

· Signal word Danger

· Hazard-determining components of labeling:

Cement, portland, chemicals

Quartz (SiO2)

· Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 04/20/2023 / 23

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

Printing date 04/20/2023 Reviewed on 04/20/2023

Trade name: Thin Resurfacer

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1A: Carcinogenicity – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 9)

US