Printing date 04/19/2023

Reviewed on 04/19/2023

1 Identification

- · Product identifier
- Trade name: White Resin Cure J10W
- · Article number: 69103
- Application of the substance / the mixture
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 2	H351	Suspected of causing cancer.
STOT RE 1	H372	Causes damage to the central nervous system through prolonged or repeated exposure.
Aquatic Acute 2	H401	Toxic to aquatic life.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Solvent naphtha (petroleum), medium aliph. titanium dioxide Distilled Tall Oil Fatty Acids · Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to the central nervous system through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

· Classific	cation	sys	tem:	•

· NFPA ratings (scale 0 - 4)

Health = 0 Fire = 1 Reactivity = 0



HEALTH \bigcirc Health = 0FIRE1Fire = 1PHYSICAL HAZARD \bigcirc Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
68131-87-3 Petroleum Hydrocarbon Resin	≥2.5-<17%			
64742-88-7 Solvent naphtha (petroleum), medium aliph.	>6-<9%			
13463-67-7 titanium dioxide	≥0.1-<2.75%			
61790-12-3 Distilled Tall Oil Fatty Acids	≥1-≤1.9%			
1332-58-7 Kaolin	<1.6%			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Seek medical treatment.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water. Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- *Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents*
- · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 04/19/2023

Trade name: White Resin Cure J10W

Reviewed on 04/19/2023

(Contd. of page 3)

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

1332-58-7 Kaolin

PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction

- *REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction*
- *TLV* Long-term value: 2* mg/m³ E; as respirable fraction

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

• Information on basic physical and • General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	White	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
		(Contd. on page 5)

(Contd. on page 5)

US

Printing date 04/19/2023

3

Trade name: White Resin Cure J10W

		(Contd. of page
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	101.7 °C (215.1 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	230 °C (446 °F)	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	1.1 Vol % 6 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	1.015 g/cm³ (8.47017 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	rr): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: Water:	6.7-9.2 % 67.4 %	
Solids content: Other information	24.0 % No further relevant information available.	
· Volatile Organic Compounds:	Contains less than 300 g/L.	

10 Stability and reactivity

• *Reactivity* No decomposition if stored and applied as directed.

· Chemical stability No decomposition if stored and applied as directed

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· *Conditions to avoid* Keep away from heat and sources of ignition.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

US

(Contd. on page 6)

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

(Contd. of page 5)

Acute tox		cological effects	
LD/LC50	values that	t are relevant for classification:	
64742-88	-7 Solvent i	naphtha (petroleum), medium aliph.	
Oral	LD50	>6,500 mg/kg (rat)	
Dermal	LD50	>3,000 mg/kg (rab)	
Inhalative	e LC50/4 h	>14 mg/l (rat)	
on the eya Sensitizat Additiona The produ Irritant Carcinog The produ Carcinog	e: No irritat tion: Sensiti al toxicolog uct shows th enic. uct can caus enic catego	use skin irritation. ting effect known. ization possible through skin contact. ical information: he following dangers according to internally approved calculation methods for preparations: se inheritable damage. ries	
		Agency for Research on Cancer)	
13463-67	-7 titanium	n dioxide	21
13463-67 7631-86	-7 titanium -9 silicon a	a dioxide dioxide, chemically prepared	21
13463-67 7631-86 128-37	-7 titanium -9 silicon a -0 Butylate	a dioxide dioxide, chemically prepared ed hydroxytoluene	3 3
13463-67 7631-86 128-37 91-20	7-7 titanium 7-9 silicon a 7-0 Butylate 7-3 naphtha	a dioxide dioxide, chemically prepared ed hydroxytoluene alene	3
13463-67 7631-86 128-37 91-20 14808-60	7-7 titanium 7-9 silicon a 7-0 Butylate 7-3 naphtha 7-7 Quartz (a dioxide dioxide, chemically prepared ed hydroxytoluene dene (SiO2)	3 3 21 1
13463-67 7631-86 128-37 91-20 14808-60 67-63	-7 titanium -9 silicon a -0 Butylate -3 naphtha -7 Quartz (-0 isoprope	a dioxide dioxide, chemically prepared ed hydroxytoluene flene (SiO2) anol	3 3 2 1 3
13463-67 7631-86 128-37 91-20 14808-60 67-63 111-42	 7 titanium 9 silicon a 9 sultate 10 Butylate 13 naphtha 14 Quartz (15 isopropa 12 2,2'-imin 	a dioxide dioxide, chemically prepared ed hydroxytoluene ulene (SiO2) anol nodiethanol	3 3 2. 1 3 2. 2. 2. 2.
13463-67 7631-86 128-37 91-20 14808-60 67-63 111-42	-7 titanium -9 silicon a -0 Butylate -3 naphtha -7 Quartz (-0 isoprope	a dioxide dioxide, chemically prepared ed hydroxytoluene ulene (SiO2) anol nodiethanol	3 3 2 1 3
13463-67 7631-86 128-37 91-20 14808-60 67-63 111-42 79-10 NTP (Nat	 7 titanium 9 silicon a 9 silicon a 0 Butylate 3 naphtha 7 Quartz (0 isopropa 2 2,2'-imin 7 acrylic a 	a dioxide dioxide dioxide, chemically prepared ed hydroxytoluene (siO2) anol nodiethanol acid cology Program)	3 3 2. 1 3 2. 2. 2. 2.
13463-67 7631-86 128-37 91-20 14808-60 67-63 111-42 79-10 NTP (Na 91-20	 7 titanium 9 silicon a 0 Butylate 3 naphtha 7 Quartz (-0 isopropo -2 2,2'-imin -7 acrylic a tional Toxia -3 naphtha 	a dioxide dioxide, chemically prepared ed hydroxytoluene dene (SiO2) anol nodiethanol acid cology Program) dene	3 3 2. 1 3 2. 2. 2. 2.
13463-67 7631-86 128-37 91-20 14808-60 67-63 111-42 79-10 NTP (Na 91-20	 7 titanium 9 silicon a 9 silicon a 0 Butylate 3 naphtha 7 Quartz (0 isopropa 2 2,2'-imin 7 acrylic a 	a dioxide dioxide, chemically prepared ed hydroxytoluene dene (SiO2) anol nodiethanol acid cology Program) dene	3 3 2 1 3 2 2 3

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, ADR, ADN, IMDG, IATA Not Regulated · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Not Regulated · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA Not Regulated · Class · Packing group · DOT, ADR, IMDG, IATA Not Regulated · Environmental hazards: · Marine pollutant: No • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: ·ADR · U.S. Domestic Ground Shipments: Same as listed for Standard Shipments above. · U.S. Domestic Ground Non-Bulk (119 gal or less per Same as listed for Standard Shipments above. container) Shipments: · Emergency Response Guide (ERG) Number: Not determine · UN "Model Regulation": Not Regulated

(Contd. on page 8)

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

(Contd. of page 7)

Safety, heal Sara	th and environmental regulations/legislation specific for the subs	tance or mixture
	(extremely hazardous substances):	
None of the	ingredient is listed.	
This produc	(Specific toxic chemical listings): at may contain 1 or more toxic chemicals subject to the reporting mendments and Reauthorization Act (SARA) of 1986 and 40 CFR	
91-20-3 n	aphthalene	≥0.025-<0.1
67-63-0 is	opropanol	<0.1%
111-42-2 2	2'-iminodiethanol	<0.1%
79-10-7 a	crylic acid	<0.1%
TSCA (Tox	ic Substances Control Act):	· · · · · · · · · · · · · · · · · · ·
68131-87-3	Petroleum Hydrocarbon Resin	ACTI
64742-88-7	Solvent naphtha (petroleum), medium aliph.	ACTI
13463-67-7	titanium dioxide	ACTI
61790-12-3	Distilled Tall Oil Fatty Acids	ACTI
1332-58-7	Kaolin	ACTI
7631-86-9	silicon dioxide, chemically prepared	ACTI
	monoethanolamine	ACTI
21645-51-2	aluminium hydroxide	ACTI
11138-66-2	Xanthan Gum	ACTI
128-37-0	Butylated hydroxytoluene	ACTI
91-20-3	naphthalene	ACTI
14808-60-7	Quartz (SiO2)	ACTI
67-63-0	isopropanol	ACTI
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	ACTI
1310-73-2	sodium hydroxide	ACTI
111-42-2	2,2'-iminodiethanol	ACTI
2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTI
79-10-7	acrylic acid	ACTI
7732-18-5	water, distilled, conductivity or of similar purity	ACTI
Hazardous	Air Pollutants	ł
91-20-3 n	aphthalene	
	2'-iminodiethanol	
79-10-7 a	crylic acid	
Proposition	•	
Chemicals	nown to the State of California (Prop. 65) to cause cancer:	
	titanium dioxide	
91-20-3	naphthalene	
14808-60-7	Quartz (SiO2)	
	2,2'-iminodiethanol	

US

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

~		(Contd. of page
	nown to cause reproductive toxicity for females:	
v	ingredients is listed.	
	nown to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals k	nown to cause developmental toxicity:	
None of the	ingredients is listed.	
Cancerogen	ity categories	
EPA (Envir	onmental Protection Agency)	
91-20-3 nap	hthalene and the second s	C, CB
TLV (Thres	hold Limit Value established by ACGIH)	
13463-67-7	titanium dioxide	A
1332-58-7	Kaolin	A
128-37-0	Butylated hydroxytoluene	A
	naphthalene	A
	Quartz (SiO2)	A
	isopropanol	A
	2,2'-iminodiethanol	A
79-10-7	acrylic acid	A
MAK (Germ	an Maximum Workplace Concentration)	
	titanium dioxide	3.
	Butylated hydroxytoluene	4
	naphthalene	2
	Quartz (SiO2)	1
111-42-2	2,2'-iminodiethanol	3.
	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
14808-60-7	Quartz (SiO2)	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Solvent naphtha (petroleum), medium aliph. titanium dioxide Distilled Tall Oil Fatty Acids
Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to the central nervous system through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Printing date 04/19/2023

Reviewed on 04/19/2023

Trade name: White Resin Cure J10W

(Contd. of page 9)

Precautionary statements
Do not breathe dust/fume/gas/mist/vapors/spray.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 04/19/2023 / 174
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

05