Tel.: (866) 329-8724

Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2023 Reviewed on 04/19/2023

1 Identification

- · Product identifier
- · Trade name: White Wax Cure J9A
- · Article number: 69165
- · Application of the substance / the mixture
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer. Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

titanium dioxide

Distilled Tall Oil Fatty Acids

· Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

· Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
13463-67-7	titanium dioxide	≥0.1-<1.9%
68131-87-3	Petroleum Hydrocarbon Resin	≥0.25-<1.4%
1332-58-7	Kaolin	<1.1%
61790-12-3	Distilled Tall Oil Fatty Acids	≤1.0%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow product to reach sewage system or any water course.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

(Contd. of page 3)

1332-58-7 Kaolin

PEL Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV Long-term value: 2* mg/m³

E; as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

Information on basis abusingland	ah awiaal nyanautiaa	
Information on basic physical and chemical properties General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Mild	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	

(Contd. on page 5)

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

		(Contd. of page
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.993 g/cm³ (8.28659 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.9-1.1 %	
Water:	73.5 %	
Solids content:	25.1 %	
Other information	No further relevant information available.	
Volatile Organic Compounds:	Contains less than 50 g/L.	

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat and sources of ignition.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: May cause skin irritation.
- · on the eye: No irritating effect known.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

13463-67-7 titanium dioxide 7631-86-9 silicon dioxide, chemically prepared 14808-60-7 Quartz (SiO2)	
	2B
14808_60_7 Quartz (SiQ2)	3
14000-00-7 Quartz (5102)	1

(Contd. on page 6)

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

	(Contd. o	f page 5)
67-63-0	isopropanol	3
128-37-0	Butylated hydroxytoluene	3
111-42-2	2,2'-iminodiethanol	2B
91-20-3	naphthalene	2B
79-10-7	acrylic acid	3
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
91-20-3	naphthalene	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · **DOT**, **ADR**, **ADN**, **IMDG**, **IATA**Not Regulated
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Not Regulated

(Contd. on page 7)

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

		(Contd. of pag
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, ÎMDG, IATA	Not Regulated	
Environmental hazards:		
Marine pollutant:	No	
· Transport in bulk according to Annex II of MARPOL73/78		
and the IBC Code	Not applicable.	
Transport/Additional information:		
· ADR		
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.	
U.S. Domestic Ground Non-Bulk (119 gal or less per		
container) Shipments:	Same as listed for Standard Shipments above.	
Emergency Response Guide (ERG) Number:	Not determine	
UN "Model Regulation":	Not Regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

67-63-0 is	opropanol	<0.1%
111-42-2 2,	2'-iminodiethanol	<0.1%
91-20-3 no	ıphthalene	< 0.025%
79-10-7 ac	rylic acid	<0.1%
TSCA (Toxi	c Substances Control Act):	
13463-67-7	titanium dioxide	ACTIVE
68131-87-3	Petroleum Hydrocarbon Resin	ACTIVE
1332-58-7	Kaolin	ACTIVE
61790-12-3	Distilled Tall Oil Fatty Acids	ACTIVE
64742-88-7	Solvent naphtha (petroleum), medium aliph.	ACTIVE
57-10-3	Palmitic acid	ACTIVE
57-11-4	stearic acid, pure	ACTIVE
141-43-5	monoethanolamine	ACTIVE
7631-86-9	silicon dioxide, chemically prepared	ACTIVE
21645-51-2	aluminium hydroxide	ACTIVE
11138-66-2	Xanthan Gum	ACTIVE

. .

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

	(Contd. of pa
544-63-8 Myristic acid	ACTI
14808-60-7 Quartz (SiO2)	ACTI
67-63-0 isopropanol	ACTI
4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	ACTI
1310-73-2 sodium hydroxide	ACTI
128-37-0 Butylated hydroxytoluene	ACTI
111-42-2 2,2'-iminodiethanol	ACTI
91-20-3 naphthalene	ACTI
2634-33-5 1,2-benzisothiazol-3(2H)-one	ACTI
107-22-2 glyoxal	ACTI
79-10-7 acrylic acid	ACTI
7732-18-5 water, distilled, conductivity or of similar purity	ACTI
Hazardous Air Pollutants	·
111-42-2 2,2'-iminodiethanol	
91-20-3 naphthalene	
79-10-7 acrylic acid	
Proposition 65	
Chemicals known to the State of California (Prop. 65) to cause cancer:	
13463-67-7 titanium dioxide	
14808-60-7 Quartz (SiO2)	
111-42-2 2,2'-iminodiethanol	
91-20-3 naphthalene	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
91-20-3 naphthalene	C, CI
· TLV (Threshold Limit Value established by ACGIH)	[5, 5]
13463-67-7 titanium dioxide	
1332-58-7 Kaolin	
14808-60-7 Quartz (SiO2)	
67-63-0 isopropanol	
128-37-0 Butylated hydroxytoluene	
111-42-2 2.2'-iminodiethanol	
91-20-3 naphthalene	
•	
107-22-2 glyoxal 79-10-7 acrylic acid	

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

 (Contd. of page 8)

 • MAK (German Maximum Workplace Concentration)

 13463-67-7 titanium dioxide
 3A

 14808-60-7 Quartz (SiO2)
 1

 128-37-0 Butylated hydroxytoluene
 4

 111-42-2 2,2'-iminodiethanol
 3B

 91-20-3 naphthalene
 2

 107-22-2 glyoxal
 3B

 • NIOSH-Ca (National Institute for Occupational Safety and Health)
 38

 13463-67-7 titanium dioxide
 14808-60-7 Quartz (SiO2)

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

titanium dioxide

Distilled Tall Oil Fatty Acids

· Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/19/2023 / 427
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2023 Reviewed on 04/19/2023

Trade name: White Wax Cure J9A

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity - Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3