Tel.: (866) 329-8724

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023 Reviewed on 03/07/2023

### 1 Identification

- · Product identifier
- · Trade name: Clean Strip<sup>TM</sup> J1A
- · Article number: 69201
- · Application of the substance / the mixture
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

## 2 Hazard(s) identification

· Classification of the substance or mixture

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip<sup>TM</sup> J1A

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:				
	64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	≥20-<60%	
	64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	≥0.1-<40%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip<sup>TM</sup> J1A

(Contd. of page 2)

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

– US

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip $^{\text{TM}}$  J1A

(Contd. of page 3)

General Information Appearance: Form: Color: According to product specification Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: Vale °C (>424.4 °F) Flash point: 140 °C (284 °F) Flammability (solid, gaseous): Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Foundation limits: Lower: Not determined. Vapor pressure: Not determined. Vapor pressure: Not determined. Vapor pressure: Not determined. Vapor density Not	- formation on basic physical and ch	namical proparties				
Appearance: Form: Color: According to product specification Odor: Characteristic Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion:  Explosion limits: Lower: Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): Relative density Not determined.  Vapor density Not determined.  Vapor density Not determined.  Vapor density Not determined.	formation on basic physical and chemical properties eneral Information					
Form: Color: According to product specification Odor: Characteristic Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Melting range: V-218 °C (>424.4 °F)  Flash point:  I40 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Net determined.  Vapor density Not determined.  Solvability in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.  Not determined.  Not determined.  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Kinematic: Not determined. Solvent content:						
Odor: Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Undetermined.  Boiling point/Melting range: V140 °C (284 °F)  Flash point: 140 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits:  Lower: Not determined.  Upper: Not determined.  Vapor pressure: Not determined.  Ponsity at 20 °C (68 °F): 0.861 g/cm² (7.18505 lbs/gal)  Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Not determined.  Viscosity:  Dynamic: Not determined.  Viscosity:  Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:		Liquid				
Odor threshold:  pH-value:  Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: V218 °C (>424.4 °F)  Flash point:  140 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion timits: Lower: Not determined. Vapor pressure: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): Relative density Not determined.  Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined.	Color:	According to product specification				
PH-value:  Change in condition Melting point/Melting range: Boiling point/Boiling range: Value C (284 °F)  Flash point:  I 40 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined.  Density at 20 °C (68 °F): Relative density Not determined. Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Not determined.						
Change in condition  Melting point/Melting range: Boiling point/Boiling range:  140 °C (284 °F)  Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  307 °C (584.6 °F)  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower:  Upper:  Not determined.  Vapor pressure:  Not determined.  Density at 20 °C (68 °F):  Relative density  Not determined.  Not determined.  Solubility in / Miscibility with Water:  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic:  Kinematic:  Not determined.  Solvent content:	or threshold:	Not determined.				
Melting point/Melting range: Boiling point/Boiling range: Plash point:  140 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Not determined.	!-value:	Not determined.				
Boiling point/Boiling range: >218 °C (>424.4 °F)  Flash point: 140 °C (284 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits:  Lower: Not determined.  Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal)  Relative density Not determined.  Evaporation rate Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:	ange in condition					
Flash point: 140 °C (284 °F) Flammability (solid, gaseous): Not applicable.  Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:						
Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  307 °C (584.6 °F)  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower:  Not determined.  Vapor:  Not determined.  Vapor pressure:  Not determined.  Density at 20 °C (68 °F):  0.861 g/cm³ (7.18505 lbs/gal)  Relative density  Not determined.  Vapor density  Not determined.  Solubility in / Miscibility with  Water:  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic:  Not determined.  Not determined.  Not determined.  Not determined.	Boiling point/Boiling range:	>218 °C (>424.4 °F)				
Ignition temperature: 307 °C (584.6 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	ish point:	140 °C (284 °F)				
Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower: Not determined.  Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined.  Solvent content:	ammability (solid, gaseous):	Not applicable.				
Auto igniting: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:	nition temperature:	307 °C (584.6 °F)				
Danger of explosion:  Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined.  Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined.  Not determined.  Not miscible or difficult to mix.  Not determined. Not determined.	composition temperature:	Not determined.				
Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	to igniting:	Product is not selfigniting.				
Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	nger of explosion:	Product does not present an explosion hazard.				
Lower: Not determined. Upper: Not determined.  Vapor pressure: Not determined.  Density at 20 °C (68 °F): 0.861 g/cm³ (7.18505 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	plosion limits:					
Vapor pressure:  Not determined.  Density at 20 °C (68 °F):  Relative density  Not determined.  Vapor density  Not determined.  Evaporation rate  Not determined.  Solubility in / Miscibility with Water:  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic: Kinematic:  Not determined.  Solvent content:		Not determined.				
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	Upper:	Not determined.				
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content:	por pressure:	Not determined.				
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content:	ensity at 20 °C (68 °F):	$0.861 \text{ g/cm}^3 (7.18505 \text{ lbs/gal})$				
Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content:						
Evaporation rate  Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:		Not determined.				
Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:		Not determined.				
Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content:	lubility in / Miscibility with					
Viscosity:  Dynamic: Not determined. Kinematic: Not determined. Solvent content:		Not miscible or difficult to mix.				
Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:	Partition coefficient (n-octanol/water): Not determined.					
Dynamic: Not determined.  Kinematic: Not determined.  Solvent content:	scosity:					
Kinematic: Not determined.  Solvent content:	•	Not determined.				
		Not determined.				
	lvent content:					
Solids content: 72.5 %	Solids content:	72.5 %				
Other information No further relevant information available.	her information	No further relevant information available.				

## 10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip<sup>TM</sup> J1A

(Contd. of page 4)

- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

(Contd. on page 6)

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip $^{TM}$  J1A

(Contd. of page 5)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/ and the IBC Code	7 <b>8</b> Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per	Not Regulated by D.O.T.
container) Shipments:	Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
UN "Model Regulation":	Not Regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):					
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	ACTIVE			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIVE			
112-80-1	oleic acid, pure	ACTIVE			

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 7)

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip<sup>TM</sup> J1A

· Proposition 65

(Contd. of page 6)

· Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

112-80-1 oleic acid, pure

3A

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 04/11/2023 Reviewed on 03/07/2023

Trade name: Clean Strip<sup>TM</sup> J1A

(Contd. of page 7)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 04/11/2023 / 164
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US