Printing date 04/16/2025

Reviewed on 04/16/2025

1 Identification

- · Product identifier
- · Trade name: Pro-Poxy 100 Part A
- · Article number: 140048A
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

| Skin Irrit. 2 | H315 | Causes skin irritation. |
|-------------------|------|--|
| Eye Irrit. 2A | H319 | Causes serious eye irritation. |
| Skin Sens. 1 | H317 | May cause an allergic skin reaction. |
| Aquatic Chronic 2 | H411 | Toxic to aquatic life with long lasting effects. |

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) oxirane, mono[(C12-14-alkyloxy)methyl] derivs

• Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing vapours.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

| · Classification | system: |
|------------------|----------|
| | <i>.</i> |

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \mathbf{0} \\ \mathbf{2} \\ \mathbf{0} \\ \mathbf{$



HEALTH2Health = 2FIRE0Fire = 0PHYSICAL HAZARD0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

 $\frac{25068-38-6}{700}$ reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = $>70-\le90\%$ 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs 10%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions:* Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: cool and dry
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.

| Physical and chemical proper | rties |
|--------------------------------------|---|
| Information on basic physical and | chemical properties |
| General Information | |
| Appearance: | |
| Form: | Liquid |
| Color: | Light yellow |
| Odor: | Slight |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| • Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not determined. |
| Density at 20 °C (68 °F): | 1.11918 g/cm ³ (9.33956 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wat | ter): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| | (Contd. on pag |

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

• Other information

No further relevant information available.

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye:
- Strong irritant with the danger of severe eye injury. Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to Federal, State, and Local regulations.*

14 Transport information · UN-Number · DOT Not Regulated · ADR, IMDG, IATA UN3082 · UN proper shipping name Not Regulated · DOT Not Regulated · ADR 3082 ENVIRO LIQUID, N. (epichlorhydrin = 700)) Total Content of the second s

| | (Contd. on page 7) |
|---------------------------------------|---|
| · Packing group · DOT | Not Regulated |
| · Label | 9 |
| · ADR, IMDG, IATA | 9 Miscellaneous dangerous substances and articles |
| · Class | Not Regulated |
| · Transport hazard class(es) · DOT | |
| · IMDG · IATA | (epichlorhydrin) epoxy resin (number average molecular weight = 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)) |
| · DUT · ADR | Not Regulated 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- |

(Contd. of page 5)

US

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

| | (Contd. of page 6 |
|--|---|
| · ADR, IMDG, IATA | III |
| Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): | Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) |
| Special precautions for user Danger code (Kemler): EMS Number: Stowage Category | Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A |
| • Transport in bulk according to Annex II of MARPOL73 and the IBC Code | 3/78 Not applicable. |
| · Transport/Additional information: | |
| · ADR · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: | Same as listed for Standard Shipments above. |
| · Emergency Response Guide (ERG) Number: | Not determine |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A- (EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT = 700)), 9, III |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below. None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

25068-38-6reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)ACTIVE68609-97-2oxirane, mono[(C12-14-alkyloxy)methyl] derivsACTIVE

(Contd. on page 8)

US

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part A

| Haz | (Contd. of page |
|-----------|---|
| - | the of the ingredients is listed. |
| | position 65 |
| | micals known to the State of California (Prop. 65) to cause cancer: |
| 250 | 68-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) |
| Che | micals known to cause reproductive toxicity for females: |
| Non | ne of the ingredients is listed. |
| Che | micals known to cause reproductive toxicity for males: |
| Non | ne of the ingredients is listed. |
| Che | micals known to cause developmental toxicity: |
| Non | ne of the ingredients is listed. |
| Can | acerogenity categories |
| EP.A | A (Environmental Protection Agency) |
| Non | ne of the ingredients is listed. |
| TLV | V (Threshold Limit Value established by ACGIH) |
| Non | ne of the ingredients is listed. |
| MA | K (German Maximum Workplace Concentration) |
| Non | ne of the ingredients is listed. |
| NIC | OSH-Ca (National Institute for Occupational Safety and Health) |
| Non | ne of the ingredients is listed. |
| | S label elements The product is classified and labeled according to the Globally Harmonized System (GHS). card pictograms |
| \langle | |
| GH | HS07 GHS09 |

· Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) oxirane, mono[(C12-14-alkyloxy)methyl] derivs

• Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing vapours.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Printing date 04/16/2025

Reviewed on 04/16/2025

(Contd. of page 8)

Trade name: Pro-Poxy 100 - Part A

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- *Contact: Environmental, Health & Safety Manager*
- Date of preparation / last revision 04/16/2025 / 11
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Printing date 04/16/2025

Reviewed on 04/16/2025

1 Identification

- · Product identifier
- · Trade name: <u>Pro-Poxy 100 Part B</u>
- Article number: 140048B
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

| Acute Tox. 4 | H302 | Harmful if swallowed. |
|-------------------|------|---|
| Skin Corr. 1B | H314 | Causes severe skin burns and eye damage. |
| Skin Sens. 1 | H317 | May cause an allergic skin reaction. |
| Repr. 1B | H360 | May damage fertility or the unborn child. |
| STOT SE 3 | H335 | May cause respiratory irritation. |
| Aquatic Chronic 1 | H410 | Very toxic to aquatic life with long lasting effects. |

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

2-piperazin-1-ylethylamine 4-nonylphenol, branched Trade Secret 3-aminomethyl-3,5,5-trimethylcyclohexylamine 3,6,9-triazaundecamethylenediamine 3,6-diazaoctanethylenediamin • Hazard statements Harmful if swallowed. Causes severe skin hurns and eve damage

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May damage fertility or the unborn child. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects. **Precautionary statements** Avoid breathing vapours.

(Contd. on page 2)

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

(Contd. of page 1) If swallowed: Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 *Health* = *3 FIRE • Fire = 0**PHYSICAL HAZARD O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| 84852-15-3 | 4-nonylphenol, branched | 25% |
|------------|--|----------|
| 140-31-8 | 2-piperazin-1-ylethylamine | 25% |
| 100-51-6 | Benzyl alcohol | ≥5-≤10% |
| 2855-13-2 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | ≥5-≤10% |
| 112-57-2 | 3,6,9-triazaundecamethylenediamine | ≥5-≤6% |
| | Trade Secret | ≥1-≤6% |
| 112-24-3 | 3,6-diazaoctanethylenediamin | ≥2.5-≤3% |

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

(Contd. of page 2)

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*

• After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek medical treatment.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 *Fire-fighting measures*

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• Storage: cool and dry

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 100-51-6 | Benzyl | alcohol |
|----------|--------|---------|
|----------|--------|---------|

WEEL Long-term value: 10 ppm

112-57-2 3,6,9-triazaundecamethylenediamine

WEEL Long-term value: 5 mg/m³

Skin; DSEN

112-24-3 3,6-diazaoctanethylenediamin

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment: Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.

| Information on basic physic General Information | cal and chemical properties | |
|--|------------------------------------|--|
| Appearance: Form: | Liquid | |
| Color: | According to product specification | |
| Odor: | Ammonia-like | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |

(Contd. of page 3)

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

| | (Contd. of | page |
|--|--|------|
| • Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. Undetermined. | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| • Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapor pressure: | Not determined. | |
| · Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate | 0.94663 g/cm³ (7.89963 lbs/gal) Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wa | ter): Not determined. | |
| · Viscosity: Dynamic: Kinematic: | Not determined. Not determined. | |
| Solvent content: Organic solvents: Other information | 5-10 % No further relevant information available. | |
| · Volatile Organic Compounds: | Contains less than 50 g/L. | |

10 Stability and reactivity

· Reactivity No decomposition if stored and applied as directed.

· Chemical stability No decomposition if stored and applied as directed

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid Keep away from heat and sources of ignition.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

(Contd. of page 5)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

140-31-8 2-piperazin-1-ylethylamine

Oral LD50 2,140 mg/kg (rat)

Dermal LD50 880 mg/kg (rabbit)

112-57-2 3,6,9-triazaundecamethylenediamine

Dermal LD50 660 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: May cause skin irritation.

- on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

• Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Must not reach bodies of water or drainage ditch undiluted or unneutralized. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

• Uncleaned packagings:

• *Recommendation: Disposal must be made according to Federal, State, and Local regulations.*

| UN-Number DOT, ADR, IMDG, IATA | UN2735 |
|-----------------------------------|---|
| UN proper shipping name | |
| DOT | Amines, liquid, corrosive, n.o.s. (4-nonylphenol, branche |
| | Tetraethylenepentamine) |
| ADR | 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (4-nonylpheno |
| | branched, TETRAETHYLENEPENTAMINE, |
| | ENVIRONMENTALLY HAZARDOUS |
| IMDG | AMINES, LIQUID, CORROSIVE, N.O.S. (4-nonylpheno branched, TETRAETHYLENEPENTAMINE), MARIN |
| | POLLUTANT |
| IATA | AMINES, LIQUID, CORROSIVE, N.O.S. (4-nonylpheno |
| | branched, TETRAETHYLENEPENTAMINE) |
| DOT | |
| Class | 8 Corrosive substances |
| Label | 8 |
| ADR, IATA | |
| | |
| Class | 8 Corrosive substances |
| Label | 8 |

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

| | (Contd. of page |
|--|---|
| ·IMDG | |
| | |
| · Class · Label | 8 Corrosive substances 8 |
| · Packing group · DOT, ADR, IMDG, IATA | III |
| Environmental hazards: | Product contains environmentally hazardous substances: 4 nonylphenol, branched |
| Marine pollutant: | Symbol (fish and tree) |
| Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category | Warning: Corrosive substances 80 F-A,S-B Alkalis B |
| · Stowage Code | SW2 Clear of living quarters. |
| • Transport in bulk according to Annex II of MARPOL73, and the IBC Code | /7 8 Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per | Same as listed for Standard Shipments above. |
| container) Shipments: | Same as listed for Standard Shipments above. |
| Emergency Response Guide (ERG) Number: | Not determine |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (4 N O N Y L P H E N O L , B R A N C H E D TETRAETHYLENEPENTAMINE), 8, III, ENVIRONMENTALL HAZARDOUS |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 9)

⁻ US

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

| | (Contd. of page 8 |
|--|--------------------------------|
| • Section 313 (Specific toxic chemical listings): This product may contain 1 or more toxic chemicals subject to the reporting requirements of | Section 313 of Title III of th |
| Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the | |
| 84852-15-3 4-nonylphenol, branched | 25% |
| TSCA (Toxic Substances Control Act): | |
| 68953-36-6 Polyamido Amine | ACTIVE |
| 84852-15-3 4-nonylphenol, branched | ACTIVE |
| 140-31-8 2-piperazin-1-ylethylamine | ACTIVE |
| 100-51-6 Benzyl alcohol | ACTIVE |
| 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine | ACTIVE |
| 112-57-2 3,6,9-triazaundecamethylenediamine | ACTIVE |
| Trade Secret | ACTIVE |
| 112-24-3 3,6-diazaoctanethylenediamin | ACTIVE |
| · Hazardous Air Pollutants | |
| None of the ingredients is listed. | |
| · Proposition 65 | |
| • Chemicals known to the State of California (Prop. 65) to cause cancer: | |
| None of the ingredients is listed. | |
| • Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Cancerogenity categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| TLV (Threshold Limit Value established by ACGIH) | |
| None of the ingredients is listed. | |
| · MAK (German Maximum Workplace Concentration) | |
| None of the ingredients is listed. | |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| • GHS label elements The product is classified and labeled according to the Globally Harmonized | l System (GHS). |



· Signal word Danger

• *Hazard-determining components of labeling:* 2-piperazin-1-ylethylamine 4-nonylphenol, branched

Printing date 04/16/2025

Reviewed on 04/16/2025

Trade name: Pro-Poxy 100 - Part B

(Contd. of page 9)

| Trade Secret |
|--|
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine |
| 3,6,9-triazaundecamethylenediamine |
| 3,6-diazaoctanethylenediamin |
| Hazard statements |
| Harmful if swallowed. |
| Causes severe skin burns and eye damage. |
| May cause an allergic skin reaction. |
| May damage fertility or the unborn child. |
| May cause respiratory irritation. |
| Very toxic to aquatic life with long lasting effects. |
| · Precautionary statements |
| Avoid breathing vapours. |
| If swallowed: Immediately call a poison center/doctor. |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| · National regulations: |
| · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water. |

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 04/16/2025 / 12

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Sens. 1: Skin sensitisation – Category 1 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1