Printing date 04/25/2023

Reviewed on 04/25/2023

1 Identification

- · Product identifier
- · Trade name: Pro-PoxyTM 2000 Normal Part A
- · Article number: 140389A
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: epoxy resin
- Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

(Contd. of page 1)

≥10-≤90%

≤10.0%



HEALTH1Health = IFIRE1Fire = IPHYSICAL HAZARD0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

25085-99-8 Diglycidyl ether of bisphenol A homopolymer

2210-79-9 2,3-epoxypropyl o-tolyl ether

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention. • After skin contact:

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: cool and dry
- Requirements to be met by storerooms and receptacles: Store in a cool dry location.
- Information about storage in one common storage facility: Store away from incompatible materials.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Wear appropriate eye protection to prevent eye contact.

· Information on basic physical and chemical properties		
General Information	chemicai properties	
Appearance:		
Form:	Liquid	
Color:	Grey	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	>94 °C (>201.2 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.14 g/cm³ (9.5133 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No decomposition if stored and applied as directed.

- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Keep away from heat and sources of ignition.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

25085-99-8 Diglycidyl ether of bisphenol A homopolymer

Oral LD50 5,000 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

• Primary irritant effect:

• on the skin: May cause skin irritation.

on the eye:

Strong irritant with the danger of severe eye injury. Irritating effect.

- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

UN-Number	
DOT, ADR, ADN, IATA	Not Regulated
IMDG	UN3082
UN proper shipping name	
DOT, ADR, ADN, IATA	Not Regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
	N.O.S. (2,3-epoxypropyl o-tolyl ether), MARINE POLLUTANT

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

	(Contd. of page
Transport hazard class(es)	
DOT, ADR, ADN, IATA Class	Not Regulated
IMDG	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
Special precautions for user EMS Number: Stowage Category	F-A,S-F A
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

(Contd. on page 8)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

	(Contd. of page 7)
· TSCA (Toxic Substances Control Act):	
25085-99-8 Diglycidyl ether of bisphenol A homopolymer	ACTIVE
2210-79-9 2,3-epoxypropyl o-tolyl ether	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to the State of California (Prop. 65) to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

• MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Warning
- Hazard-determining components of labeling: epoxy resin
- *Hazard statements Causes skin irritation.*
- Causes serious eye irritation.
- May cause an allergic skin reaction.
- Harmful to aquatic life with long lasting effects.
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/sprav
- Avoid breathing dust/jume/gas/mist/vap Avoid release to the environment.
- Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part A

(Contd. of page 8)

· National regulations:

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- Contact: Environmental, Health & Safety Manager
- Date of preparation / last revision 04/25/2023 / 123
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Skin Irrit. 2: Skin corrosion/irritation Category 2
 - *Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A*
 - Skin Sens. 1: Skin sensitisation Category 1
 - Aquatic Chronic 3: Hazardous to the aquatic environment long-term aquatic hazard Category 3

Printing date 04/25/2023

Reviewed on 04/25/2023

1 Identification

- · Product identifier
- · Trade name: Pro-PoxyTM 2000 Normal Part B
- · Article number: 140389B
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

3,6-diazaoctanethylenediamin

- *3,6,9-triazaundecamethylenediamine*
- Hazard statements

Causes severe skin burns and eye damage. May cause an allergic skin reaction.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
112-24-3 3,6-diazaoctanethylenediar	nin	≥5-<18%	
90-72-2 2,4,6-tris(dimethylaminome	ethyl)phenol	<8.5%	
112-57-2 3,6,9-triazaundecamethyle	nediamine	≥5-<7.5%	
• Additional information: For the word	ding of the listed hazard phrases refer to section 16.		

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In the event of persistent symptoms recieve medical treatment.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

• Advice for firefighters • Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool dry location.
- · Information about storage in one common storage facility: Store away from incompatible materials.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

112-24-3 3,6-diazaoctanethylenediamin

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

112-57-2 3,6,9-triazaundecamethylenediamine

WEEL Long-term value: 5 mg/m³

Skin; DSEN

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

· Information on basic physical and chemical properties		
General Information		
Appearance: Form:	Limid	
Form: Color:	Liquid Amber	
Odor:	Distinctive	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	333 °C (631.4 °F)	
Flash point:	>94 °C (>201.2 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	335 °C (635 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

		(Contd. of page
Density at 20 °C (68 °F):	0.949 g/cm³ (7.91941 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wo	ater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability No decomposition if stored and applied as directed
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

112-24-3 3,6-diazaoctanethylenediamin

Oral LD50 2,500 mg/kg (rat)

Dermal LD50 805 mg/kg (rabbit)

112-57-2 3,6,9-triazaundecamethylenediamine

Dermal LD50 660 mg/kg (rabbit)

• Primary irritant effect:

• on the skin: May cause skin irritation.

• on the eye: Strong caustic effect.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to Federal, State, and Local regulations.

14 Transport information · UN-Number · DOT, ADR, IMDG, IATA UN2735

(Contd. on page 7)

US ·

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

(TETRAETHYLENEPENTAMINE), ENVIRONMENTALL HAZARDOUS		(Contd. of page
DOT Amines, liquid, corrosive, n.o.s. (Terrahylenepentamine) ADR 2735 AMINES, LIQUID, CORROSIVE, N.O. (TERRAETHYLENEPENTAMINE), ENVIRONMENTALL HAZARDOUS IMDG AMINES, LIQUID, CORROSIVE, N.O. (TERRAETHYLENEPENTAMINE), CORROSIVE, N.O. (TERRAETHYLENEPENTAMINE), CORROSIVE, N.O. (TERRAETHYLENEPENTAMINE) Transport hazard class(es) DOT Class & 8 Corrosive substances ADR, LATA Class & 8 Corrosive substances Label 8 ADR, LATA Class & 8 Corrosive substances Label 8 MDG Class & 8 Corrosive substances Label 8 Scoresive substances Scoresive su	UN proper shipping name	
IMDG AMINESS. LIQUID. CORROSIVE, N.O.S. (TETRAETHYLENEPENTAMINE), MARINE POLLUTANT AMINES, LIQUID, CORROSIVE, N.O.S. (TETRAETHYLENEPENTAMINE) Transport hazard class(es)	DOT	2735 AMINES, LIQUID, CORROSIVE, N.O.S (TETRAETHYLENEPENTAMINE), ENVIRONMENTALL
Transport hazard class(es) DOT Image: Class class (es) Class class class (es) Label 8 Class class (es) 8 Corrosive substances class (es) Class class class (es) 8 Corrosive substances (es) Class (es) 8 Corrosive substanc	IMDG	A MINES, LIQUID, CORROSIVE, N.O.S (TETRAETHYLENEPENTAMINE), MARINE POLLUTANT
DOT Class & 8 Corrosive substances Label 8 ADR, IATA Class & 8 Corrosive substances ADR, IATA Class & 8 Corrosive substances Label 8 IMDG Class & 8 Corrosive substances Label 8 Class & 8 Corrosive substances 8 Class & 8 Corrosive substances 8 Class & 8 Corrosive substances 8 Class & 8 Corrosive substances 8 Class & 8 Class & 8 Cl	IATA	AMINES, LIQUID, CORROSIVE, N.O.S (TETRAETHYLENEPENTAMINE)
DOT Class & 8 Corrosive substances Label 8 ADR, IATA Class & 8 Corrosive substances Label 8 ADR, IATA Class & 8 Corrosive substances Label 8 INDG Class & 8 Corrosive substances Label 1 II Environmental hazards: Marine pollutant: No Symbol (fish and tree) Special precautions for user Danger code (Kemler): Social precautions for user Social preca	Transport hazard class(es)	
Label 8 ADR, IATA	-	
Label 8 ADR, IATA		
Label 8 ADR, IATA	8 8	
ADR, IATA Impose 8 Corrosive substances Label 8 IMDG Impose 8 Class 8 Corrosive substances Label 8 Class 8 Corrosive substances Impose 8 Class 8 Corrosive substances Label 8 Class 8 Corrosive substances Special precautions for user No Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" acids.		
Second precautions for user Danger code (Kemler):8Second precautions for user Danger code (Kemler):No Symbol (fish and tree)Second precautions for user Danger code (Kemler):Warning: Corrosive substances 8Second precautions for user Danger code (Kemler):Warning: Corrosive substances Some Sister	Label	8
Image: constraint of the second sec		
Label8Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:No Symbol (fish and tree)Special precautions for userWarning: Corrosive substancesDanger code (Kemler):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSome H of MARPOL73/78	IMDG	
Packing group III DOT, ADR, IMDG, IATA III Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Corrosive substances Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separated from" acids.	Class	8 Corrosive substances
DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:No Symbol (fish and tree)Special precautions for userWarning: Corrosive substancesDanger code (Kemler):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.	Label	8
Marine pollutant:No Symbol (fish and tree)Special precautions for userWarning: Corrosive substancesDanger code (Kemler):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.Transport in bulk according to Annex II of MARPOL73/78		111
Symbol (fish and tree)Special precautions for userWarning: Corrosive substancesDanger code (Kemler):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.Transport in bulk according to Annex II of MARPOL73/78		
Danger code (Kemler):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.Transport in bulk according to Annex II of MARPOL73/78	Marine pollutant:	
EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.Transport in bulk according to Annex II of MARPOL73/78		
Segregation groupsAlkalisStowage CategoryASegregation CodeSG35 Stow "separated from" acids.Transport in bulk according to Annex II of MARPOL73/78		
Stowage Category A Segregation Code SG35 Stow "separated from" acids. Transport in bulk according to Annex II of MARPOL73/78		
Segregation Code SG35 Stow "separated from" acids. Transport in bulk according to Annex II of MARPOL73/78		
Transport in bulk according to Annex II of MARPOL73/78		
	Transport in bulk according to Annex II of	MARPOL73/78

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

(Contd. of page
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
Same as listed for Standard Shipments above.
Same as listed for Standard Shipments above.
153
5L
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 2735 AMINES, LIQUID, CORROSIVE, N.O.
(TETRAETHYLENEPENTAMINE), 8, II.
ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):				
68953-36-6	Polyamido Amine	ACTIVE		
112-24-3	3,6-diazaoctanethylenediamin	ACTIVE		
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	ACTIVE		
112-57-2	3,6,9-triazaundecamethylenediamine	ACTIVE		
· Hazardous Air Pollutants				

Hazaraous Air Folialanis

None of the ingredients is listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

(Contd. of page 8)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling:

3, 6-diaza octanethyle nediamin

3,6,9-triazaundecamethylenediamine

• Hazard statements

Causes severe skin burns and eye damage. May cause an allergic skin reaction.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental, Health & Safety Department

· Contact: Environmental, Health & Safety Manager

· Date of preparation / last revision 04/25/2023 / 121

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-PoxyTM 2000 Normal - Part B

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 (Contd. of page 9)

Printing date 04/25/2023

Reviewed on 04/25/2023

1 Identification

- · Product identifier
- · Trade name: Pro-PoxyTM 2000 Normal Part C
- Article number: 140389C
- Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dayton® Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Hazard(s) identification

• Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin and eye irritation.

• **Precautionary statements** Wash thoroughly after handling.


Wear protective gloves.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Classification system:





· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

(Contd. of page 1)

≥10-<70%

<35.0%

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-Poxy[™] 2000 Normal - Part C

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

14808-60-7 Quartz (SiO2)

7727-43-7 barium sulphate, natural

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: If skin irritation continues, consult a doctor.*
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

No special measures required.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Pick up mechanically.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 2)

Trade name: Pro-PoxyTM 2000 Normal - Part C

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

	····· · ·····				
· Com	· Components with limit values that require monitoring at the workplace:				
1480	14808-60-7 Quartz (SiO2)				
PEL	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2				
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A				
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction				
7727-43-7 barium sulphate, natural					
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction				
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction				
	Long-term value: 5* mg/m³ *inhalable fraction; E				

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 3)

Trade name: Pro-PoxyTM 2000 Normal - Part C

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • *Eye protection: Wear appropriate eye protection to prevent eye contact.*

9 Physical and chemical properties

Appearance:Form:SolidColor:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not applicable.Change in condition Metting point/Metting range:Undetermined.Boiling point/Metting range:Undetermined.Flash point:Not applicable.Flash point:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapper ressure:Not determined.Vapper densityNot determined.Vapper densityNot determined.Vapper is to constity with Water:Not applicable.Evaporation rateNot applicable.Partition coefficient (n-octanol/water): Not determined.Viscosity:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity:Insoluble.Partition coefficient (n-octanol/water): Not applicable.Partition coefficient (n-octanol/water): Not determined.Viscosity:Insoluble.Partition coefficient (n-octanol/water): Not applicable.Partition coefficient (n	Information on basic physical and chemical properties				
Form:SolidColor:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not applicable.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Flash point:Not applicable.Flasmability (solid, gaseous):Not determined.Parmability (solid, gaseous):Not determined.Observer:Not determined.Out igniting:Product is not selfigniting.Out ognition timits:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vapper pressure:Not determined.Vapper pressure:Not determined.Vapper densityNot applicable.Exploration trateNot applicable.Solubility in / Miscibility with Water:Not applicable.Solubility in / Miscibility with Water:Insoluble.Paratition coefficient (n-octanol/water): Not determined.V Viscosity:Not applicable.Solubility in / Miscibility with Water:Insoluble.Paratition coefficient (n-octanol/water): Not applicable.Solubility in / Miscibility with Water:Not applicable.Viscosity:Insoluble.Paratition coefficient (n-octanol/water): Not applicable.Viscosity:Not applicable.Paratition coefficient (n-octanol/water): Not applicable.Paratition coefficient (n-octanol/water): Not applicable.Paratition coefficient (n-octanol/water): N	· General Information				
Color:ClearOdor:OdorlessOdor threshold:Not determined. <i>pH-value:</i> Not applicable.Change in conditionUndetermined.Metting point/Metting range:Undetermined.Boiling point/Boiling range:Undetermined. <i>Flash point:</i> Not applicable. <i>Flash point:</i> Not determined. <i>Decomposition temperature:</i> Not determined. <i>Decomposition temperature:</i> Not determined. <i>Auto igniting:</i> Product is not selfigniting. <i>Danger of explosion:</i> Product does not present an explosion hazard. <i>Explosion limits:</i> Not determined. <i>Lower:</i> Not determined. <i>Upper:</i> Not determined. <i>Vapor pressure:</i> Not determined. <i>Vapor density</i> Not determined. <i>Vapor density</i> Not applicable. <i>Exeporation rate</i> Not applicable. <i>Evaporation rate</i> Not applicable. <i>Proticable.</i> Not applicable. <i>Vapor density</i> Not applicable. <i>Evaporation rate</i> Not applicable. <i>Solubility in / Miscibility with</i> <i>Water:</i> Insoluble. <i>Vater:</i> Insoluble. <i>Vapor analise:</i> Not determined. <i>Viscosity:</i> Not determined. <i>Viscosity:</i> Not applicable. <i>Solubility in / Miscibility with</i> <i>Water:</i> Insoluble. <i>Viscosity:</i> Not applicable. <i>Paratition coefficient (n-octanol/water):</i> Not determined. <i>Viscosity:</i> Not applicable. <i>Paratition coefficient (n-octanol/water</i>		Solid			
Odor:Odorless Not determined.• Othor threshold:Not applicable.• pH-value:Not applicable.• Change in condition Melting point/Melting range:Undetermined.• Goling point/Boiling range:Undetermined.• Flash point:Not applicable.• Flash point:Not determined.• Flash point:Not determined.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Vappr pressure:Not determined.• Vapor pressure:Not applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Insoluble.• Partition coefficient (n-octanol/water): Not determined.• Viscosity: Dynamic:Not applicable.• Viscosity: Dynamic:Not applicable.					
· pH-value: Not applicable. · Change in condition Melting point/Melting range: Undetermined. · Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flash point: Not determined. · Decomposition temperature: Not determined. · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Lower: Not determined. · Upper: Not determined. · Vapor pressure: Not determined. · Vapor density Not applicable. · Solubility in / Miscibility with Mot determined. · Vapor density Not applicable. · Solubility in / Miscibility with<		Odorless			
Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flash point: Not determined. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapor pressure: Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Mot applicable. Viscosity: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not applicable.	· Odor threshold:	Not determined.			
Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Pensity at 20 °C (68 °F):3.2 g/cm³ (26.704 lbs/gal)Relative densityNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic:Not applicable.Not applicable.Not applicable.	· pH-value:	Not applicable.			
Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):3.2 g/cm³ (26.704 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic:Not applicable.Not applicable.Not applicable.	· Change in condition				
• Flash point: Not applicable. • Flash point: Not determined. • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Image: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Insoluble. • Solubility in / Miscibility with Insoluble. • Vaporation coefficient (n-octanol/water): Not determined. Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable.					
• Flammability (solid, gaseous): Not determined. • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Image: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Solubility in / Miscibility with Insoluble. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable.	Boiling point/Boiling range:	Undetermined.			
• Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable.	· Flash point:	Not applicable.			
· Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Lower: Not determined. Upper: Not determined. · Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) · Relative density Not determined. · Vapor density Not applicable. · Solubility in / Miscibility with Insoluble. · Partition coefficient (n-octanol/water): Not determined. Not applicable. · Viscosity: Dynamic: Not applicable.	· Flammability (solid, gaseous):	Not determined.			
• Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable.	• Decomposition temperature:	Not determined.			
• Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Water: Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Viscosity: Not applicable.	· Auto igniting:	Product is not selfigniting.			
Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):3.2 g/cm³ (26.704 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic:Not applicable.	• Danger of explosion:	Product does not present an explosion hazard.			
Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):3.2 g/cm³ (26.704 lbs/gal)Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic:Not applicable.	-				
· Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) · Relative density Not determined. · Vapor density Not applicable. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not applicable. · Viscosity: Not applicable. · Not applicable. Not determined.					
• Density at 20 °C (68 °F): 3.2 g/cm³ (26.704 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Not applicable.	Upper:	Not determined.			
• Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Not applicable.	· Vapor pressure:	Not applicable.			
· Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable.					
· Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. Not applicable. · Viscosity: Dynamic: Not applicable.					
 Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. 					
Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable.	• Evaporation rate	Not applicable.			
 Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. 					
• Viscosity: Dynamic: Not applicable.	Water:	Insoluble.			
Dynamic: Not applicable.	· Partition coefficient (n-octanol/water): Not determined.				
	· Viscosity:				
Kinematic: Not applicable.	Kinematic:	Not applicable.			
· Solvent content:	· Solvent content:				
Solids content: 100.0 %	Solids content:	100.0 %			
• Other information No further relevant information available.	• Other information	No further relevant information available.			

10 Stability and reactivity

· *Reactivity* No further relevant information available.

Printing date 04/25/2023

Reviewed on 04/25/2023

(Contd. of page 4)

1

K

Trade name: Pro-Poxy[™] 2000 Normal - Part C

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Keep away from heat and sources of ignition.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: May cause skin irritation.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Not hazardous for water.

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-Poxy™ 2000 Normal - Part C

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to Federal, State, and Local regulations.

Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, ADR, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above. Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
UN "Model Regulation":	Not Regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

7727-43-7 barium sulphate, natural

<35.0% (Contd. on page 7)

- ÚS

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: Pro-Poxy™ 2000 Normal - Part C

(Contd. of page (
• TSCA (Toxic Substances Control Act):
14808-60-7 Quartz (SiO2) ACTIVE
7727-43-7 barium sulphate, natural ACTIVE
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to the State of California (Prop. 65) to cause cancer:
14808-60-7 Quartz (SiO2)
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Cancerogenity categories
· EPA (Environmental Protection Agency)
7727-43-7 barium sulphate, natural D, CBD(inh), NL(oral)
· TLV (Threshold Limit Value established by ACGIH)
14808-60-7 Quartz (SiO2) A2
· MAK (German Maximum Workplace Concentration)
14808-60-7 Quartz (SiO2)
· NIOSH-Ca (National Institute for Occupational Safety and Health)
14808-60-7 Quartz (SiO2)

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Warning
- · Hazard statements
- Causes skin and eye irritation.
- · Precautionary statements
- Wash thoroughly after handling.
- Wear protective gloves.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- If eye irritation persists: Get medical advice/attention.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 04/25/2023

Reviewed on 04/25/2023

Trade name: $Pro-Poxy^{TM}$ 2000 Normal - Part C

(Contd. o	of page 7)
Pepartment issuing SDS: Environmental, Health & Safety Department	
Contact: Environmental, Health & Safety Manager	
Date of preparation / last revision 04/25/2023 / 90	
bbreviations and acronyms:	
DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Car	rriage of
angerous Goods by Road)	riuge oj
ADG: International Maritime Code for Dangerous Goods	
OT: US Department of Transportation	
17A: International Air Transport Association	
CGIH: American Conference of Governmental Industrial Hygienists	
INECS: European Inventory of Existing Commercial Chemical Substances	
LINCS: European List of Notified Chemical Substances	
AS: Chemical Abstracts Service (division of the American Chemical Society)	
FPA: National Fire Protection Association (USA)	
MIS: Hazardous Materials Identification System (USA)	
BT: Persistent, Bioaccumulative and Toxic	
PvB: very Persistent and very Bioaccumulative	
IOSH: National Institute for Occupational Safety	
SHA: Occupational Safety & Health	
LV: Threshold Limit Value	
EL: Permissible Exposure Limit	
EL: Recommended Exposure Limit	
kin Irrit. 2: Skin corrosion/irritation – Category 2	
ye Irrit. 2B: Serious eye damage/eye irritation – Category 2B	
	US