



BUILDING STRENGTH™

DAYTON SUPERIOR
CONCRETE CHEMICALS

U.S. PRICE BOOK

PRICES EFFECTIVE
JANUARY 30, 2023

LAST UPDATED
JULY 7, 2023



POLICY

Minimum order:

1. There will be a \$10.00 minimum order charge for all orders less than \$250.00 net purchase price. Exceptions will be made for sample product orders shipped for customer approval and special tie orders shipping direct to a dealer's customer.

Less than full box/carton/container:

2. Pricing for all hardware items is based on full box/carton/container. Less than full containers (partial boxes) will be invoiced with a \$15.00 charge for each line item. Packaging standards can be viewed by clicking on the link by the Forming price book.

Ties

3. All made to order/special ties ordered in quantities of less than 100 pieces will be assessed a set-up charge of \$25.00 for each line item. Additionally, stocking ties ordered in quantities of less than full cartons/bundles will be assessed \$25.00 per line item. Packaging standards can be viewed by clicking on the link by the Forming price book.

RETURN POLICY

- A. Return Policy on Non-Defective Sale Items – for any sale material that a customer wishes to return to Dayton Superior for credit, the customer must first contact Dayton Superior. It must be mutually agreed that the material can be returned and a minimum 25% restocking fee will be charged. Credit will be issued against the customer's account when Dayton Superior receives the approved return, in the original packaging and in resalable condition. Credit will be issued in the following amounts:
 - i. Up to 30 days from the date of purchase – full credit less 25% restocking charge.
 - ii. 31-90 days from the date of purchase – full credit minus 40% restocking charge.
 - iii. No returns will be accepted after 90 days from date of purchase.
 - iv. All chemical product returns must have pre-approval and will be approved at Dayton Superior's discretion based on remaining shelf life.
 - v. Configured-to-Order and Made-to-Order items are not eligible for return.
 - vi. Any credit amount to be issued will be reduced by handling charges necessary to repackage returned items into resalable condition.

Dayton Superior will not accept the return of merchandise without prior written authorization. Customer may initiate a return by contacting their Customer Service Representative to obtain a return material authorization (RMA) number. The customer must prepay freight charges from the customer to a Dayton Superior location. Returns submitted without an RMA will not be accepted. The RMA will expire 30 days from date of issue. If the material is not received within 30 days of the RMA Acknowledgement date, the customer must begin the approval process again if they still wish to return the material.

- B. Return Policy for Rental Items – Customer must notify Dayton Superior 24 hours prior to returning rental items either from their warehouse or from a job site. A packing slip is required on all returns. Material is expected to be returned in the same condition as it was received, or additional charges may apply. Rental charge will stop after receipt of rental items at a Dayton Superior service center. For any damaged material, the customer will be invoiced for replacement cost at market price or cost to repair. Damaged material invoiced to the customer at market price or cost to repair will be held at plant locations for 15 days, after which time the material will be scrapped. Cost of reasonable maintenance on rental material will be borne by Dayton Superior. Excessive maintenance costs on rental material will be invoiced to customer. In all cases, the customer will pay the applicable freight.
- C. Returned Material – All material being returned must have been initially purchased from Dayton Superior.
- D. Cancellation Policy – Verbal orders will be accepted by Dayton Superior Customer Service; however, the customer has the responsibility of checking the order acknowledgment for accuracy. Orders can be canceled by mutual agreement between customer and Dayton Superior. Cancellation of orders can only be accomplished by notifying the appropriate Dayton Superior location. All canceled orders already in the process of being shipped/manufactured are subject to a cancellation charge. If the material cannot be placed in Dayton Superior inventory, the full purchase price will be charged. If the material can be placed into Dayton Superior inventory a 15% service charge will be invoiced. If the material was in the process of being manufactured, charges to cover Dayton Superior costs will be invoiced to the customer.



DAYTON SUPERIOR CORPORATION ("DAYTON")
TERMS AND CONDITIONS OF RENTAL/SALE ("TERMS")

1. **Purchase Price or Rental Charge; Payment.** Quoted prices or rental charges are firm only for orders placed against the Quotation within 30 days after it is issued and are valid only if all items, quantities and sizes listed in the Quotation or order acknowledgement are purchased or rented and only if the Products are to be shipped within Dayton's normal production and shipping schedule. Orders otherwise are subject to revised pricing. Quotation prices and rental charges do not include, but are subject to, taxes and all other governmental charges that may be imposed at any time, including sales, use and similar taxes. Dayton shall invoice and Customer shall pay or reimburse Dayton for any such amounts. Purchase charges shall be invoiced at the time of shipment. Customer is responsible for payment of all made-to-order products, even if Customer cancels the order and the products do not ship. Rental charges shall be invoiced monthly, with charges beginning on the date of shipment and ending on the date the Products are returned to Dayton's warehouse, as shown on shipping documents. Customer agrees to pay for a minimum of one month's rental, with any additional partial months being pro-rated, with each week assumed to have seven days and each month assumed to have twenty-eight days. Except as expressly agreed otherwise in the Quotation or order acknowledgement, Customer shall pay each invoice within 30 days after the date of invoice. All payments shall be made without set-off, deduction or counterclaim. Interest at the rate 1-1/2 % per month, or the maximum allowable by law, shall apply to balances on invoices 31 days past due and until paid.

2. **Delivery; Risk of Loss; Inspection and Claims.** Unless expressly agreed in the Contract, Dayton does not guarantee or assume any liability for failure to meet any delivery date proposed or requested by Customer or Dayton. In the case of paving Products, Customer shall provide Dayton with a requested delivery date at the time of order. Prior to the order entering production, Dayton will contact Customer to verify the requested delivery date and Customer shall, by electronic mail, fax, or letter, confirm in writing the requested delivery date. Dayton will not begin production on the order until this written confirmation is received from the Customer. Unless otherwise agreed at the time of order, all Products will ship FOB Dayton's shipping point, prepaid, via Dayton's selected carrier and Customer shall pay all transportation charges from Dayton's shipping point to destination, with shipping charges added to Customer's invoice. Title and risk of loss shall pass to Customer upon delivery to the carrier at Dayton's shipping point. Customer shall inspect Products upon receipt at the destination and notify Dayton in writing of any shortages or readily ascertainable damaged or defective Products within 72 hours after delivery. Failure of Customer to timely notify Dayton shall relieve Dayton of any liability. All claims for loss or damage in transit must be made by Customer against the carrier.

3. **Customer Pick-up/3rd Party Carriers.** At the time of order, Customers may arrange to pick up orders when available at identified Dayton facilities and/or request Collect or 3rd party billing on a Customer-specified carrier if preferred (FOB Origin). For LTL/parcel shipments requested Collect or 3rd party bill, Dayton will make the arrangements directly with the Customer-specified carrier. For truckload shipments, the Customer may make their own arrangements or provide carrier information for DAYTON to make the arrangements. The following guidelines will also apply.

- a. **Accessory and Chemical Products**—In the case of Customer pick-up or Customer arranged freight, DAYTON will hold the ordered Products on its docks for a maximum of five (5) business days from the date of order. If the Customer/Carrier fails to pick up the ordered Products by the end of the fifth business day, Customer agrees that either: (i) by the end of the sixth business day, Customer will instruct DAYTON to arrange for freight and have the freight charges added to the Customer's order and invoice; (ii) if the Products are not made-to-order, the order will be cancelled and Customer agrees to pay Dayton a restocking fee of 25% of the value of the order, which will be invoiced to the customer; or (iii) if the Products are made-to-order, the order will be cancelled, Customer shall pay Dayton the full price of the order and Dayton shall have no obligation to retain or store the Products.
- b. **Forming Products**— In the case of Customer pick-up or Customer arranged freight, Customer shall provide Dayton with a requested delivery date at the time of order. Dayton will contact Customer to verify the requested delivery date and Customer shall, by electronic mail, fax, or letter, confirm in writing the requested delivery date. Dayton will not begin pulling the order for shipping until this written confirmation is received from the Customer. Dayton will hold the ordered Products on its docks for a maximum of ten (10) business days from the date of order. If the Customer/Carrier fails to pick up the ordered Products by the end of the tenth business day, Customer agrees that either: (i) by the end of the eleventh business day, Customer will instruct DAYTON to arrange for freight and have the freight charges added to the Customer's order and invoice; or (ii) it will incur a \$500.00 per day handling and storage charge that will be added to the Customer's invoice until the order is picked up or delivered.

4. **Ownership and Use of Rental Products.** Dayton shall retain title to rental Products. Customer shall have the option to purchase rental Products if and to the extent set forth in the Contract, subject to these Terms. Customer shall not make any alterations, additions or modifications to the Products. These Terms apply to all Dayton sales and rentals of products ("Product(s)"). If Dayton issues a quotation or proposal ("Quotation") to its customer ("Customer") that the Customer timely accepts by issuance of a purchase order or by acceptance of Products (or by other means acceptable to Dayton), the Quotation and these Terms will constitute the entire agreement between Dayton and Customer with respect to the Products (collectively, the "Contract"). Otherwise, the entire Contract shall consist of Dayton's order acknowledgement and these Terms. By issuing a purchase order against a Quotation or accepting Products, Customer expressly agrees that these Terms govern and that no other terms shall apply unless in writing and signed by an authorized representative of Dayton. Dayton expressly rejects any additional, inconsistent or conflicting terms proposed by Customer. Clerical errors are subject to correction in all cases.

5. Limited Warranty. Dayton warrants, for a period of 60 days from the date of shipment (three years from the date of shipment in the case of formwork, excluding any consumable Products included with such formwork), that Products and any associated application drawings and engineering services provided by Dayton ("Ancillary Services") will be free from defects in material and workmanship and, in the case of custom designed formwork, that the formwork will meet the specifications set forth in the design drawings approved by Dayton and Customer. Any claim under this warranty must be made in writing within such warranty period. If any Product and/or Ancillary Service covered by a timely claim are found to be defective, Dayton will, within a reasonable time, make any necessary repairs or corrections or, at Dayton's option, replace the Product. Unless pre-authorized by Dayton in writing, Dayton will not accept any charges for correcting defects or accept the return of any Product. This warranty will not apply to any Products that have been subjected to misuse, neglect, storage damage, misapplication, accident or any other damage caused by any person other than Dayton, or that have not been maintained in accordance with Dayton's specifications. THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES AS TO THE PRODUCTS AND ANCILLARY SERVICES. DAYTON MAKES NO OTHER WARRANTIES OR GUARANTEES, EXPRESS OR IMPLIED, AND EXPRESSLY EXCLUDES ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE. THE REPAIR/REPLACEMENT REMEDIES SET FORTH IN THIS SECTION ARE CUSTOMER'S EXCLUSIVE REMEDY FOR BREACH OF WARRANTY.

6. Limitation of Liability. Dayton's liability under any Contract and at all times with respect to the Products and the Ancillary Services shall in any event be limited to direct damages (which expressly excludes lost profits, revenues, incentives and back charges) and then only to, at most, the purchase/rental price of the relevant Products paid by Customer. Dayton shall have no other liability to or through Customer whatsoever, whether based on breach of contract, negligence, gross negligence, strict liability or otherwise. IN NO EVENT SHALL DAYTON BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, REVENUES, LOST INCENTIVES OR BACK CHARGES) ARISING OUT OF OR IN CONNECTION WITH THE CONTRACT, THE PRODUCTS OR THE ANCILLARY SERVICES.

7. Contingencies. Dayton shall not be responsible for delays in performance caused, directly or indirectly, by any act of God, accident, war, force of arms, fire, elements, riot, labor dispute, strike, sabotage, civil commotion, act of terrorism, government action, transportation interruption, inability to obtain materials or labor, Customer's failure or delay in approving any design or other drawings or any other contingencies beyond Dayton's reasonable control.

8. Risk of Loss and Insurance. From the date rental Products are shipped until returned to Dayton, Customer shall bear the risk of loss/damage to Products, whether or not insured. Customer shall, at its expense, maintain rental Products in good repair, condition and working order, normal wear and tear excepted. In the event of any loss/damage to rental Products, Customer shall place the same -3- in good repair, condition and working order, or, if Customer fails to do so, shall, at Dayton's election, pay to Dayton the full, undepreciated replacement cost of the Products plus all unpaid rent through the date of payment. Customer shall keep rental Products insured against all risk of loss/damage by customary property and casualty insurance for the full un-depreciated replacement value (new) and shall carry public liability insurance, both personal injury and property damage, covering the rental Products and their use. All such insurance shall name Dayton as an additional insured/loss payee, shall provide Dayton not less than 30 days' written notice of cancellation and shall be of a type and form, with terms and in amounts, and with companies reasonably satisfactory to Dayton.

9. Indemnification by Customer. Customer shall be responsible for, indemnify, defend and hold Dayton harmless from and against all liabilities, claims, judgments, costs, damages and expenses (including reasonable attorney's fees and expenses), including for personal injury, death, property damage or otherwise, arising out of or relating to the use of the Products and/or the Ancillary Services and any other act, or omission by Customer or any subcontractor, agent, sublessee, employee, or purchaser of or from Customer with respect to the Products and/or the Ancillary Services, unless resulting from the gross negligence or willful misconduct of Dayton. If Customer subleases rental Products or resells purchased Products, Customer shall include language in an agreement with its purchaser that makes these Terms (including the limitations set forth in paragraph 5) binding on Customer's sublessee or purchaser and any subsequent purchasers of the Products, including binding sublessee or purchaser to these obligations of indemnification in addition to Customer.

10. Documentation; Product Data. Any specifications, plans, drawings or application recommendations furnished by Dayton to Customer ("Documentation") are provided only as a service to Customer to conceptually illustrate the assembly and use of Products. Such Documentation is not intended to be fully directive nor to cover all engineering details on Products, on products or materials not furnished by Dayton, or on their interconnection. Inasmuch as Dayton does not control jobsite assembly or procedures, grade or quality of materials, or equipment supplied by others, it is the responsibility of Customer to integrate Documentation into composite drawings and information suitably complete for construction purposes. In the case of custom designed formwork, design drawings will be furnished by Dayton for Customer's approval prior to any fabrication by Dayton. Dayton shall not be responsible for any deviations, changes or alterations to the recommended assembly details described in forming layout drawings unless such deviations, changes or alterations are illustrated in a revised design drawing provided by Dayton or are approved in writing by Dayton. Dayton shall at all times retain ownership of all Documentation and other technical data ("Product Data") with respect to the Products and the Ancillary Services, and unless duly authorized by Dayton, Customer shall not disclose any such Product Data to any other person. Upon Dayton's request, Customer promptly shall return to Dayton all copies of Product Data.

11. Default; Termination. If Customer fails to timely pay any invoice or to perform any other obligation under the Contract, or if Dayton deems itself insecure or determines that any rental Products are at risk of being damaged, lost or removed from Customer's control, Customer shall pay immediately upon notice from Dayton an amount equal to the sum of (i) any unpaid invoices and (ii) all uninvoiced and unpaid amounts, including rental charges, through the later of the date of payment or the return of the Products. In such event, all rights of Customer in the rental Products shall terminate absolutely and, upon any termination (whether by expiration of the rental period, Customer's failure to perform any obligation under the Contract or otherwise), Dayton shall have the right, without notice or demand, to take possession of the rental Products, wherever located, at the expense of Customer. Notwithstanding, Customer shall promptly return the rental Products, at Customer's expense and at Dayton's instruction, and pay for any damage to the Products, ordinary wear and tear excepted.

12. Expenses. Customer shall reimburse Dayton's expenses (including, but not limited to, court costs, interest and reasonable attorneys' fees and expenses) in collecting any amounts owed by Customer arising out of the Contract, including, but not limited to, expenses incurred by Dayton in protecting its rights under the Contract and/or recovering and/or repairing any rental Products.

13. Compliance with Governmental Requirements. To apply, any standards or requirements of law or governmental regulations must be expressly and specifically set forth in writing in the Contract. Otherwise, Dayton shall have no liability or obligation to Customer with respect to the failure of the Products to comply with any such standards or requirements.

14. Governing Law and Exclusive Jurisdiction. The Contract shall be governed by, and construed in accordance with, the laws of the State of Ohio without giving effect to the conflict of law principles, shall be binding upon any and all successors and assigns of the parties hereto and shall not be construed in whole or in part against any party solely because of the fact that the party drafted it. The exclusive jurisdiction for any dispute arising out of the Contract shall be in a court of competent jurisdiction located in Montgomery County, Ohio, the parties agree to personal jurisdiction and that all discovery, including depositions, shall be conducted therein.

15. Miscellaneous. The Contract may not be amended except in writing and signed by an authorized representative of Dayton. Customer may not cancel orders under this Contract for customized Products without Dayton's written consent. Customer shall not assign the Contract or sublease any rental Products without Dayton's prior written consent and the full release of Dayton from any obligations with respect to the Products. Any provision of the Contract that is invalid under applicable law or court order shall not in any way invalidate or affect the remaining provisions of the Contract.

Rev. 4/1/2020



ADDITIONAL TERMS AND CONDITIONS OF SALE FOR ALL BRANDS OF DAYTON SUPERIOR CHEMICALS

PRICING

ALL ORDERS ACCEPTED BY US ARE SUBJECT TO PRICES IN EFFECT AT THE TIME OF SHIPMENT. All orders are subject to approval of Purchaser's credit and final acceptance by Dayton Superior.

TERMS OF PAYMENT

All shipments are made on NET 10 DAYS. Dayton Superior reserves the right to require payment in full before shipment, or in the case of products made to special order, before the manufacture thereof. Each shipment shall be deemed a separate and independent transaction and payment shall be made accordingly. PAST DUE ACCOUNTS ARE SUBJECT TO A 1 1/2% PER MONTH SERVICE CHARGE OR THE MAXIMUM ALLOWABLE LEGAL NOTE, WHICHEVER IS LOWER.

SHORTAGE AND DAMAGED GOODS

Shortages or errors in billings must be reported to customer service in writing to Dayton Superior within five (5) days from receipt of shipment to secure adjustment. If shipments are received in a damaged condition or short in number of packages, the customer must have the carrier note this fact on delivery receipt or paid freight bill. Claims for loss and damage in transit with the transportation company is the responsibility of the customer.

FREIGHT TERMS

All prices are F.O.B. Manufacturing Facility or shipping point. Risk of loss passes to Purchaser upon delivery of products to an agent of Purchaser or common carrier. See Freight Policy.

TAXES

Any sales, use or similar tax or charge now made by Federal, State or Municipal Authority, applicable to the sale or use of products shall be added to the price and shall be paid by the customer.

PATENTS

Dayton Superior ("D-S") will defend and hold harmless Purchaser of the products identified herein against charges of infringement of claims of United States patents issued at the time of acceptance of the order by D-S, provided such charges are based exclusively on alleged infringement by products designed and manufactured by D-S. Before this responsibility shall arise, D-S must be notified in writing and tendered the right to defend, settle or make changes for the purpose of avoiding infringement. Under no circumstances will D-S's total liability to Purchaser for damages incurred as a result of any patent infringement exceed that which is agreed to in the remedy clause stated herein.

WARRANTY

Dayton Superior warrants, for 12 months from the date of manufacture or for the duration of the published product shelf life, whichever is less, that at the time of shipment by D-S, the product is free of manufacturing defects and conforms to D-S's published specifications in force on the date of acceptance by D-S of the order. D-S shall only be liable under this warranty if the material has been applied, used, and stored in accordance

with D-S's instructions in this technical data sheet. The purchaser must examine the product when received and promptly notify D-S in writing of any non-conformity before the product is used, or no later than 30 days after such non-conformity is first discovered. If D-S, in its sole discretion, determines that the product breached the above warranty, it will, in its sole discretion, replace the non-conforming product, refund the purchase price or issue a credit in the amount of the purchase price. This is the sole and exclusive remedy for breach of this warranty.

Only an D-S officer is authorized to modify this warranty. The sales information on the D-S website and received by the customer during the sales process does not supersede this warranty and the specifications of the product in force on the date of sale. THE FOREGOING WARRANTY SHALL BE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES OTHERWISE ARISING BY OPERATION OF LAW, COURSE OF DEALING, CUSTOM, TRADE OR OTHERWISE.

LIMITATION OF LIABILITY

Dayton Superior shall not be liable in contract or in tort (including, without limitation, negligence, strict liability or otherwise) for loss of sales, revenues or profits; cost of capital or funds; business interruption or cost of downtime, loss of use, damage to or loss of use of other property (real or personal); failure to realize expected savings; frustration of economic or business expectations; claims by third parties (other than for bodily injury), or economic losses of any kind; or for any special, incidental, indirect, consequential, punitive or exemplary damages arising in any way out of the performance of, or failure to perform, this Agreement, even if D-S could foresee or has been advised of the possibility of such damages. The Parties expressly agree that these limitations on damages are allocations of risk constituting, in part, the consideration for this agreement, and also that such limitations shall survive the determination of any court of competent jurisdiction that any remedy provided in these terms or available at law fails of its essential purpose.

PRODUCTS SHELF LIFE

Based on years of experience and improvements in the technology of our products and formulas the following shelf-lives are in effect as of August 22, 2008 from the date of manufacture as indicated by the Batch code and provided materials are properly stored:

Product Group	Shelf-Life
Form Release Agents (Oil-Based)	2 years
Cures & Seals (Solvent-Based)	2 years
Cures & Seals (Water-Based)	1.5 years
Sealers (Solvent-Based)	2 years
Sealers (Water-Based)	1.5 years
Cures (Resin-Based)	1.5 years
Cures (Wax-Based)	1 year
Liquid Hardeners	1 year
Acrylic Bonding Agents/additive	1.5 years
Other Bonding Agents	1 year



Epoxy Products	2 years
Water Based Bond Breakers	9 Months
Cement Products	1 year
Cleaners and Strippers	2 years

Due to specific product formulations, some exceptions may apply. Refer to product label for best used by dates. Always rotate stock.

FREEZING

Products marked with an (F) are freezable and should be stored at temperatures above 32°F (0°C) or per instructions listed on the product's Technical Data Sheet. During the winter season, some products may freeze in route, if so, please note on bill of lading and contact Dayton Superior.

REMEDY

All claims must be made within twelve (12) months from the date of delivery to the original user. Upon satisfactory proof of claim by Purchaser, D-S will, within a reasonable time, make the necessary repairs or replacements, or where foregoing are deemed by D-S to be commercially impractical, refund the purchase price upon return of the products. Repair or replacement provided under this remedy will be supplied by D-S free of charge, F.O.B. shipping point, freight prepaid and allowed at the lowest available commercial rate. Except for the following, D-S will not pay any incidental or consequential costs involved in repair or replacement such as field labor and equipment costs. Replacement or returns for credit will not be allowed unless authorized by D-S in writing.

COMPLETE AGREEMENT

The complete agreement between D-S and Purchaser is contained herein and no additional or different term or condition stated by Purchaser will be binding unless agreed to by D-S in writing. The failure of D-S to insist upon strict performance of any terms or conditions stated herein will not be considered a continuing waiver of any such term or condition or any of its rights, nor will it imply a course of performance between the parties.

RETURN POLICY

A. Return Policy on Non-Defective Sale Items – for any sale material that a customer wishes to return to Dayton Superior for credit, the customer must first contact Dayton Superior. It must be mutually agreed that the material can be returned and a minimum 25% restocking fee will be charged. Credit will be issued against the customer's account when Dayton Superior receives the approved return, in the original packaging and in resalable condition. Credit will be issued in the following amounts:

- i. Up to 30 days from the date of purchase – full credit less 25% restocking charge.
- ii. 31-90 days from the date of purchase – full credit minus 40% restocking charge.
- iii. No returns will be accepted after 90 days from date of purchase.
- iv. All chemical product returns must have pre-approval and will be approved at Dayton Superior's discretion based

on remaining shelf life.

- v. Configured-to-Order and Made-to-Order items are not eligible for return.
- vi. Any credit amount to be issued will be reduced by handling charges necessary to repackage returned items into resalable condition.

Dayton Superior will not accept the return of merchandise without prior written authorization. Customer may initiate a return by contacting their Customer Service Representative to obtain a return material authorization (RMA) number. The customer must prepay freight charges from the customer to a Dayton Superior location. Returns submitted without an RMA will not be accepted. The RMA will expire 30 days from date of issue. If the material is not received within 30 days of the RMA Acknowledgement date, the customer must begin the approval process again if they still wish to return the material.

B. Return Policy for Rental Items – Customer must notify Dayton Superior 24 hours prior to returning rental items either from their warehouse or from a job site. A packing slip is required on all returns. Material is expected to be returned in the same condition as it was received, or additional charges may apply. Rental charge will stop after receipt of rental items at a Dayton Superior service center. For any damaged material, the customer will be invoiced for replacement cost at market price or cost to repair. Damaged material invoiced to the customer at market price or cost to repair will be held at plant locations for 15 days, after which time the material will be scrapped. Cost of reasonable maintenance on rental material will be borne by Dayton Superior. Excessive maintenance costs on rental material will be invoiced to customer. In all cases, the customer will pay the applicable freight.

C. Returned Material – All material being returned must have been initially purchased from Dayton Superior.

D. Cancellation Policy – Verbal orders will be accepted by Dayton Superior Customer Service; however, the customer has the responsibility of checking the order acknowledgment for accuracy. Orders can be canceled by mutual agreement between customer and Dayton Superior. Cancellation of orders can only be accomplished by notifying the appropriate Dayton Superior location. All canceled orders already in the process of being shipped/manufactured are subject to a cancellation charge. If the material cannot be placed in Dayton Superior inventory, the full purchase price will be charged. If the material can be placed into Dayton Superior inventory a 15% service charge will be invoiced. If the material was in the process of being manufactured, charges to cover Dayton Superior costs will be invoiced to the customer.

Assistance
[User Instructions](#)

Account Administrators
[Export All Users doc](#)
[User Audits doc](#)
[User Log doc](#)

Other sites
[Logo Apparel](#)
[Dayton Superior Website](#)

 **On Sale Now**
 Last Chance Inventory Sale

Welcome Sondra Poast

Your Account Administrator(s) are:
[Sharnil Gavel](#)

Please select a company and customer

Current Company-Customer

Previous login: 02/04/2015 at 12:59

With Dayton Access, qualified Dayton Superior customers can login to our website at www.daytonaccess.com and get access to real-time, on-line information pertaining to:



- [Accounts Receivables](#) – Payment Information, Print PDFs of Invoices and Statements
- [Products](#) – Stock Availability, Product Weight and Unit of Measure
- [Returns](#) – Quantity Returned and Date Received
- [Orders](#) – Order Status, Scheduled Ship Date, Quantity Ordered
- [Shipments](#) – Tracking Number(s) Carrier information, Shipping Location
- [Storefront](#) – 24/7 Online Ordering of Standard Product for Shipment or Pick-Up
- [Pricing](#) – Obtain Customer Specific Net Pricing

search for products

Item Description

Item Number

Query

 Query Tip 

Admins only

Download Price List

Date Range:

Format:

Account Administrators can download a file on demand that includes item number, item description, item weight, and net pricing for their specific account! This download is available in both Excel and text formats. Use the text format to upload the price list into your computer system!

You can choose to download a price list that includes all of our products or only the products you have purchased within a certain time period.

Dayton Access customers can also store a contact(s) with Dayton Superior that will receive a new price file automatically whenever Dayton Superior has a price increase!

Admins only

Download Price List

Date Range:

Format:

Admins only

Download Price List

Date Range:

Format:

REGISTER NOW

Contact your Customer Service Representative to determine if your company is registered for Dayton Access or click on the "Register Now" link at www.daytonaccess.com.



Table of Contents

Categorized Listing

Epoxies	1		
Gel / Paste	1		
ProAnchor SELECT	1		
ProAnchor ELITE	1		
ProAnchor WEATHERMAX	1		
Sure Anchor™ J50	1		
Sure Anchor™ I J51	2		
All Weather J51 AW	2		
Crack Repair	2		
ProPoly™ CR	2		
Healer/Sealer	2		
Sure Seal™ HMWM	2		
Joint Fillers	3		
ProFill SL™	3		
ProFill SL™ AW	3		
Sure Fil™ J52	3		
Medium Viscosity Bonder	3		
Sure Bond™ J58	3		
Epoxy Grouts	4		
Epoxy Grout J55	4		
Resinous Repair	4		
Rapid Resin Repair	4		
Sure Patch™	4		
ProPatch™ VO	4		
Epoxy Rebar Spray	4		
Rebar Spray J62	4		
Polymer Floor Coatings	5		
Spec Cote 100	5		
Spec Cote 100 Clear	6		
Spec Cote 100 CR	6		
Spec Cote Urethane	7		
Polymer Floor Coatings	8		
Spec Cote Urethane	8		
Spec Cote WB	9		
Epoxies	10		
Spec Cote WB	10		
Liquids	10		
Accelerating Admixtures	10		
C-Set	10		
Q-Set	10		
Bond Breakers	10		
Solvent Based	10		
Sure Lift™ with Dye J6D	10		
Sure Lift™ J6LVOC	10		
Water Based	11		
Sure Lift™ J6WB	11		
Maxi Tilt™ with Dye	11		
Super Maxi Tilt™	11		
Cleaners / Strippers	11		
Citrus Cleaner J48	11		
Zero VOC J49 Cleaner	11		
Green Bean Clean®	12		
Cures & Seals	12		
Water Based/Earth Friendly	12		
Cure & Seal 309 EF		12	
Cure & Seal 1315 EF		12	
Water Based		12	
Cure & Seal 309 J18		12	
Cure & Seal 1315 J22WB		13	
Solvent Based		13	
Cure & Seal LV 25% J20UV		13	
Cure & Seal 25% Brown		13	
Cure & Seal 25% J20LVOC		13	
Cure & Seal 25% J22UV		13	
Cure & Seal 30% J23UV		14	
Cure & Seal 30% J23LVOC		14	
Curing Compounds		14	
Wax Based		14	
City White Cure J8		14	
White Wax Cure J9A		14	
White Wax Cure CRD300		14	
Liquids		15	
Resin Based		15	
Clear Cure VOC J7WB		15	
White Resin Cure J10W		15	
White Resin Cure J10W CA		15	
White Resin Cure J10W FL		15	
Cure Hard J14		15	
Clear Resin Cure J11W		15	
Resin Cure with Dye J11WD		16	
Evaporation Retardants		16	
AquaFilm™ J74RTU		16	
AquaFilm™ Concentrate J74		16	
Form Release Agents		16	
Clean Strip™ J1EF		16	
Clean Strip™ J1A		17	
Clean Strip™ J1A Winter Grade		17	
Clean Strip™ J2		17	
Clean Strip™ J2 Winter Grade		17	
Clean Strip™ Ultra J3		17	
Clean Strip™ J100 VOC		17	
Magic Kote®		18	
Pure Pro Zero		18	
Latex Bonding Agents / Additives		18	
Acrylic Bonding Agent J40		18	
PVA Bonding Agent J41		18	
Level Primer J42		18	
Level Primer J42RTU		19	
LEED / Green		19	
Clean Strip™ J1EF		19	
Cure & Seal 309 EF		19	
Cure & Seal 1315 EF		19	
Ultra Seal EF		19	
Liquid Densifiers		20	
Densifier Concentrate J12		20	
Densifier J13		20	
Pentra-Hard® Densifier		20	
Sure Hard™ Densifier J17		20	
PENTRA-HARD® Finish		20	
PENTRA-HARD® Guard		21	

Table of Contents

Categorized Listing

Sealers	21	Emery Tuff Natural	30
Water Based/Earth Friendly	21	Emery Non-Slip	30
Ultra Seal EF	21	Emery Tuff Top	30
Solvent Based	21	Ferro Tuff Natural	31
Aggregloss™ J25	21	Quartz Tuff Light Reflective	31
Aggregloss™ J25LVOC	21	Quartz Tuff Natural	31
Aggregloss™ J25LVOC Satin	22	Floor Levelers	31
Aggregloss™ Satin J25S	22	Levelayer®	31
Anti Spall J33	22	Econolevel™	31
Tuf Seal™ J35	22	Sure Finish™	31
Tuf Seal™ Satin J35S	22	Level Primer J42RTU	32
Tuf Seal™ J35LVOC	23	Level Primer J42	32
Tuf Seal™ J35LVOC Satin	23	Level Topping™	32
Anti Slip Additive	23	Level Topping™ Exterior	32
Grip Aid	23	Sure-Leveler™	32
Concrete Dissolver	23	Grouts	32
Dissolve It	23	Cement Based Grout	32
Surface Retarders	24	1107 Advantage™ Grout	32
TOP-CAST® Surface Retarder	24	Sure-Grip® High Performance Grout	33
TOP-CAST® SS 100 Site Saver	24	Sure-Grip® Precision Grout	33
TOP-CAST® EX 200 Wash-Off Extender	24	Dri Pak Precast Grout	33
TOP-CAST® PR 300 Penetrating Protector	25	Turbo Grout HP12®	33
TOP-CAST® CS 400 Cure And Seal	25	Turbo Grout LT12	33
TOP-CAST® HG 500 High Gloss Sealer	25	Underwater Grout	33
Water Repellents	26	D490 Sleeve-Lock® Grout	33
Water Based	26	Epoxy Grout	34
Weather Worker™ 10% J26WB	26	Epoxy Grout J55	34
Solvent Based	26	Waterproofing/Coating	34
Weather Worker™ 40% J29	26	Vertical/Overhead	34
Weather Worker™ 100% J29A	26	Seal Coat 1000™	34
Powders	27	Tools/Equipment	34
Concrete Repair	27	Spray-Pro AC/DC	34
General Use Repair Mortars	27	AT1500X Pneumatic 1:1 Gun (51 OZ.)	34
PolyFast™ FS	27	AT600 Pneumatic 1:1 Gun (22 OZ.)	34
Recrete™ 5 Minute	27	AT825 Pneumatic 10:1 Gun (28 OZ.)	34
Recrete™ 20 Minute	27	B26 Manual Caulk Gun	34
Recrete™ Light 20 Minute	27	Black Blue Push Connector	34
Vertical / Overhead Repair	27	Corner Port w/ Cap	35
Architectural Finish™	27	Drill Port w/ Cap	35
Perma Patch™ VO	28	High Flow Nozzle w/ Extension	35
HD 25 VO	28	Machine Surface Port w/ Cap	35
Civil/Structural VO	28	Surface Port w/ Cap	35
Superior Wall Finsh	28	T600 Manual 1:1 Caulking Tool (22 OZ.)	35
Form & Pour Repair	28	T825 Manual 10:1 Caulking Tool (28 OZ.)	35
Civil/Structural FPX	28	Battery Operated Caulking Tool w/ 600 ML	35
Perma Patch™ FP	28	ProAnchor Elite Tools/Equipment	36
Horizontal Repair Mortars	29	ProAnchor Elite Brushes	36
DOT Rapid Repair	29	ProAnchor Elite SDS Brush Adapter	36
Thin ReSurfacer	29	ProAnchor Elite Brush Extension	36
Special Patch	29	ProAnchor Elite Dispensing Tools	36
HD 50	29	ProAnchor Elite Piston Plugs	37
Pave Patch 3000	29	ProAnchor Elite Tools-Miscellaneous	37
Resin Based Repair Mortars	30	ProAnchor WeatherMax Tools/Equipment	38
Sure Patch™	30		
Specialty Repair	30		
Anchor All	30		
Waterstop™	30		
Hardeners/Industrial Toppings	30		

Table of Contents

Categorized Listing

ProAnchor WeatherMax Brushes	38
ProAnchor WeatherMax SDS Brush Adapter	38
ProAnchor WeatherMax Brush Extension	38
ProAnchor WeatherMax Dispensing Tools	38
ProAnchor WeatherMax Piston Plugs	38
ProAnchor WeatherMax Mixing Nozzles	39

Epoxies

Gel / Paste

ProAnchor SELECT

ProAnchor Select is a two-component, 100% solids high modulus epoxy gel adhesive approved for use in cartridges and bulk for anchoring in cracked and un-cracked concrete. Suitable for vertical down horizontal, upwardly inclined and overhead installations.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
101211	8.6 oz cartridge (12/case)	\$394.14 CA	160.00 LB
101212	20 oz cartridge (12/case)	\$277.96 CA	35.00 LB
101213	53 oz cartridge (6/case)	\$585.03 CA	150.00 LB
101214	10 gallon kit (1 kit/case)	\$2,452.36 KT	7.54 LB

ProAnchor ELITE

ProAnchor ELITE is a high-strength anchoring epoxy that is moisture tolerant, 100% solids, high modulus epoxy gel adhesive used for anchoring in cracked and un-cracked concrete and internally threaded inserts in un-cracked concrete. Approved for use in cartridges and in bulk. Meets requirements of ACI 355.4 and ICC-ES AC308 per IAPMO ER-690.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100861	8.6 oz cartridge (12/case)	\$593.28 CA	12.15 LB	F
100862	21.2 oz cartridge (12/case)	\$746.28 CA	53.00 LB	F
100863	53 oz cartridge (6/case)	\$840.31 CA	160.00 LB	F
100864	10 gallon kit (1 kit/case)	\$2,565.85 KT	9.70 LB	F

ProAnchor WEATHERMAX

This two component high-strength, styrene-free, vinyl ester adhesive is used for anchoring threaded rod and reinforcing bar in cracked and uncracked concrete in accordance with ACI 355.4 and ICC-ES ESR-4554.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100941	9.5 oz cartridge (12/case)	\$243.13 CA	160.00 LB	F
100942	28 oz cartridge (8/case)	\$497.53 CA	8.76 LB	F

Sure Anchor™ J50

Ideal for anchoring bolts, dowels, and reinforcing steel in concrete. It is also great for vertical and horizontal structural bonding and patching. It may be used to seal cracks and set injection ports prior to injection grouting.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100912	600 ml cartridge (12/case)	\$689.19 CA	29.35 LB	F
100911	1500 ml cartridge (8/case)	\$643.78 CA	9.42 LB	F
307448	2 gallon kit (1/case)	\$350.00 EA	224.00 LB	F

Epoxies

Gel / Paste

Sure Anchor™ I J51

Used for vertical and horizontal structural bonding and patching and/or for anchoring bolts, dowels, and reinforcing steel in concrete. It may be used to seal cracks and set injection ports prior to injection grouting.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100907	250 ml unicartridge (12/case)	\$504.32 CA	53.00 LB	F
100908	600 ml cartridge (12/case)	\$689.19 CA	7.50 LB	F
100909	1500 ml cartridge (8/case)	\$567.72 CA	9.42 LB	F
69364	1 gallon (4/case)	\$193.51 GL	7.80 LB	F
69368	2 gallon kit (1/case)	\$350.00 CA	50.50 LB	F
69365	10 gallon kit (1 kit per case)	\$1,581.59 KT	134.00 LB	F

All Weather J51 AW

Effective for anchoring dowels, bolts, threaded rods, pins and reinforcement steel in concrete. All Weather J51 AW can also be used in cooler and freezer applications or anywhere low temperature installations are required.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100913	275 ml unicartridge (12/case)	\$564.00 CA	8.76 LB	F
100914	825 ml cartridge (8/case)	\$521.16 CA	10.00 LB	F

Crack Repair

ProPoly™ CR

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
101208	257 ml cartridge (12/case)	\$267.50 CA	53.00 LB
101209	600 ml cartridge (12/case)	\$402.63 CA	180.00 LB
101210	2 gallon kit (1 kit/case)	\$403.67 KT	50.50 LB

Healer/Sealer

Sure Seal™ HMWM

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Epoxies

Joint Fillers

ProFill SL™

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
101199	10 oz cartridge (12/case)	\$131.87 CA	40.00 LB
101201	29 oz cartridge (12/case)	\$322.87 CA	8.91 LB

ProFill SL™ AW

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
101205	257 ml cartridge (12/case)	\$368.15 CA	35.00 LB
101206	600 ml cartridge (12/case)	\$522.13 CA	160.00 LB
101207	10 gallon kit (1 kit/case)	\$1,535.13 KT	9.42 LB

Sure Fil™ J52

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100906	600 ml cartridge (12/case)	\$287.42 CA	24.20 LB	F
307678	2 gallon kit (1/case)	\$381.13 CA	60.00 LB	F

Medium Viscosity Bonder

Sure Bond™ J58

The primary use of the Sure Bond J58 is for bonding fresh concrete to hardened concrete. It has excellent adhesion to most construction materials and may be used for anchoring bolts, dowels and reinforcing steel in concrete.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
307267	1 gallon (1/case)	\$211.54 CA	9.60 LB	F
307268	2 gallon kit (1/case)	\$351.41 CA	60.00 LB	F

Epoxies

Epoxy Grouts

Epoxy Grout J55

This epoxy is good for anchor bolts and sleeves, supporting pumps, mill tables, crushers, crane rails, engines, compressors, rotary equipment and other heavy machinery requiring a stable and energy absorbing base subject to dynamic loads to maintain precision alignment.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309214	2 cu. ft. kit (1 kit/case)	\$1,153.91 KT	50.50 LB	F

Resinous Repair

Rapid Resin Repair

Specifically formulated, designed and engineered for use as an all weather, interior/exterior concrete spall and crack patching and repair mortar where a rapid turn around time is critical or cold conditions are a concern. Rapid Resin Repair can be used for patching of bridge decks, overpasses and roadways surfaces, freezers and cold room floors, airport runways, warehouse floors and any concrete slab or floor traffic way in need of repair or patching.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309087	One 0.45 cu. ft. kit	\$413.93 KT	10.70 LB	F

Sure Patch™

Used for epoxy interior or exterior concrete repair and overlays on interior horizontal surfaces such as industrial and commercial applications subjected to abrasion and or chemical spills.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
139890	0.5 cu. ft. kit (1 kit per case)	\$421.13 KT	61.50 LB	
139891	0.5 cu. ft. kit (1 kit per case)	\$1,317.58 KT	224.00 LB	

ProPatch™ VO

Ideal for overhead and vertical repairs. High-strength, structural epoxy paste adhesive available in cartridge and bulk systems. Specifically formulated to be non-sag.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
100947	22 oz cartridge (12/case)	\$729.66 CA	53.00 LB
100948	102 oz cartridge (1/case)	\$159.80 CA	35.00 LB
100949	3 gallon kit (1 kit per case)	\$598.15 KT	8.76 LB

Epoxy Rebar Spray

Rebar Spray J62

Designed as a protective coating to touch-up damaged epoxy coating, such as nicks, scratches etc., on rebar.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69660	11 oz. spray can (12/case)	\$42.47 CN	40.00 LB	F

Polymer Floor Coatings

Spec Cote 100

This 100% solids, two-component epoxy coating is used to protect and seal concrete floors, steel and other compatible materials for interior applications. Excellent wear resistances with a tough high gloss appearance. Suitable for mild to moderate interior chemical exposures.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308838	3 gallon kit - Green (1 kit per case)	\$681.16 CA	40.00 LB	F
308852	15 gallon kit - Green (1 kit per case)	\$3,020.64 KT	180.00 LB	F
308828	3 gallon kit - Light Gray (1 kit per case)	\$548.57 CA	40.00 LB	F
308842	15 gallon kit - Light Gray (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308829	3 gallon kit - Medium Gray (1 kit per case)	\$548.57 CA	40.00 LB	F
308843	15 gallon kit - Medium Gray (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308830	3 gallon kit - Dark Gray (1 kit per case)	\$548.57 CA	40.00 LB	F
308844	15 gallon kit - Dark Gray (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308911	3 gallon kit - White (1 kit per case)	\$548.57 CA	40.00 LB	F
308798	15 gallon kit - White (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308831	3 gallon kit - Off White (1 kit per case)	\$548.57 CA	40.00 LB	F
308845	15 gallon kit - Off White (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308832	3 gallon kit - Tile Red (1 kit per case)	\$548.57 CA	40.00 LB	F
308846	15 gallon kit - Tile Red (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308833	3 gallon kit - Beige (1 kit per case)	\$548.57 CA	40.00 LB	F
308847	15 gallon kit - Beige (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308834	3 gallon kit - Tan (1 kit per case)	\$687.73 CA	40.00 LB	F
308848	15 gallon kit - Tan (1 kit per case)	\$2,357.52 KT	180.00 LB	F
308835	3 gallon kit - Brown (1 kit per case)	\$535.51 CA	40.00 LB	F
308849	15 gallon kit - Brown (1 kit per case)	\$2,292.10 KT	180.00 LB	F
308836	3 gallon kit - Light Blue (1 kit per case)	\$559.28 CA	40.00 LB	F
308850	15 gallon kit - Light Blue (1 kit per case)	\$2,575.03 KT	180.00 LB	F
308837	3 gallon kit - Blue (1 kit per case)	\$559.28 CA	40.00 LB	F
308851	15 gallon kit - Blue (1 kit per case)	\$3,053.37 KT	180.00 LB	F
308839	3 gallon kit - Safety Yellow (1 kit per case)	\$609.80 CA	40.00 LB	F
308853	15 gallon kit - Safety Yellow (1 kit per case)	\$2,663.61 KT	180.00 LB	F
308840	3 gallon kit - Safety Red (1 kit per case)	\$706.09 CA	40.00 LB	F
308854	15 gallon kit - Safety Red (1 kit per case)	\$3,145.22 KT	180.00 LB	F

F = Protect from freezing

Epoxies

Polymer Floor Coatings

Spec Cote 100

Spec Cote 100 Clear

Use to protect and seal concrete floors, steel and other compatible materials with this 100% solids, two-component water-clear epoxy coating. For use in interior applications and can be mixed with various aggregates for use as a trowel grade epoxy mortar or base for broadcasting silica/quartz aggregates for a decorative or non-slip floor.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308827	3 gallon kit - Clear (1 kit per case)	\$618.66 CA	40.00 LB	F
308841	15 gallon kit - Clear (1 kit per case)	\$2,707.94 KT	150.00 LB	F

Spec Cote 100 CR

This 96% solids, two-component Novolac epoxy offers a high degree of chemical and abrasion resistance to protect and seal concrete floors. Provides a tough semi-gloss appearance.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308901	3 gallon kit - Light Gray (1 kit per case)	\$841.96 CA	40.00 LB	F
308904	15 gallon kit - Light Gray (1 kit per case)	\$3,824.51 KT	160.00 LB	F
308902	3 gallon kit - Medium Gray (1 kit per case)	\$841.96 CA	40.00 LB	F
308905	15 gallon kit - Medium Gray (1 kit per case)	\$3,824.51 KT	160.00 LB	F
308903	3 gallon kit - Tile Red (1 kit per case)	\$841.96 CA	40.00 LB	F
308906	15 gallon kit - Tile Red (1 kit per case)	\$3,824.51 KT	160.00 LB	F

Epoxies

Polymer Floor Coatings

Spec Cote Urethane

Great for resistance to chemicals, abrasion and weather. This color stable, non-yellowing urethane coating has excellent impact resistance, U.V. stability and weathering properties and can be used indoors or outdoors to deliver a smooth high-gloss finish.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308855	3 gallon kit - Clear (1 kit per case)	\$673.13 CA	35.00 LB	F
308869	15 gallon kit - Clear (1 kit per case)	\$3,237.76 KT	160.00 LB	F
308856	3 gallon kit - Light Gray (1 kit per case)	\$753.03 CA	35.00 LB	F
308870	15 gallon kit - Light Gray (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308857	3 gallon kit - Medium Gray (1 kit per case)	\$753.03 CA	35.00 LB	F
308871	15 gallon kit - Medium Gray (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308858	3 gallon kit - Dark Gray (1 kit per case)	\$753.03 CA	35.00 LB	F
308872	15 gallon kit - Dark Gray (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308859	3 gallon kit - White (1 kit per case)	\$753.03 CA	35.00 LB	F
308873	15 gallon kit - White (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308860	3 gallon kit - Off White (1 kit per case)	\$753.03 CA	35.00 LB	F
308874	15 gallon kit - Off White (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308861	3 gallon kit - Tile Red (1 kit per case)	\$753.03 CA	35.00 LB	F
308875	15 gallon kit - Tile Red (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308862	3 gallon kit - Beige (1 kit per case)	\$753.03 CA	35.00 LB	F
308876	15 gallon kit - Black (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308863	3 gallon kit - Tan (1 kit per case)	\$753.03 CA	35.00 LB	F
308877	15 gallon kit - Tan (1 kit per case)	\$3,637.18 KT	160.00 LB	F
308864	3 gallon kit - Brown (1 kit per case)	\$797.45 CA	35.00 LB	F
308878	15 gallon kit - Brown (1 kit per case)	\$3,859.50 KT	160.00 LB	F
308865	3 gallon kit - Light Blue (1 kit per case)	\$772.92 CA	35.00 LB	F
308879	15 gallon kit - Light Blue (1 kit per case)	\$3,736.52 KT	160.00 LB	F
308866	3 gallon kit - Blue (1 kit per case)	\$844.29 CA	35.00 LB	F
308880	15 gallon kit - Blue (1 kit per case)	\$4,093.73 KT	160.00 LB	F
308867	3 gallon kit - Safety Yellow (1 kit per case)	\$889.36 CA	35.00 LB	F
308881	15 gallon kit - Safety Yellow (1 kit per case)	\$4,319.14 KT	160.00 LB	F
308868	3 gallon kit - Safety Red (1 kit per case)	\$912.92 CA	35.00 LB	F

F = Protect from freezing



MSRP prices are provided for estimating purposes only
For Technical or Safety Data Sheets, visit DaytonSuperior.com
For additional information please contact Customer Service at 888-977-9600

Epoxies

Polymer Floor Coatings

Spec Cote Urethane

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308900	15 gallon kit - Safety Red (1 kit per case)	\$4,436.87 KT	160.00 LB	F

Epoxies

Polymer Floor Coatings

Spec Cote WB

State-of-the-art technology in concrete floor care systems!

Designed as a two-component water based high performer that is VOC compliant for interior floor coatings. Great for durability and ease-of-application as well as easy re-coating and provides a high-gloss finish.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309033	2 gallon kit - Clear (1 kit per case)	\$262.21 CA	20.00 LB	F
309034	5 gallon kit - Clear (1 kit per case)	\$511.92 KT	45.00 LB	F
308803	2 gallon kit - Off White (1 kit per case)	\$312.13 CA	25.00 LB	F
308817	5 gallon kit - Off White (1 kit per case)	\$661.57 KT	45.00 LB	F
308799	2 gallon kit - Light Gray (1 kit per case)	\$312.13 CA	25.00 LB	F
308813	5 gallon kit - Light Gray (1 kit per case)	\$661.57 KT	45.00 LB	F
308800	2 gallon kit - Med. Gray (1 kit per case)	\$312.13 CA	25.00 LB	F
308814	5 gallon kit - Med. Gray (1 kit per case)	\$661.57 KT	45.00 LB	F
308801	2 gallon kit - Dark Gray (1 kit per case)	\$312.13 CA	25.00 LB	F
308815	5 gallon kit - Dark Gray (1 kit per case)	\$661.57 KT	45.00 LB	F
308804	2 gallon kit - Tile Red (1 kit per case)	\$312.13 CA	25.00 LB	F
308818	5 gallon kit - Tile Red (1 kit per case)	\$661.57 KT	45.00 LB	F
308806	2 gallon kit - Tan (1 kit per case)	\$312.13 CA	25.00 LB	F
308820	5 gallon kit - Tan (1 kit per case)	\$661.57 KT	45.00 LB	F
308805	2 gallon kit - Beige (1 kit per case)	\$312.13 CA	25.00 LB	F
308819	5 gallon kit - Beige (1 kit per case)	\$661.57 KT	45.00 LB	F
308807	2 gallon kit - Brown (1 kit per case)	\$339.57 CA	25.00 LB	F
308821	5 gallon kit - Brown (1 kit per case)	\$730.18 KT	45.00 LB	F
308808	2 gallon kit - Light Blue (1 kit per case)	\$361.54 CA	25.00 LB	F
308822	5 gallon kit - Light Blue (1 kit per case)	\$785.00 KT	45.00 LB	F
308809	2 gallon kit - Blue (1 kit per case)	\$330.83 CA	25.00 LB	F
308823	5 gallon kit - Blue (1 kit per case)	\$708.25 KT	45.00 LB	F
308810	2 gallon kit - Green (1 kit per case)	\$354.65 CA	25.00 LB	F
308824	5 gallon kit - Green (1 kit per case)	\$767.92 KT	45.00 LB	F
308811	2 gallon kit - Safety Yellow (1 kit per case)	\$561.18 CA	25.00 LB	F
308825	5 gallon kit - Safety Yellow (1 kit per case)	\$1,284.29 KT	45.00 LB	F
308812	2 gallon kit - Safety Red (1 kit per case)	\$538.37 CA	25.00 LB	F

F = Protect from freezing

Epoxies

Polymer Floor Coatings

Spec Cote WB

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308826	5 gallon kit - Safety Red (1 kit per case)	\$1,227.34 KT	45.00 LB	F

Liquids

Accelerating Admixtures

C-Set

Specifically formulated for use in cold weather or wherever it is desirable to reduce the setting time, increase early strength and improve mortar workability. Use C-Set as a replacement for accelerators based on calcium chloride only. C-Set accelerates the strength gain of masonry mortar, reducing the potential for freeze damage at early stages.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
144023	5 gallon pail	\$16.54 GL	8.90 LB	

Q-Set

Formulated for use in cold weather or wherever it is desirable to reduce the setting time, increase early strength and improve mortar workability. Q-Set can be used to prevent the corrosive effect of calcium chloride admixtures and where the corrosion of imbedded steel, steel reinforcement or ties must be avoided.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
145286	5 gallon pail	\$18.49 GL	7.94 LB	

Bond Breakers

Solvent Based

Sure Lift™ with Dye J6D

Created to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69233	5 gallon pail	\$45.93 GL	7.94 LB	F
69231	55 gallon drum	\$31.01 GL	9.09 LB	F

Sure Lift™ J6LVOC

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100027	55 gallon drum	\$42.59 GL	9.24 LB	F

Liquids

Bond Breakers

Water Based

Sure Lift™ J6WB

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
307915	5 gallon pail	\$28.41 GL	8.90 LB	F
307914	55 gallon drum	\$24.54 GL	9.09 LB	F

Maxi Tilt™ with Dye

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
273087	55 gallon drum	\$24.96 GL	160.00 LB	F

Super Maxi Tilt™

Allows for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
273354	55 gallon drum	\$39.98 GL	8.90 LB	F

Cleaners / Strippers

Citrus Cleaner J48

Used for stripping, degreasing and cleaning all types of concrete when it is necessary to remove dirt, tire marks, oil spills, grease and other contaminants. Citrus Cleaner J48 will also strip most curing compounds. It is an ideal application for warehouses, industrial plants, food processing plants, automotive plants, parking garages, plazas and service stations.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69298	1 gallon (6/case)	\$77.51 GL	9.70 LB	F
69297	5 gallon pail	\$70.28 GL	8.97 LB	F
69296	55 gallon drum	\$67.79 GL	80.50 LB	F

Zero VOC J49 Cleaner

This heavy duty concrete stripper is used for the removal of curing compounds, curing and sealing compounds, sealers, oils, grease and rubber tire marks from concrete floors. It is an ideal application for warehouses, industrial plants, food processing plants, automotive plants, parking garages, plazas and service stations.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
100402	5 gallon pail	\$46.77 GL	26.20 LB
100403	55 gallon drum	\$74.58 GL	9.00 LB

Liquids

Cleaners / Strippers

Green Bean Clean®

A great cleaner to remove most sealers, cure & seals, urethanes, paint or varnish from concrete, masonry and wood. Green Bean Clean's thick gel consistency enables long dwell times to reduce number of applications and is ideal for both vertical and horizontal.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308468	1 gallon bottle (6/case)	\$144.55 GL	7.54 LB	F
308471	5 gallon pail	\$120.46 GL	50.50 LB	F

Cures & Seals

Water Based/Earth Friendly

Cure & Seal 309 EF

Designed to be used on freshly finished concrete as an earth friendly membrane forming curing compound that surpasses the requirements of ASTM C309. Cure & Seal 309 EF can be used on both interior and exterior concrete surfaces. This ultra low VOC curing and sealing compound can be used in all VOC restricted regions throughout Canada and the United States.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309242	5 gallon pail	\$25.98 GL	8.93 LB	F
309243	55 gallon drum	\$22.38 GL	17.00 LB	F

Cure & Seal 1315 EF

Used on freshly finished concrete and surpasses the requirements of ASTM C-309 and C-1315. Cure & Seal 1315 EF can be used on both interior and exterior concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308669	5 gallon pail	\$42.63 GL	180.00 LB	F
308670	55 gallon drum	\$39.05 GL	225.00 LB	F
100329	275 gallon tote	\$39.05 GL	19.30 LB	F

Water Based

Cure & Seal 309 J18

A convenient, safe-to-use product that meets the ASTM C-309 standard as an effective membrane curing compound and is an excellent dustproofer and surface sealer. It is designed for interior and exterior use.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69223	5 gallon pail	\$26.86 GL	9.50 LB	F
69221	55 gallon drum	\$23.27 GL	11.35 LB	F

Liquids

Cures & Seals

Water Based

Cure & Seal 1315 J22WB

A water-based, safe to use product that surpasses the ASTM C-309 & ASTM C 1315 specifications as a superb membrane forming curing compound and it is an excellent dustproofer and surface sealer.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
307919	5 gallon pail	\$53.34 GL	287.00 LB	F
307918	55 gallon drum	\$47.67 GL	42.60 LB	F

Solvent Based

Cure & Seal LV 25% J20UV

Provides a combination of curing, sealing and dustproofing for freshly finished interior or exterior concrete surfaces. It meets ASTM C309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
280846	5 gallon pail	\$38.70 GL	33.00 LB	
202516	55 gallon drum	\$35.12 GL	23.52 LB	

Cure & Seal 25% Brown

Provides a combination curing, sealing and dustproofing and translucent brown tint for freshly finished exposed aggregate concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
202621	5 gallon pail	\$44.83 GL	1.73 LB	

Cure & Seal 25% J20LVOC

Designed for ease of application and better coverage when spraying in a wide temperature range. Provides a combination of curing, sealing and dust-proofing on freshly finished exterior concrete surfaces.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101217	5 gallon pail	\$77.80 GL	160.00 LB	
101218	55 gallon drum	\$69.44 GL	180.00 LB	

Cure & Seal 25% J22UV

A combination curing, sealing and dustproofing product for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69445	5 gallon pail	\$34.81 GL	8.93 LB	
69444	55 gallon drum	\$31.02 GL	96.70 LB	

Liquids

Cures & Seals

Solvent Based

Cure & Seal 30% J23UV

A combination curing, sealing and dustproofing product for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69407	5 gallon pail	\$47.72 GL	8.93 LB	
69409	55 gallon drum	\$44.14 GL	34.40 LB	

Cure & Seal 30% J23LVOC

Excellent surface coating with a high gloss finish, the Cure & Seal 30% J23LVOC cures, seals and dust-proofs

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101219	5 gallon pail	\$68.42 GL	8.90 LB	
101221	55 gallon drum	\$61.15 GL	21.00 LB	

Curing Compounds

Wax Based

City White Cure J8

This membrane forming cure is designed especially for curing curbs, gutters, sidewalks and other similar exterior concrete projects.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
120902	5 gallon pail	\$14.55 GL	8.97 LB	F

White Wax Cure J9A

A curing compound formulated to retain moisture in freshly finished concrete to ensure full hydration of the cement. Specifically designed for use on exterior projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69165	5 gallon pail	\$16.44 GL	7.80 LB	F
69164	55 gallon drum	\$12.17 GL	9.00 LB	F
69144	275 gallon tote	\$12.17 GL	8.50 LB	F

White Wax Cure CRD300

Specially designed for use on exterior commercial projects, such as highways, airport runways, concrete lined canals, dams, parking lots, engineering projects and as specified.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
306538	55 gallon drum	\$19.45 GL	9.58 LB	F

Liquids

Curing Compounds

Resin Based

Clear Cure VOC J7WB

For use on freshly finished concrete as a membrane interior/exterior forming curing compound for both horizontal/vertical surfaces applications. Clear Cure VOC J7WB will, when properly applied, maintain moisture required for proper hydration of the cement.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143953	5 gallon pail	\$20.92 GL	8.90 LB	
143954	55 gallon drum	\$16.55 GL	22.00 LB	
143955	275 gallon tote	\$16.55 GL	8.98 LB	

White Resin Cure J10W

A curing compound formulated to retain moisture in freshly finished concrete to insure full hydration of the cement. Designed for use on exterior commercial projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69104	5 gallon pail	\$20.82 GL	7.79 LB	F
69103	55 gallon drum	\$16.37 GL	8.95 LB	F
309443	275 gallon drum	\$16.37 GL	10.92 LB	F

White Resin Cure J10W CA

A curing compound formulated to retain moisture in freshly finished concrete to insure full hydration of the cement. Designed for use on exterior commercial projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

White Resin Cure J10W FL

A curing compound formulated to retain moisture in freshly finished concrete to insure full hydration of the cement. Designed for use on exterior commercial projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

Cure Hard J14

Ideal as a curing aid or can be used for hardening and dustproofing of interior and exterior, horizontal and vertical concrete surfaces.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
146531	5 gallon pail	\$14.51 GL	9.50 LB
146532	55 gallon drum	\$10.77 GL	9.16 LB

Clear Resin Cure J11W

A ready-to-use dissipating water-based resin curing compound for use on freshly finished horizontal and vertical concrete surfaces. Formulated to provide an effective curing membrane that will begin to dissipate after exposure to sunlight, weathering and/or traffic.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69116	5 gallon pail	\$18.24 GL	40.00 LB	F
69115	55 gallon drum	\$14.30 GL	1.10 LB	F

F = Protect from freezing

Liquids

Curing Compounds

Resin Based

Resin Cure with Dye J11WD

A ready-to-use dissipating water-based resin curing compound for use on freshly finished horizontal and vertical concrete surfaces. Formulated to provide an effective curing membrane that will begin to dissipate after exposure to sunlight, weathering and/or traffic.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
68929	5 gallon pail	\$19.45 GL	7.94 LB	F
68928	55 gallon drum	\$15.47 GL	9.60 LB	F

Evaporation Retardants

AquaFilm™ J74RTU

Helps to produce dense, high quality concrete flatwork by greatly reducing the rate of evaporation of moisture from the concrete surface during the finishing process. This reduction of moisture loss allows time for proper finishing, while reducing plastic shrinkage cracking.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309347	5 gallon pail	\$12.79 GL	24.36 LB	F
309348	55 gallon drum	\$9.14 GL	9.00 LB	F

AquaFilm™ Concentrate J74

Works to produce dense, high quality concrete flatwork by greatly reducing the rate of evaporation of moisture from the concrete surface during the finishing process. This reduction of moisture loss allows time for proper finishing, while reducing plastic shrinkage cracking.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69730	1 gallon (4/case)	\$59.77 GL	7.80 LB	F
69731	5 gallon pail	\$46.49 GL	8.97 LB	F
69732	55 gallon drum	\$43.19 GL	50.00 LB	F

Form Release Agents

Clean Strip™ J1EF

Ensures a clean, positive release on plywood, fiberglass, aluminum, steel, urethane and other concrete forming materials and form liners.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309374	5 gallon pail	\$12.55 GL	8.37 LB	F
309373	55 gallon drum	\$9.20 GL	160.00 LB	F

Liquids

Form Release Agents

Clean Strip™ J1A

Clean Strip J1A chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69201	5 gallon pail	\$21.72 GL	8.97 LB	
69200	55 gallon drum	\$18.05 GL	50.50 LB	
69198	275 gallon tote	\$18.05 GL	7.89 LB	

Clean Strip™ J1A Winter Grade

Clean Strip J1A Winter Grade chemically releases hardened concrete from steel, aluminum, plywood, and composition forms. It is specially formulated to maintain low viscosity and dry faster in cooler temperatures in comparison to conventional oil based form releases.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
144014	5 gallon pail	\$22.77 GL	8.97 LB	
144015	55 gallon drum	\$18.95 GL	55.50 LB	
144016	275 gallon tote	\$18.95 GL	8.50 LB	

Clean Strip™ J2

Chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143330	5 gallon pail	\$20.95 GL	8.37 LB	
143331	55 gallon drum	\$16.78 GL	180.00 LB	
143332	275 gallon tote	\$16.78 GL	35.00 LB	

Clean Strip™ J2 Winter Grade

Clean Strip J2 Winter Grade is specially formulated to maintain low viscosity and dry faster in cooler temperatures in comparison to conventional oil based form releases. It chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143329	275 gallon tote	\$17.83 GL	7.98 LB	

Clean Strip™ Ultra J3

In conjunction with good concrete placement and forming technique, this quality product promotes easy stripping and minimizes form clean up. It is non-staining, and reduces the number of surface air voids (bugholes) on regular and superplasticized concrete. In addition, it chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309133	5 gallon pail	\$32.72 GL	8.37 LB	
309134	55 gallon drum	\$28.59 GL	55.00 LB	
309135	275 gallon tote	\$28.59 GL	9.09 LB	

Clean Strip™ J100 VOC

Clean Strip J100 VOC chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
145014	5 gallon pail	\$21.98 GL	8.97 LB	
145015	55 gallon drum	\$18.33 GL	50.50 LB	
145016	275 gallon tote	\$18.33 GL	7.95 LB	

F = Protect from freezing

Liquids

Form Release Agents

Magic Kote®

Magic Kote chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
243131	5 gallon pail	\$22.71 GL	7.79 LB	
243000	55 gallon drum	\$18.43 GL	9.60 LB	
243694	275 gallon tote	\$18.43 GL	7.89 LB	

Pure Pro Zero

Pure Pro Zero is a biodegradable, VOC compliant, ready to use, petroleum based, chemically reactive concrete form release. It is used to chemically release hardened concrete from steel, aluminum, plywood and composition forms. It is usable in cold temperatures and highly VOC regulated areas.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100386	5 gallon pail	\$26.28 GL	7.79 LB	

Latex Bonding Agents / Additives

Acrylic Bonding Agent J40

This ready to use, non-reemulsifiable acrylic admixture and bonding agent is designed to improve the adhesion and durability of concrete, masonry, stucco, terrazzo and portland cement-sand mixes to horizontal and vertical concrete and other surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69082	1 gallon (4/case)	\$45.13 GL	8.84 LB	F
69081	5 gallon pail	\$35.09 GL	9.06 LB	F
69080	55 gallon drum	\$31.67 GL	50.50 LB	F

PVA Bonding Agent J41

Used for bonding new to new or new to old concrete in interior horizontal or vertical applications or exterior vertical applications. PVA Bonding Agent J41 is excellent for use on concrete or cement board prior to plastering, in bonding mortar beds for setting tile or terrazzo or other areas where a reemulsifiable or rewettable surface applied bonding agent is desired.

Please Note: Do not use where frequent exposure to water is possible.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69112	1 gallon (4/case)	\$79.65 GL	25.00 LB	F
69111	5 gallon pail	\$60.67 GL	7.79 LB	F
69305	55 gallon drum	\$55.88 GL	9.21 LB	F

Level Primer J42

Use Level Primer J42 prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69114	1 gallon (4/case)	\$91.37 GL	8.84 LB	F
69113	5 gallon pail	\$70.70 GL	7.80 LB	F

Liquids

Latex Bonding Agents / Additives

Level Primer J42RTU

Use Level Primer J42RTU prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308190	1 gallon (4/case)	\$79.65 GL	25.00 LB	F

LEED / Green

Clean Strip™ J1EF

Ensures clean, positive release on plywood, fiberglass, aluminum, steel, urethane and other concrete forming materials and form liners.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309374	5 gallon pail	\$12.55 GL	8.37 LB	F
309373	55 gallon drum	\$9.20 GL	160.00 LB	F

Cure & Seal 309 EF

An Earth Friendly (EF), non-yellowing acrylic copolymer curing and sealing compound that may contribute to LEED Credits. EF formula is low odor and contains VOC < 100 g/L, making it VOC compliant in all regions. Cure & Seal 309 EF cures, seals and dustproofs freshly finished concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309242	5 gallon pail	\$25.98 GL	8.93 LB	F
309243	55 gallon drum	\$22.38 GL	17.00 LB	F

Cure & Seal 1315 EF

Provides a combination curing, sealing and dustproofing for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308669	5 gallon pail	\$42.63 GL	180.00 LB	F
308670	55 gallon drum	\$39.05 GL	225.00 LB	F

Ultra Seal EF

Used on all existing concrete and decorative concrete surfaces where a glossy, film forming sealer is desired. Ultra Seal EF is non-yellowing, making it suitable for both interior and exterior applications. This ultra low VOC sealer can be used in all VOC restricted areas in the United States and Canada.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309453	5 gallon pail	\$54.56 GL	7.93 LB	F
309455	55 gallon drum	\$51.09 GL	9.00 LB	F

F = Protect from freezing

Liquids

Liquid Densifiers

Densifier Concentrate J12

A concentrated material for hardening and dustproofing of interior and exterior, horizontal and vertical surfaces. Densifier Concentrate J12 does not discolor the concrete and does not produce objectionable odors.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69021	5 gallon pail	\$22.25 GL	50.50 LB	F

Densifier J13

A ready to use densifier for hardening and dustproofing of interior and exterior, horizontal and vertical concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69025	5 gallon pail	\$14.61 GL	50.50 LB	F
69024	55 gallon drum	\$10.84 GL	9.16 LB	F

Pentra-Hard® Densifier

Used on new and existing concrete to make the concrete more water, stain and abrasion resistant for easier maintenance and longer life. For applications where greater shine and stain resistance is required, such as schools, restaurants, commercial, retail, etc., use the the Durable Floor System™ (DFS) that applies the PENTRA-HARD Guard directly over the top of PENTRA-HARD Densifier.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143610	5 gallon pail	\$52.86 GL	7.79 LB	F
143611	55 gallon drum	\$50.81 GL	9.16 LB	F
143612	275 gallon tote	\$50.81 GL	8.50 LB	F

Sure Hard™ Densifier J17

J17 is a premium product for hardening, dustproofing and sealing of concrete. It is excellent for concrete floor applications where long term resistance to dusting, black rubber tire marks and water is important.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
68084	5 gallon pail	\$29.77 GL	7.94 LB	F
68082	55 gallon drum	\$26.63 GL	9.09 LB	F

PENTRA-HARD® Finish

Used for interior flooring non-porous ground, honed, polished or burnished concrete surfaces. Use PENTRA-HARD Finish in conjunction with PENTRA-HARD Densifier application as part of the Durable Floor System™ or on previously densified, polished or hard (power) trowelled surfaces. It enhances the color intensity of integrally colored, dyed or acid stained concrete.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143606	5 gallon pail	\$263.22 GL	180.00 LB	F
143608	275 gallon tote	\$259.48 GL	7.98 LB	F

Liquids

Liquid Densifiers

PENTRA-HARD® Guard

Used for interior flooring non-porous ground, honed, polished or burnished concrete surfaces such as concrete floors and garages. When pretreated with PENTRA-HARD Densifier, PENTRA-HARD Guard is especially effective in creating a surface with superior performance and maintenance characteristics.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
144826	1 gallon bottle (4/case)	\$209.21 GL	35.00 LB	F
144827	5 gallon pail	\$199.75 GL	7.46 LB	F
144828	55 gallon drum	\$195.87 GL	9.60 LB	F
144829	275 gallon tote	\$195.87 GL	9.09 LB	F

Sealers

Water Based/Earth Friendly

Ultra Seal EF

Commonly used on existing concrete and decorative concrete surfaces where a glossy, film forming sealer is desired. Ultra Seal EF is non-yellowing which makes it suitable for both interior and exterior applications. This ultra low VOC sealer can be used in all VOC restricted areas in the United States and Canada.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309453	5 gallon pail	\$54.56 GL	7.93 LB	F
309455	55 gallon drum	\$51.09 GL	9.00 LB	F

Solvent Based

Aggregloss™ J25

Used to seal, dustproof and enhance the beauty of new and old concrete, it is a film forming sealer for concrete, stamped concrete, exposed aggregate concrete or pavers.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69058	1 gallon (6/case)	\$77.63 GL	8.84 LB	
69057	5 gallon pail	\$66.26 GL	8.97 LB	
69056	55 gallon drum	\$62.85 GL	55.00 LB	

Aggregloss™ J25LVOC

AggreGloss J25 LVOC emphasizes natural aggregate colors and is recommended for use on exterior exposed aggregate, colored concrete, stained concrete or other architectural surfaces. This non-yellowing concrete sealer is specifically designed with advanced and VOC compliant solvents to meet the most stringent VOC requirements.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101155	5 gallon pail	\$66.26 GL	8.89 LB	

Liquids

Sealers

Solvent Based

Aggregloss™ J25LVOC Satin

AggreGloss J25 LVOC Satin emphasizes natural aggregate colors and is recommended for use on exterior exposed aggregate, colored concrete, stained concrete or other architectural surfaces. This non-yellowing concrete sealer is specifically designed with advanced and VOC compliant solvents to meet the most stringent VOC requirements.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101215	5 gallon pail	\$75.65 GL	8.97 LB	

Aggregloss™ Satin J25S

Used to seal, dustproof and enhance the beauty of new and old concrete, it is a film forming sealer for concrete, stamped concrete, exposed aggregate concrete or pavers.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
305645	1 gallon (6/case)	\$84.70 GL	7.75 LB	
305646	5 gallon pail	\$73.35 GL	8.97 LB	

Anti Spall J33

Protects new and old concrete surfaces from progressive deterioration caused by freeze/thaw cycles and deicing salts. It is specially formulated to resist the penetration of water and deicing salts.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69180	5 gallon pail	\$35.67 GL	8.97 LB	
69179	55 gallon drum	\$32.28 GL	3005.00 LB	

Tuf Seal™ J35

Provides improved gasoline/oil resistance, but it will also help to prevent dusting, spalling and inhibit efflorescence. Clean-up time is reduced and simplified since dirt, grease and/or oil that normally soaks into the concrete are easily removed from the coating. Tuf Seal J35 not only offers protection for concrete surfaces, but it can also protect and beautify exposed aggregate and stamped concrete.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69078	1 gallon (6/case)	\$93.83 GL	25.00 LB	
69077	5 gallon pail	\$75.15 GL	7.93 LB	
69076	55 gallon drum	\$71.42 GL	9.24 LB	

Tuf Seal™ Satin J35S

Provides improved gasoline/oil resistance, but it will also help to prevent dusting, spalling and inhibit efflorescence. Clean-up time is reduced and simplified since dirt, grease and/or oil that normally soaks into the concrete are easily removed from the coating. It can also offer protection for concrete surfaces, but it can also protect and beautify exposed aggregate and stamped concrete.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
68078	1 gallon (6/case)	\$97.77 GL	7.54 LB	
68077	5 gallon pail	\$83.79 GL	7.94 LB	

Liquids

Sealers

Solvent Based

Tuf Seal™ J35LVOC

Developed for exterior surfaces, this low VOC exempt-solvent based sealer provides a clear sating protection to emphasize the radiance and luster of all naural aggregates. Long lasting, durable finish that preserves the concrete.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101092	5 gallon pail	\$95.92 GL	7.94 LB	

Tuf Seal™ J35LVOC Satin

J35LVOC is a low VOC, exempt-solvent bases sealer designed specifically for exterior concrete surfaces such as exposed aggregate, colored concrete, stained concrete and other architectural surfaces. Produces a satin appearance to new or old surfaces.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101216	5 gallon pail	\$73.71 GL	7.94 LB	

Anti Slip Additive

Grip Aid

When added as a sealer, Grip Aid provides slip resistance providing a "bite" to the concrete surface, without being highly abrasive.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
273497	One 16 oz bottle	\$63.24 BO	2530.00 LB	

Concrete Dissolver

Dissolve It

Removes hardened concrete from concrete handling or finishing equipment such as: screeds, trowels, concrete forms, anchors, hardware, mixers or ready-mix truck. Dissolve It will also remove masonry mortar from equipment, mixers, etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
145537	1 gallon (4/case)	\$55.41 GL	7.80 LB	
145538	5 gallon pail	\$45.08 GL	50.50 LB	
145539	55 gallon drum	\$41.66 GL	9.16 LB	

Liquids

Surface Retarders

TOP-CAST® Surface Retarder

Any of the TOP-CAST Surface Retarders are ideal for cast-in-place flatwork or for the top surface of pre-cast concrete panels. The wide selection of grades available provides a comprehensive range of effects, from a simulated light acid wash or sand blast finish up to full exposure of 1-1/4 in. (32 mm) aggregate. Top-Cast is VOC compliant. Top-Cast Surface Retarder is part of the TOP-CAST Decorative Finishing System and can be used alongside any of the products found in the system. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	MSRP (0-175 Gallons)	MSRP (180+ Gallons)	Weight (lbs)	*
100123	White 01 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F
309055	Violet 03 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
309056	Light Blue 05 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F
309057	Yellow 15 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F
309058	Beige 25 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F
309059	Canary Green 50 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F
145523	Blue 75 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
145524	Gray 100 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
145525	Pink 125 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
145526	Green 150 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
145527	Salmon 200 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	180.00 LB	F
145528	Orange 250 - 5 gallon pail	\$74.61 KT	\$74.61 GL	\$63.42 GL	160.00 LB	F

TOP-CAST® SS 100 Site Saver

Top-Cast SS 100 provides a surface protectant designed to keep splatter, color, cementitious toppings, cures and retarder overspray from adhering to the surfaces surrounding a concrete placing and finishing operation. This easy to use product replaces the need for costly plastic barriers to keep your product and work environment clean. The SS 100 is part of the TOP-CAST Decorative Finishing System and is used prior to the TOP-CAST Surface Retarder to gain a cost effective way for a clean surface. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309054	5 gallon pail	\$74.61 GL	35.00 LB	F

TOP-CAST® EX 200 Wash-Off Extender

Top-Cast EX 200 is part of the TOP-CAST Decorative Finishing System and is a VOC compliant membrane forming, water-based, surface retarder extender designed to be used with the Top-Cast Surface Retarder. It is used to extend the removal time when properly applied. Earthy Friendly and may contribute to LEED credits. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101003	5 gallon pail	\$23.25 GL	160.00 LB	F

F = Protect from freezing

Liquids

Surface Retarders

TOP-CAST® PR 300 Penetrating Protector

Top-Cast PR 300 is VOC compliant in all areas and when sprayed on new, exposed aggregate concrete, makes the concrete more water, stain and abrasion resistant for easier maintenance and longer life. It is Earth Friendly and may contribute to LEED points. The PR 300 is part of the TOP-CAST Decorative Finishing System. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100998	5 gallon pail	\$17.18 GL	180.00 LB	F

TOP-CAST® CS 400 Cure And Seal

The Top-Cast CS 400 is a water based, non-yellowing acrylic copolymer curing and sealing compound that seals and dustproofs freshly finished concrete surfaces. It may contribute to LEED credits due to being Earth Friendly and is VOC compliant in all regions. As part of the TOP-CAST Decorative Finishing System, it can be used with the TOP-CAST Surface Retarder. VOC compliant in all regions. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101032	5 gallon pail	\$33.65 GL	7.80 LB	F

TOP-CAST® HG 500 High Gloss Sealer

To protect and seal your TOP-CAST Surface Retarder with a high gloss finish, use the Top-Cast HG 500 that is designed to add an attractive gloss to exposed aggregate concrete. VOC compliant in all areas of the US and Canada. The HG 500 is part of the TOP-CAST Decorative Finishing System. TOP-CAST® is a trademark of GCP Applied Technologies.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101007	5 gallon pail	\$61.79 GL	7.93 LB	F



MSRP prices are provided for estimating purposes only
For Technical or Safety Data Sheets, visit DaytonSuperior.com
For additional information please contact Customer Service at 888-977-9600

Liquids

Water Repellents

Water Based

Weather Worker™ 10% J26WB

Offers outstanding long term weatherproof protection for all types of concrete and masonry surfaces and can be used on numerous types of surfaces such as Cast-In-Place Concrete Precast and Prestressed Concrete Exposed Aggregate Concrete Porous and Dense Brick Concrete Stucco Sandstone and Limestone.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
68962	5 gallon pail	\$62.60 GL	7.93 LB	F
68961	55 gallon drum	\$58.78 GL	8.95 LB	F

Solvent Based

Weather Worker™ 40% J29

Providing long term weatherproofing protection for all types of concrete and masonry surfaces that will dramatically increase the life expectancy of concrete or masonry.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69138	5 gallon pail	\$126.08 GL	6.20 LB	
69137	55 gallon drum	\$122.26 GL	8.95 LB	

Weather Worker™ 100% J29A

Delivers wonderful long term weatherproof protection for all types of concrete and masonry surfaces that will dramatically increase the life expectancy of concrete or masonry.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
68057	5 gallon pail	\$134.73 GL	7.93 LB	
68056	55 gallon drum	\$126.49 GL	180.00 LB	

Powders

Concrete Repair

General Use Repair Mortars

PolyFast™ FS

A polymer modified mortar that can be used for vertical, horizontal and overhead repairs of concrete structures for interior or exterior, above or below grade applications. It can be used as a structural repair for bridges, tunnels, parking structures, dams, walls, columns, etc. It is also excellent for the repair of precast concrete products, i.e., pipes, beams, steps and the like.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67358	50 lb. bag	\$54.64 BG	135.00 LB	
67359	50 lb. pail	\$82.22 PA	45.00 LB	

Recrete™ 5 Minute

Used as a general purpose concrete patching product which can be used to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc. Specially formulated to provide a very fast setting repair mortar with excellent workability for light traffic for both interior and exterior.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67300	50 lb. bag	\$42.83 BG	287.00 LB	
67305	50 lb. pail	\$57.14 PA	45.00 LB	

Recrete™ 20 Minute

Created to provide a fast setting repair mortar with excellent workability. It can be used as a general purpose concrete patching product to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67310	50 lb. bag	\$42.83 BG	79.00 LB	
67315	50 lb. pail	\$57.14 PA	45.00 LB	

Recrete™ Light 20 Minute

Specially formulated to provide a fast setting repair mortar with excellent workability. It can be used as a general purpose concrete patching product to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67311	50 lb. bag	\$55.52 BG	3005.00 LB	
67312	50 lb. pail	\$91.33 PA	45.00 LB	

Vertical / Overhead Repair

Architectural Finish™

A trowel applied mortar designed to eliminate small concrete surface blemishes, rough areas, bug holes and form marks on poured walls, tiltup and precast.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308236	40 lb. bag	\$37.62 BG	9.58 LB	

Powders

Concrete Repair

Vertical / Overhead Repair

Perma Patch™ VO

Used when bridge columns, parking structures columns, spandrels beams, concrete ceilings, tunnels, pipes, pilings and any other vertical or overhead concrete repair application requires excellent durability and strength.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308247	50 lb. bag	\$52.83 BG	16.00 LB	
308659	50 lb. pail	\$77.02 PA	45.00 LB	

HD 25 VO

A polymer modified mortar that can be used for vertical and overhead repairs of concrete structures both inside and outside and above or below grade. It can also be used as a structural repair for bridges, tunnels, parking structures, dams, walls, columns, etc. and is an excellent repair material for precast concrete products, such as pipes, beams and steps.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67458	50 lb. bag	\$53.72 BG	12.15 LB	

Civil/Structural VO

For repairing of concrete above and below grade on both vertical and overhead applications. Typical applications include repair of columns, bridges, tunnels, parking structures, retaining walls, dams, etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308762	50 lb. bag	\$59.09 BG	16.00 LB	

Superior Wall Finish

A trowel, roller or brush applied mortar specially formulated for rubbing, smoothing and reprofiling vertical surfaces in tilt-up and precast.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
114024	30 lb. bag	\$43.64 BG	30.00 LB	

Form & Pour Repair

Civil/Structural FPX

Excellent for use as a repair material or resurfacing for parking facilities, industrial plants, bridges, tunnels, dams, balconies or any deep section repair of concrete that utilizes form and pour or form and pump applications. Can be used on-grade, above, and below grade; horizontal, vertical and overhead; interior or exterior; structural and general repairs where 1 in. (2.54 cm) to 12 in. (30.48 cm) thickness is required.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308765	55 lb. bag	\$38.04 BG	5.00 LB	

Perma Patch™ FP

Designed for all structural and general horizontal concrete repairs (interior, exterior, above and below grade) where sufficient working time during placement and high early strength is required.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308246	50 lb. bag	\$44.93 BG	12.36 LB	

Powders

Concrete Repair

Horizontal Repair Mortars

DOT Rapid Repair

This DOT high-strength rapid set is designed for horizontal concrete repair. Formulated for heavy duty repair surfaces. Available as a neat mortar or pre-extended with coarse aggregate.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101222	Neat - 50 lb. bag	\$32.58 BG	50.00 LB	
101223	Extended - 50 lb. bag	\$22.92 BG	50.00 LB	

Thin ReSurfacer

This mortar is ideal for thin resurfacing of rain damaged, new concrete surfaces or for badly spalled older concrete surfaces. It is used for leveling and repairing floors and resurfacing concrete areas such as sidewalks, plaza areas, driveways, parking decks, and loading docks.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67483	50 lb. bag	\$56.73 BG	50.50 LB	

Special Patch

For all horizontal concrete and general repairs (interior and exterior, above and below grade). Ideal for parking deck repairs, ramps and roadways, as well as interior warehouse floors subjected to heavy loads and abrasion.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
139952	50 lb. bag and jug kit	\$77.02 KT	45.00 LB	
139951	50 lb. bag and jug kit	\$87.74 KT	45.00 LB	
139977	50 lb. bag	CALL FOR QUOTE BG	45.00 LB	

HD 50

Designed for the repair of heavy duty surfaces such as concrete highways, bridge decks, parking structures, airport runways, freezer rooms, industrial and warehouse floors, and loading docks. HD 50 is a flowable material that may be poured into place for horizontal applications or into formed vertical and overhead applications.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67460	50 lb. bag	\$65.38 BG	28.80 LB	

Pave Patch 3000

Created for the repair of heavy duty surfaces such as concrete highways, bridge decks, parking structures, airport runways, freezer rooms, industrial and warehouse floors, and loading docks. Pave Patch 3000 is a pourable material that may be poured into place for horizontal applications or into formed vertical and overhead applications.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143333	50 lb. bag	\$48.38 BG	29.20 LB	

Powders

Concrete Repair

Resin Based Repair Mortars

Sure Patch™

Used for epoxy interior or exterior concrete repair and overlays on interior horizontal surfaces and for interior industrial and commercial applications subjected to abrasion and or chemical spills.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
139890	0.5 cu. ft. kit (1 kit per case)	\$421.13 KT	61.50 LB	
139891	0.5 cu. ft. kit (1 kit per case)	\$1,317.58 KT	224.00 LB	

Specialty Repair

Anchor All

Used for anchoring bolts, rails, posts and dowels into concrete where a non-shrink, rapid-setting anchoring cement is required.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
143407	50 lb. pail	\$74.20 PA	45.00 LB	

Waterstop™

Designed to be used to stop water flow through non-moving cracks, crevices and holes in concrete or masonry surfaces. Waterstop can also be used as a plug for cisterns, sewers, tunnels, mines and dams.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67375	50 lb. pail	\$94.94 PA	45.00 LB	

Hardeners/Industrial Toppings

Emery Tuff Natural

A dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67510	Natural - 50 lb. bag	\$65.49 BG	50.50 LB	

Emery Non-Slip

Emery Tuff is a dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67503	50 lb. bag	\$92.47 BG	29.35 LB	

Emery Tuff Top

Designed to provide an extremely hard, dense and abrasion resistant floor topping for heavy duty applications. Concrete floors protected by Emery Tuff Top will be very resistant to dusting, spalling, deterioration and surface abrasion.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67569	80 lb. bag	\$110.49 BG	0.02 LB	

Powders

Hardeners/Industrial Toppings

Ferro Tuff Natural

Designed to provide an extremely dense, abrasion resistant and ductile floor for heavy duty applications. The ductile iron aggregate helps prevent spalling, deterioration and surface abrasion. Surface applications include airplane hangers, manufacturing plants including car, truck and tractor assembly plants, processing plants, warehouses, loading docks, foundries, smelters, generating stations, industrial plants, etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67550	Natural - 50 lb. bag	\$84.56 BG	50.50 LB	

Quartz Tuff Light Reflective

Quartz Tuff is a dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67545	Light Reflective - 55 lb. bag	\$45.65 BG	50.50 LB	

Quartz Tuff Natural

This dry shake floor hardener is designed for application to freshly cast horizontal concrete to harden and densify the surface.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67530	Natural - 55 lb. bag	\$21.75 BG	50.50 LB	

Floor Levelers

Levelayer®

Developed as a leveler for interior new construction projects to correct rough, unfinished, or uneven floors or on restoration projects, to produce a smooth, even finish over existing substrate.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67451	50 lb. bag	\$64.71 BG	28.78 LB	

Econolevel™

Used to level or create a smooth surface on interior floors and can be used on new construction projects to correct rough, unfinished or uneven floors prior to installation of the finished flooring.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308189	50 lb. bag	\$56.22 BG	29.35 LB	

Sure Finish™

Creates an exceptionally smooth underlayment prior to the installation of floor coverings such as carpet, VCT, sheet vinyl, wood and other flooring surfaces.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
305630	One 25 lb. pail	\$88.22 PA	53.00 LB	

Powders

Floor Levelers

Level Primer J42RTU

Used prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308190	1 gallon (4/case)	\$79.65 GL	25.00 LB	F

Level Primer J42

Used prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
69114	1 gallon (4/case)	\$91.37 GL	8.84 LB	F
69113	5 gallon pail	\$70.70 GL	7.80 LB	F

Level Topping™

Level Topping can be used to level or create a solid surface on interior industrial type concrete floors for new construction projects. It is used to correct rough or unfinished concrete and to level out uneven floors or on restoration projects to produce a hard even finish over old concrete. **Do not use outdoors.**

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67457	50 lb. bag	\$68.52 BG	134.00 LB	

Level Topping™ Exterior

This floor leveler can be used outdoors to level or create a solid surface on interior industrial type concrete floors for new construction projects. It corrects rough or unfinished concrete and is used to level out uneven floors or on restoration projects to produce a hard even finish over old concrete.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
306188	50 lb. bag	\$81.30 BG	25.32 LB	

Sure-Leveler™

This floor leveler can be used outdoors to level or create a solid surface on interior industrial type concrete floors for new construction projects. It corrects rough or unfinished concrete and is used to level out uneven floors or on restoration projects to produce a hard even finish over old concrete.

Grouts

Cement Based Grout

1107 Advantage™ Grout

Exterior gouting of structural column base plates, pump and machinery bases, anchoring bolts, dowels, bearing pads and keyway joints. It finds applications in paper mills, oil refineries, food plants, chemical plants, sewage and water treatment plants etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67435	50 lb. bag	\$29.59 BG	24.20 LB	
67437	3000 lb. supersack	\$1,760.87 EA	9.60 LB	

F = Protect from freezing

Powders

Grouts

Cement Based Grout

Sure-Grip® High Performance Grout

An ideal product for interior or exterior grouting of architectural and structural precast concrete components, structural column base plates, machinery bases, anchoring bolts, cable anchorages, dowels, bearing pads, keyway joints, crane rails or anywhere a high quality engineered grout is required.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67440	50 lb. bag	\$45.36 BG	50.50 LB	
122964	3000 lb. supersack	\$2,836.84 EA	8.90 LB	

Sure-Grip® Precision Grout

Used as a versatile, non-shrink, non-metallic material that provides precision grouting in fluid, flowable or dry pack consistencies. It is recommended for grouting bearing plates and base plates, columns, beams and precast walls, equipment and pumps, shear keys etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309325	50 lb. bag	\$33.81 BG	50.50 LB	

Dri Pak Precast Grout

Designed to provide an effective load bearing surface through its controlled expansion.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
67445	50 lb. bag	\$39.45 BG	29.00 LB	

Turbo Grout HP12®

Ideal product for grouting wind turbine towers, structural column base plates, machinery bases, anchoring bolts, dowels, bearing pads, keyway joints, crane rails etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309021	55 lb. bag	\$64.80 BG	5.00 LB	

Turbo Grout LT12

Designed for the grouting of base plates for Wind Turbine towers, machinery and equipment base plates, columns, crane rails etc.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309013	50 lb. bag	\$138.01 BG	50.50 LB	

Underwater Grout

Recommended for underwater grouting for bridge columns, concrete pilings and dam repairs where a "wash-out" resistant, free-flowing or pumpable nonshrink, high strength grout is required.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309351	50 lb. bag	\$47.95 BG	50.50 LB	

D490 Sleeve-Lock® Grout

Specially formulated cement based, nonmetallic, non-shrink grout designed for the grouting of the Dayton Superior D410 Sleeve-Lock® Grout Sleeve.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
308993	50 lb. bag	\$116.70 BG	50.50 LB	

F = Protect from freezing

Powders

Grouts

Epoxy Grout

Epoxy Grout J55

Can be used for anchor bolts and sleeves, supporting pumps, mill tables, crushers, crane rails, engines, compressors, rotary equipment and other heavy machinery requiring a stable and energy absorbing base subject to dynamic loads to maintain precision alignment.

Please Note: * F = Protect From Freezing

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
309214	2 cu. ft. kit (1 kit/case)	\$1,153.91 KT	50.50 LB	F

Waterproofing/Coating

Vertical/Overhead

Seal Coat 1000™

Especially effective on concrete and masonry walls where it is applied either as a waterproofing coat or mixed with clean washed sand as a heavy coat to conceal mortar joints and it can also eliminate the need for tuckpointing old masonry buildings.

Product Code	Packaging	MSRP (US\$)	Weight (lbs)
67390	50 lb. bag	\$48.47 BG	3005.00 LB

Tools/Equipment

Spray-Pro AC/DC

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
101506	45 lb. box	\$2,505.93 EA	45.00 LB	

AT1500X Pneumatic 1:1 Gun (51 OZ.)

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140954	One Gun	\$1,314.17 EA	45.00 LB	

AT600 Pneumatic 1:1 Gun (22 OZ.)

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140952	One Gun	\$1,296.14 EA	25.00 LB	

AT825 Pneumatic 10:1 Gun (28 OZ.)

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140953	One Gun	\$1,296.14 EA	40.00 LB	

B26 Manual Caulk Gun

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141293	One Gun	\$66.14 EA	40.00 LB	

Black Blue Push Connector

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141833	One Connector	\$8.81 EA	45.00 LB	

F = Protect from freezing



MSRP prices are provided for estimating purposes only
 For Technical or Safety Data Sheets, visit DaytonSuperior.com
 For additional information please contact Customer Service at 888-977-9600

Tools/Equipment

Corner Port w/ Cap

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141310	One Port w/ Cap	\$2.42 EA	40.00 LB	

Drill Port w/ Cap

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140949	One Port w/ Cap	\$2.18 EA	40.00 LB	

High Flow Nozzle w/ Extension

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141824	One Nozzle w/ Extension	\$4.97 EA	40.00 LB	

Machine Surface Port w/ Cap

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140951	One Port w/ Cap	\$2.18 EA	40.00 LB	

Surface Port w/ Cap

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
140948	Port w/ 2 pc Cap & Nozzle	\$1.65 EA	53.00 LB	

T600 Manual 1:1 Caulking Tool (22 OZ.)

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141487	Caulking Tool - One Gun	\$190.41 EA	0.03 LB	

T825 Manual 10:1 Caulking Tool (28 OZ.)

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
141680	Caulking Tool - One Gun	\$198.04 EA	0.02 LB	

Battery Operated Caulking Tool w/ 600 ML

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100216	Caulking Tool - One Gun (Battery Operated Tool)	\$2,861.88 EA	0.02 LB	

F = Protect from freezing



MSRP prices are provided for estimating purposes only
 For Technical or Safety Data Sheets, visit DaytonSuperior.com
 For additional information please contact Customer Service at 888-977-9600

ProAnchor Elite Tools/Equipment

ProAnchor Elite Brushes

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100865	Tools - Brushes: 6 in - Drill Size 7/16" (500/case)	\$60.88 EA	7.76 LB	
100866	Tools - Brushes: 6 in. - Drill Size 1/2" (500/case)	\$60.93 EA	9.00 LB	
100867	Tools - Brushes: 6 in - Drill Size 9/16" (500/case)	\$61.89 EA	8.13 LB	
100868	Tools - Brushes: 6 in - Drill Size 5/8" (500/case)	\$62.00 EA	1.10 LB	
100869	Tools - Brushes: 6 in - Drill Size 3/4" (500/case)	\$63.71 EA	8.23 LB	
100871	Tools - Brushes: 6 in - Drill Size 7/8" (500/case)	\$64.56 EA	8.23 LB	
100872	Tools - Brushes: 9 in - Drill Size 1" (500/case)	\$66.61 EA	8.13 LB	
100873	Tools - Brushes: 9 in - Drill Size 1-1/8" (500/case)	\$71.73 EA	9.24 LB	
100874	Tools - Brushes: 9 in - Drill Size 1-3/8" (500/case)	\$71.73 EA	9.09 LB	
100875	Tools - Brushes: 9 in - Drill Size 1-1/2" (500/case)	\$71.73 EA	8.23 LB	

ProAnchor Elite SDS Brush Adapter

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100876	Tools - SDS Brush Adapter (500/case)	\$173.57 CA	8.14 LB	

ProAnchor Elite Brush Extension

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100877	Tools - Brush Extension (500/case)	\$48.52 EA	43.20 LB	

ProAnchor Elite Dispensing Tools

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100884	Dispensing Tool - Manual Heavy Duty (9 oz) (500/case)	\$82.66 EA	125.00 LB	
100889	Dispensing Tool - Manual Heavy Duty (22oz) (500/case)	\$151.69 EA	0.02 LB	
100892	Dispensing Tool - Battery Operated 22/16oz w/ 18v Charger (500/case)	\$2,213.30 EA	0.02 LB	

F = Protect from freezing



MSRP prices are provided for estimating purposes only
 For Technical or Safety Data Sheets, visit DaytonSuperior.com
 For additional information please contact Customer Service at 888-977-9600

ProAnchor Elite Tools/Equipment

ProAnchor Elite Piston Plugs

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100895	Tools - Piston Plug: 7/16" - w/ 8" Polypropylene Tube (10/case) - Black	\$30.14 CA	9.40 LB	
100896	Tools - Piston Plug: 7/16" (10/case) - Black	\$30.14 CA	9.40 LB	
100897	Tools - Piston Plug: 9/16" (10/case) - Blue	\$16.53 CA	7.65 LB	
100898	Tools - Piston Plug: 5/8" (10/case) - Red	\$20.42 CA	9.40 LB	
100899	Tools - Piston Plug: 3/4" (10/case) - Yellow	\$20.42 CA	9.40 LB	
100901	Tools - Piston Plug: 7/8" (10/case) - Green	\$25.27 CA	8.84 LB	
100902	Tools - Piston Plug: 1" (10/case) - Black	\$30.63 CA	9.00 LB	
100903	Tools - Piston Plug: 1-1/8" (5/case) - Orange	\$17.51 CA	9.40 LB	
100904	Tools - Piston Plug: 1-3/8" (5/case) - Brown	\$29.15 CA	9.40 LB	
100905	Tools - Piston Plug: 1-1/2" (5/case) - Gray	\$21.40 CA	9.40 LB	

ProAnchor Elite Tools-Miscellaneous

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100878	Tools - Square Nozzle w/ Hanger 10" x 1/2" x 7/16" (500/case)	\$2.24 EA	50.50 LB	
100879	Tools - HF Mixing Nozzle w/ 8mm Extension Tube - 15.75" (10/case)	\$4.08 EA	9.60 LB	
100881	Tools - 8mm Extension Tube for 15.75" HF Mixing Nozle (500/case)	\$0.38 EA	61.50 LB	
100882	Tools - 9/16" Diameter Nozzle Extension- 36" (500/case)	\$7.69 EA	224.00 LB	
100883	Tools - Retention Wedge (500/case)	\$10.47 EA	7.65 LB	

F = Protect from freezing



MSRP prices are provided for estimating purposes only
 For Technical or Safety Data Sheets, visit DaytonSuperior.com
 For additional information please contact Customer Service at 888-977-9600

ProAnchor WeatherMax Tools/Equipment

ProAnchor WeatherMax Brushes

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100982	Tools - Brushes: 6 in - Drill Size 9/16" Brush (500/case)	\$20.71 EA	9.00 LB	
100981	Tools - Brushes: 6 in - Drill Size 7/16" Brush (500/case)	\$15.94 EA	9.00 LB	
100983	Tools - Brushes: 6 in - Drill Size 5/8" Brush (500/case)	\$16.94 EA	8.23 LB	
100984	Tools - Brushes: 6 in - Drill Size 3/4" Brush (500/case)	\$18.40 EA	7.80 LB	
100985	Tools - Brushes: 6 in - Drill Size 7/8" Brush (500/case)	\$17.02 EA	7.72 LB	
100986	Tools - Brushes: 9 in - Drill Size 1" Brush (500/case)	\$17.51 EA	9.24 LB	
100987	Tools - Brushes: 9 in - Drill Size 1-1/8" Brush (500/case)	\$18.49 EA	8.03 LB	
100988	Tools - Brushes: 9 in - Drill Size 1-3/8" Brush (500/case)	\$19.20 EA	9.24 LB	
100989	Tools - Brushes: 9 in - Drill Size 1-1/2" Brush (500/case)	\$19.20 EA	8.13 LB	
100989	Tools - Brushes: 9 in - Drill Size 1-1/2" Brush (500/case)	\$19.20 EA	8.13 LB	

ProAnchor WeatherMax SDS Brush Adapter

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100977	Tools - Brushes: 9 in - Drill Size 1-1/2" SDS Brush Adapter (500/case)	\$23.78 EA	7.72 LB	

ProAnchor WeatherMax Brush Extension

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100978	Tools - Brush Extension (500/case)	\$23.82 EA	8.23 LB	

ProAnchor WeatherMax Dispensing Tools

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100975	Tools - Heavy Duty Manual Dispensing Gun - 9 oz (500/case)	\$82.66 EA	8.90 LB	
100976	Tools - Pneumatic Dispensing Gun - 28 oz Suitcase Handle 10:1 (500/case)	\$1,870.83 EA	8.84 LB	

ProAnchor WeatherMax Piston Plugs

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100991	Tools - Piston Plug: 3/4" (10/pack) - Yellow	\$1.38 EA	9.04 LB	
100992	Tools - Piston Plug: 7/8" (10/pack) - Green	\$1.50 EA	8.14 LB	
100993	Tools - Piston Plug: 1" (10/pack) - Black	\$1.39 EA	9.40 LB	
100994	Tools - Piston Plug: 1-1/8" (5/pack) - Orange	\$1.75 EA	9.40 LB	
100995	Tools - Piston Plug: 1-3/8" (5/pack) - Brown	\$1.94 EA	9.40 LB	
100996	Tools - Piston Plug: 1-1/2" (5/pack) - Gray	\$2.05 EA	9.40 LB	

F = Protect from freezing



MSRP prices are provided for estimating purposes only
For Technical or Safety Data Sheets, visit DaytonSuperior.com
For additional information please contact Customer Service at 888-977-9600

ProAnchor WeatherMax Tools/Equipment

ProAnchor WeatherMax Mixing Nozzles

Product Code	Packaging	MSRP (US\$)	Weight (lbs)	*
100973	Tools - 280ml Mixing Nozzle (500/case)	\$1.12 EA	31.68 LB	
100974	Tools - 28oz Mixing Nozzle - 825ml (10/case)	\$23.67 CA	43.20 LB	

F = Protect from freezing