

TECHNICAL DATA SHEET

LIMITATIONS

NOT for use with flammable products!
Do NOT clean this sprayer with flammable products
including Xylene & Acetone!
Do NOT operate near flammable materials.
Use only original manufacturer parts.
Replace damaged hoses immediately.
Disconnect or unplug unit when not in use.
Never submerge pump.
Release pressure before disconnecting.
Do not allow liquid to freeze in the pump.

FOR PROFESSIONAL USE ONLY

For maintenance questions or replacement parts,
please contact Progressive Solutions Corporation
directly at 800.801.7832

PRECAUTIONS

WARNING: IMPROPER USE OR FAILURE TO
FOLLOW INSTRUCTIONS CAN RESULT IN
EXPLOSIVE FAILURE WITH MAJOR INJURIES.
FOR SAFE USE OF THIS PRODUCT YOU MUST
READ AND FOLLOW ALL INSTRUCTIONS
BEFORE USE.

Always unplug unit before attempting service.
Do not leave a pressurized sprayer in the hot sun.
Heat can cause pressure buildup.
Do not store or leave solution in tank after use.
Always wear goggles, gloves, long sleeve shirt,
long pants and full foot protection when spraying.
Never use any tool to remove pump if there is
pressure in sprayer.
Never stand with face or body over top of tank
when pumping or loosening pump to prevent
ejecting pump assembly and/or solution from
striking and injuring you.
Never pressurize sprayer by any means other than
the original pump.
Do not attempt to modify. Repair this product with
only original manufacturer's parts.

MANUFACTURER

URUDYROWLRBUSRUDWLR

RUSRUDWDUND

ORTL

SSRUWSURUDYERP

Website: www.SURJUHVVLYHERP

WARRANTY

Dayton Superior Corporation ("Dayton") warrants for 12 months from the date of manufacture or for the duration of the published product shelf life, whichever is less, that at the time of shipment by Dayton, the product is free of manufacturing defects and conforms to Dayton's product properties in force on the date of acceptance by Dayton of the order. Dayton shall only be liable under this warranty if the product has been applied, used, and stored in accordance with Dayton's instructions, especially surface preparation and installation, in force on the date of acceptance by Dayton of the order. The purchaser must examine the product when received and promptly notify Dayton in writing of any non-conformity before the product is used and no later than 30 days after such non-conformity is first discovered. If Dayton, in its sole discretion, determines that the product breached the above warranty, it will, in its sole discretion, replace the non-conforming product, refund the purchase price or issue a credit in the amount of the purchase price. This is the sole and exclusive remedy for breach of this warranty. Only a Dayton officer is authorized to modify this warranty. The information in this data sheet supersedes all other sales information received by the customer during the sales process. THE FOREGOING WARRANTY SHALL BE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ALL OTHER WARRANTIES OTHERWISE ARISING BY OPERATION OF LAW, COURSE OF DEALING, CUSTOM, TRADE OR OTHERWISE.

Dayton shall not be liable in contract or in tort (including, without limitation, negligence, strict liability or otherwise) for loss of sales, revenues or profits; cost of capital or funds; business interruption or cost of downtime, loss of use, damage to or loss of use of other property (real or personal); failure to realize expected savings; frustration of economic or business expectations; claims by third parties (other than for bodily injury), or economic losses of any kind; or for any special, incidental, indirect, consequential, punitive or exemplary damages arising in any way out of the performance of, or failure to perform, its obligations under any contract for sale of product, even if Dayton could foresee or has been advised of the possibility of such damages. The Parties expressly agree that these limitations on damages are allocations of risk constituting, in part, the consideration for this contract, and also that such limitations shall survive the determination of any court of competent jurisdiction that any remedy provided in these terms or available at law fails of its essential purpose.

TECHNICAL DATA SHEET

APPENDIX**CONDITIONS OF SALE**

Progressive Solutions Corporation (PSC) offers chemical products for sale subject and limited by this legal notice/warranty which may ONLY be varied by WRITTEN agreement of a duly authorized corporate officer of PSC. No other representative of or for PSC is authorized to grant any warranty or to waive any limitation of liability set forth below. All orders are accepted subject to our current terms of sale and delivery. Any purchase or purchase order terms are expressly rejected including terms which indicate shipment as a manner of acceptance.

WARRANTY LIMITATION**MANUFACTURING DEFECTS**

PSC warrants this product to be free of manufacturing defects. If the product, when purchased and used within the shelf life as determined by the date on the container or carton is defective, PSC will replace the defective product with new product without charge to the purchaser. Product containers or cartons without dates are not covered by ANY warranty. NO CLAIM OF ANY KIND SHALL BE GREATER THAN THE PURCHASE PRICE OF THE PRODUCT IN WHICH DAMAGES ARE CLAIMED.

OTHER WARRANTIES

PSC makes NO OTHER WARRANTY, EITHER EXPRESSED OR IMPLIED, for its chemical products. NO WARRANTY in respect to merchantability or fitness for a particular purpose, nor any warranty either expressed or implied, nor any liability whatsoever, shall be inferred either from this information, or from any written recommendations, or from any other advice offered. NO CLAIM OF ANY KIND SHALL BE GREATER THAN THE PURCHASE PRICE OF THE PRODUCT IN WHICH DAMAGES ARE CLAIMED.

INHERENT RISK

Purchaser assumes all risk associated with the use of application of the product. Any information, and in particular, the recommendations relating application and use of PSC's product, are provided in good faith based on PSC's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with PSC's recommendations. Difference in materials, substrates and actual site conditions are such that the user of this product must test the product's suitability for the intended application and purpose. PSC reserves the right to change the properties of its products. Users should always refer to the most recent revision of the Technical Data Sheet, Application Specific Instructions and SDS of the product(s) concerned, copies of which will be supplied upon request.